

107. Family MUSCIDAE

By Adrian C. Pont

The Muscidae are well represented in all zoogeographic regions, and some 3,880 species are recognized. This catalog lists 640 species in 51 genera, totalling almost 910 names, but work on the Australasian/Oceanian fauna is incomplete and these regions are likely to contain at least 1,000 species.

Adults occur in virtually all habitats except the most arid and are often extremely numerous. Some are of considerable medico-veterinary importance (Stomoxyinae, many Muscinae) and, as blood or sweat feeders, are able to act as mechanical vectors of diseases. However, most species are retiring of habit and have little impact on human activities. Adult Coenosiinae are predators of other insects. Larval habitats and larval food vary widely, including saprophagy, phytophagy, coprophagy, carnivory, and parasitism, but larvae are most commonly found in dung or decaying organic matter. Larvae of *Atherigona* (shoot flies) are primary pests of cereal crops and grasses.

The generic classification of the Muscidae was dealt with by Hennig (1965) and, for the Mydae-

inae, by Vockeroth (1972). There is a valuable paper on dung-breeding larvae by Ferrar (1979) and a general account of world muscid larvae by Skidmore (1985). There is little synoptic literature available for the adults. Identification of genera may be attempted using the keys in Emden (1965) and Malloch (1925*f*); keys to the genera of the Mydaeinae are given by Vockeroth (1972) and to the Coenosiini by Crosskey (1962*b*). Individual revisions are available for the Mydaeinae (Vockeroth 1972), *Passeromyia* (Pont 1974*a*), *Pectiniseta* (Pont 1972), and *Pygophora* (Crosskey 1962*b*). Otherwise, the following treatments are most useful for individual areas: Australia (Malloch *passim*; Pont *passim*); Fiji (Bezzi 1928), Hawaii (Hardy 1981), Lord Howe and Norfolk islands (Pont 1973), Maluku (Malloch 1929*c,d*), Marquesas (Malloch 1932*o*), Micronesia (Snyder 1965), PNG (Shinonaga & Pont, 1988; Shinonaga & Kano, *passim*), and Samoa (Malloch 1929*g*). A revision of the New Zealand Muscidae is in preparation by R.A. Harrison.

Subfamily MUSCINAE

Tribe REINWARDTIINI

Genus BALIOGLUTUM Aldrich

BALIOGLUTUM Aldrich, 1925*a*: 9. Type species: *Balioglutum illingworthi* Aldrich, 1925, mon. *illingworthi* Aldrich, 1925*a*: 10. Australia (Qld).

Genus CALLIPHOROIDES Malloch

CALLIPHOROIDES Malloch, 1930*i*: 305. Type species: *Calliphora antennatis* Hutton, 1881, orig. des. *antennatis* Hutton, 1881: 60 (*Calliphora*). NZ (NZ).

Genus MUSCINA Robineau-Desvoidy

MUSCINA Robineau-Desvoidy, 1830: 406. Type species: *Musca stabulans* Fallén, 1817, des. Coquillett, 1910: 571.

levida Harris, 1780: 124, pl. 36 fig. 52 (*Musca*). England; Hawaiian Is; Holarctic Reg.

assimilis Fallén, 1823*a*: 56 (*Musca*). Sweden.

stabulans Fallén, 1817*c*: 252 (*Musca*). Sweden; widesp. Australia, Fiji, Hawaiian Is, Lord Howe I, New

Caledonia (New Caledonia), NZ (Auckland Is, NZ), Norfolk I, PNG (Bismarck Arch), Vanuatu; cosmopol.
australis Macquart, 1847a: 85 [1847b: 101] (*Cyrtonevra*). Australia (Tas).

Genus PASSEROMYIA Rodhain & Villeneuve

- PASSEROMYIA** Rodhain & Villeneuve, 1915: 592. Type species: *Muscina heterochaeta* Villeneuve, 1915, mon.
ORNITHOMUSCA Townsend, 1916e: 45. Type species: *Ornithomusca victoria* Townsend, 1916 [= *Morellia indecora* Walker, 1858], orig. des.
indecora Walker, 1858a: 215 (*Morellia*). Australia (NSW); widesp. Australia (excl. Tas), Fiji. *victoria* Townsend, 1916e: 45 (*Ornithomusca*). Australia (Vic).
longicornis Macquart, 1851a: 228(255) (*Cyrtonevra*). Australia (Tas).
steini Pont, 1970: 92 (n. n. for *longicornis* Stein). Indonesia (Java); widesp. Australia (excl. Tas), Indonesia (Irian Jaya, Maluku), Vanuatu; Oriental Reg.
longicornis Stein, 1909: 221 (*Muscina*). Indonesia (Java). [Preocc. Macquart, 1851.]
veitchi Bezzi, 1928: 183. Fiji.

Genus SYNTHESIOMYIA Brauer & Bergenstamm

- SYNTHESIOMYIA** Brauer & Bergenstamm, 1893: 96, 110, 178. Type species: *Synthesiomyia brasiliana* Brauer & Bergenstamm, 1893 [= *Cyrtoneura nudiseta* Wulp, 1883], orig. des.
nudiseta Wulp, 1883: 42 (*Cyrtoneura*). Argentina; Australia (NSW, Qld), Bonin Is, Easter I, Fiji, French Polynesia (Marquesas, Society Is), Guam, Hawaiian Is, Lord Howe I, Norfolk I, PNG (PNG), Tonga, Vanuatu, Wake I, Western Samoa; pantrop.

Tribe AZELIINI

Genus HYDROTAEA Robineau-Desvoidy

- HYDROTAEA** Robineau-Desvoidy, 1830: 509. Type species: *Musca meteorica* Linnaeus, 1758, des. Curtis, 1839: 768.
OPHYRA Robineau-Desvoidy, 1830: 516. Type species: *Ophyra nitida* Robineau-Desvoidy, 1830 [= *Musca ignava* Harris, 1780], des. Rondani, 1866a: 70, 84.
PERONIA Robineau-Desvoidy, 1830: 517. Type species: *Peronia rostrata* Robineau-Desvoidy, 1830, mon. [Preocc. Fleming, 1822.]
AUSTRALOPHYRA Malloch, 1923a: 667. Type species: *Ophyra analis* Macquart, 1846 [= *Peronia rostrata* Robineau-Desvoidy, 1830], orig. des.
NEOPERONIA Miller, 1945: 72 (n. n. for *Peronia*).
aenescens Wiedemann, 1830a: 435 (*Anthomyia*). USA; Easter I, French Polynesia (Marquesas, Society Is), Hawaiian Is, Kiribati (Gilbert Is), Nauru; Europe, Nearctic, Neotrop. Regs.
trochanterata Malloch, 1932o: 196 (*Ophyra*). French Polynesia (Marquesas).
australis Malloch, 1923a: 667. Australia (Qld); Australia (NSW, NT, WA), New Caledonia (New Caledonia); Oriental Reg.
chalcogaster Wiedemann, 1824: 52 (*Anthomyia*). Indonesia (Java); Australia (NSW, NT, Qld), Belau, Bonin Is, French Polynesia (Marquesas, Society Is), Guam, Hawaiian Is, Indonesia (Irian Jaya, Maluku), Marshall Is, Micronesia, New Caledonia (New Caledonia), Northern Marianas, PNG (Bismarck Arch, PNG), "Samoa," Solomon Is, Vanuatu, Volcano Is; Bermuda, ?Chile, Afrotrop., Oriental, E Palearctic Regs.
metallica Wiedemann, 1830a: 435 (*Anthomyia*). "Ostindien."
indicata Walker, 1853: 362 (*Anthomyia*). "East Indies."
riparia Doleschall, 1858: 115 (*Ophyra*). Indonesia (Maluku).
reducta Walker, 1860b: 161 (*Ophyra*). Indonesia (Maluku).
houghi Malloch, 1916c: 110. USA; Hawaiian Is; Nearctic, Neotrop. Regs.

ignava Harris, 1780: 154, pl. 45 fig. 91 (*Musca*). England; Australia (Vic) [chance importation; not established]; Venezuela, Holarctic, Oriental Regs.

pallicornis Pont, 1973a: 247 (*Ophyra*). Australia (Qld). **N. comb.**

rostrata Robineau-Desvoidy, 1830: 517 (*Peronia*). “Nouvelle-Hollande”; widesp. Australia, Lord Howe I, NZ (Kermadec Is, NZ), Norfolk I. **N. comb.**

analis Macquart, 1846: 330(202) (*Ophyra*). Australia (Tas).

personata Walker, 1849: 955 (*Anthomyia*). “New Holland.”

adducta Walker, 1853: 363 (*Anthomyia*). Australia (Tas).

cyaneiventris Macquart, 1855: 138(118). Australia (SA). [Preocc. Macquart, 1851.]

spinigera Stein, 1910: 555 (*Ophyra*). Singapore; Australia (NSW, NT, Qld), Belau, Fiji, Guam, Indonesia (Maluku), Micronesia, PNG (Bismarck Arch, PNG), Solomon Is, Vanuatu, Western Samoa; E Asia, Oriental Reg.

nigra, authors, not Wiedemann, 1830, misid.

Tribe MUSCINI

Genus MESEMBRINA Meigen

MESEMBRINA Meigen, 1826: 10. Type species: *Musca meridiana* Linnaeus, 1758, des. Westwood, 1840: 141.

meridiana Linnaeus – not Australasian/Oceanian [unsuccessfully introduced to Fiji].

Genus MORELLIA Robineau-Desvoidy

MORELLIA Robineau-Desvoidy, 1830: 405. Type species: *Morellia agilis* Robineau-Desvoidy, 1830 [= *Musca hortorum* Fallén, 1817], des. Townsend, 1916c: 8.

hortensia Wiedemann, 1824: 49 (*Musca*). Indonesia (Java); Australia (NT, Qld, WA), ?Indonesia (Maluku), PNG (PNG); Afrotrop., Oriental Regs.

Genus MUSCA Linnaeus

MUSCA Linnaeus, 1758: 589. Type species: *Musca domestica* Linnaeus, 1758, des. I.C.Z.N. 1925: 1.

BYOMYA Robineau-Desvoidy, 1830: 392. Type species: *Byomya violacea* Robineau-Desvoidy, 1830 [= *Musca tempestiva* Fallén, 1817], des. Townsend, 1915c: 434.

BYOMYIA Agassiz, 1847: 56 (unjust. emend. of *Byomya*).

SPHORA Robineau-Desvoidy, 1830: 394. Type species: *Sphora nigricans* Robineau-Desvoidy, 1830 [= *Musca domestica* Linnaeus, 1758], des. Townsend, 1916c: 9.

EUMUSCA Townsend, 1911: 170. Type species: *Musca corvina* Fabricius, 1782 [= *Musca autumnalis* De Geer, 1776], mon.

PROMUSCA Townsend, 1915c: 434. Type species: *Musca domestica* Linnaeus, 1758, orig. des.

VIVIPAROMUSCA Townsend, 1915c: 435. Type species: *Musca bezzii* Patton & Cragg, 1913, orig. des.

PTILOLEPIS Bezzi, 1921a: 335. Type species: *Musca inferior* Stein, 1909, orig. des.

EMUSCA Malloch, 1925g: 372 (*Musca* subg.). Type species: *Musca autumnalis* De Geer, 1776, orig. des.

BRYOMYA, **BYIOMYIA**, errors for *Byomya*.

cassara Pont, 1973a: 160. Solomon Is; Australia (Qld); Oriental Reg.

lucens, authors, not Villeneuve, 1922, misid.

conducens Walker, 1859c: 138. Indonesia (Sulawesi); Indonesia (Irian Jaya, Maluku), PNG (Bismarck Arch, PNG), Solomon Is; Afrotrop., Oriental, S Palearctic Regs.

praecox Walker, 1864: 236. Indonesia (Maluku).

scapularis Rondani, 1875: 428. Malaysia (Sarawak).

domestica Linnaeus, 1758: 596. Europe & America; widesp. Australasia/Oceania; cosmopol.

nebulosa Fabricius, 1794: 321. “India orientali.”

australis Robineau-Desvoidy, 1830: 394 (*Sphora*). Australia (WA). [Preocc. Gmelin, 1790.]

nigricans Robineau-Desvoidy, 1830: 394 (*Sphora*). “Nouvelle-Hollande.”

- oceanica* Le Guillou, 1842: 316. Australia (Tas).
australis Macquart, 1843: 309(152). Australia (Tas). [Preocc. Gmelin, 1790.]
taitensis Macquart, 1843: 310(153). French Polynesia (Society Is).
antiquissima Walker, 1849: 901. "New Holland."
minor Macquart, 1851: 226(253). Australia (Tas). [Preocc. Turton, 1801.]
vicina Macquart, 1851: 226(253). Martinique.
vicaria Walker, 1853: 348. NZ (NZ).
sordidissima Walker, 1864: 216. Indonesia (Irian Jaya).
flavinervis Thomson, 1869: 547. "Insulae Rossii" [= Cocos (Keeling) Is] & Hawaiian Is.
flavifacies Bigot, 1888a: 606. New Caledonia (New Caledonia).
dawsoni Rainbow, 1897: 97 (*Degeeria*). Tuvalu.
fergusoni Johnston & Bancroft, 1920a: 201. Australia (Qld); Australia (NSW, NT, WA), PNG (PNG).
hervei Villeneuve, 1922: 335. China & Vietnam; Belau, Bonin Is, Micronesia; E Asia, Oriental Reg.
inferior Stein, 1909: 213. Indonesia (Java); PNG (PNG); Oriental Reg.
sorbens Wiedemann, 1830a: 418. Sierra Leone. [Taxonomic status and distribution of the broad-fronsed species (*?sorbens*) and narrow-fronsed species (*vetustissima*) of the *sorbens*-complex has not yet been worked out; all regional records of this complex are here included under *vetustissima*.]
terraereginae Johnston & Bancroft, 1920e: 31. Australia (Qld); Australia (ACT, NSW, NT, WA).
terraereginae Johnston & Bancroft, 1920b: 20, 23, 25 [1920c: 34, 37, 39, 46-49, 52, 54-55; 1920d: 73, 79, 84]. *Nomen nudum*.
hilli Johnston & Bancroft, 1920b: 23, 25 [1920c: 52; 1920d: 74, 79, 84]. *Nomen nudum*.
hilli Johnston & Bancroft, 1920e: 35. Australia (Qld).
ventrosa Wiedemann, 1830a: 656. China; Australia (NT, Qld, WA), Indonesia (Irian Jaya, Maluku), PNG (PNG), Solomon Is; Afrotrop., Oriental Regs.
xanthomela Walker, 1859c: 139. Indonesia (Sulawesi).
nigrithorax Stein, 1909: 212. Indonesia (Java).
vetustissima Walker, 1849: 902. "New Holland"; widesp. Indonesia and Australia to Hawaiian Is.
pumila Macquart, 1848: 218(58). "Nouvelle-Hollande." [Preocc. Fallén, 1825.]
prisca Walker, 1849: 903. "New Holland" [= Australia, N or NW coast].
angustifrons Thomson, 1869: 546. Micronesia.
fieldi Rainbow, 1897: 98 (*Ebenia*). Tuvalu.
nigricuris Rainbow, 1897: 98 (*Ebenia*). Tuvalu.

Genus MYIOPHAEA Enderlein

- GORDONIA** Malloch, 1926d: 553. Type species: *Gordonia fulvithorax* Malloch, 1926 [= *Bengalia spissa* Walker, 1858], orig. des. [Preocc. Newton, 1892.]
MYIOPHAEA Enderlein, 1935a: 240. Type species: *Myiophaea ralumensis* Enderlein, 1935 [= *Bengalia spissa* Walker, 1858], orig. des.
AUBERTINELLA Emden, 1965: 39. Type species: *Musca aricioides* Walker, 1864 [= *Bengalia spissa* Walker, 1858], orig. des.
spissa Walker, 1858b: 107 (*Bengalia*). Indonesia (Maluku); Australia (Qld), Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG).
aricioides Walker, 1864: 216 (*Musca*). Indonesia (Irian Jaya).
fulvithorax Malloch, 1926d: 554 (*Gordonia*). Australia (Qld).
ralumensis Enderlein, 1935a: 241. PNG (Bismarck Arch).

Genus NEOMYIA Walker

- NEOMYIA** Walker, 1859c: 138 (*Musca* subg.). Type species: *Musca gavisa* Walker, 1859, mon.
ORTHELLIA Robineau-Desvoidy, 1863: 837. Type species: *Orthellia rectinervis* Robineau-Desvoidy, 1863 [= *Lucilia viridescens* Robineau-Desvoidy, 1830], des. Townsend, 1916c: 8.

- PSEUDORTHELLIA** Townsend, 1916b: 44. Type species: *Lucilia viridiceps* Macquart, 1851 [= *Lucilia timorensis* Robineau-Desvoidy, 1830], orig. des.
- SCUTELLORTHELLIA** Townsend, 1933: 439. Type species: *Musca lauta* Wiedemann, 1830, orig. des.
- PYRELLIOMIMA** Zimin, 1951: 86 (*Orthellia* subg.). Type species: *Orthellia latipalpis* Zimin, 1951 [= *Lucilia timorensis* Robineau-Desvoidy, 1830], orig. des.
- australis** Macquart, 1848: 217(57) (*Pyrellia*). "Nouvelle-Hollande"; Australia (ACT, NSW, NT, Qld), Indonesia (Irian Jaya), Lord Howe I, PNG (Bismarck Arch, PNG). **N. comb.**
- donyza* Walker, 1849: 886 (*Musca*). "New Holland."
- maronea* Walker, 1849: 886 (*Musca*). "New Holland."
- nigriceps* Macquart, 1851: 225(252) (*Pyrellia*). "Océanie" [prob. = Australia].
- cornicina** Fabricius, 1782: 438 (*Musca*). Italy; Hawaiian Is; Nearctic, N Neotrop., N Oriental, Palearctic Regs.
- viridis* Wiedemann, 1824: 50 (*Idia*). "Amer. bor."
- caesarion* Meigen, 1826: 57 (*Musca*). Portugal. [Preocc. Bechstein & Scharfenberg, 1805.]
- fumipennis** Walker, 1865b: 115 (*Pyrellia*). "New Guinea" [prob. = Indonesia (Irian Jaya)]. **N. comb.**
- greenwoodi** Bezzi, 1928: 181 (*Orthellia*). Fiji. **N. comb.**
- gressitti** Shinonaga & Kano, 1983: 210 (*Orthellia*). PNG (PNG). **N. comb.**
- kaindiensis** Shinonaga & Kano, 1983: 208 (*Orthellia*). PNG (PNG). **N. comb.**
- lauta** Wiedemann, 1830a: 410 (*Musca*). Indonesia (Java); Australia (ACT, NSW, NT, Qld, WA); Iran, Oriental Reg.
- eximia* Robineau-Desvoidy, 1830: 456 (*Lucilia*). Indonesia (Timor). [Preocc. Wiedemann, 1830.]
- flavicalyptrata* Macquart, 1848: 215(55) (*Lucilia*). Indonesia (Java).
- proerna* Walker, 1849: 888 (*Musca*). Not given [Australia].
- polita* Walker, 1853: 338 (*Musca*). "East Indies." [Preocc. Linnaeus, 1758.]
- montana** Shinonaga & Kano, 1983: 207 (*Orthellia*). PNG (PNG). **N. comb.**
- simmondsi** Bezzi, 1928: 180 (*Orthellia*). Fiji. **N. comb.**
- sperata** Walker, 1859c: 136 (*Musca*). Indonesia (Sulawesi); Indonesia (Irian Jaya); Oriental Reg. **N. comb.**
- electa* Walker, 1859c: 136 (*Musca*). Indonesia (Sulawesi).
- pepita* Bigot, 1878d: 37 (*Pyrellia*). Indonesia (Sulawesi).
- trispina* Malloch, 1928a: 474 (*Orthellia*). Indonesia (Sumatra).
- timorensis** Robineau-Desvoidy, 1830: 460 (*Lucilia*). Indonesia (Timor); Australia (NSW, NT, Qld), Indonesia (Irian Jaya, Maluku), PNG (Bismarck Arch, PNG), Solomon Is; E Asia, Oriental Reg.
- viridifrons* Macquart, 1851: 224(251) (*Pyrellia*). Australia, "côte orientale." [Preocc. Macquart, 1843.]
- viridiceps* Macquart, 1851: 222(249) (*Lucilia*). Australia, "côte orientale."
- obtrusa* Walker, 1858b: 105 (*Musca*). Indonesia (Maluku).
- benedicta* Walker, 1858b: 105 (*Musca*). Indonesia (Maluku).
- intrahens* Walker, 1859c: 137 (*Musca*). Indonesia (Sulawesi).
- porphyricola* Walker, 1864: 215 (*Pyrellia*). Indonesia (Irian Jaya).
- melanorhyna* Bigot, 1888a: 602 (*Somomyia*). Indonesia (Java & Irian Jaya & Maluku) & "New Guinea." **N. syn.**
- macquarti* Séguy, 1941: 122 (*Orthellia*; n. n. for *viridifrons* Macquart).
- coerulea*, authors, not Wiedemann, 1830, misid.

Genus PYRELLIA Robineau-Desvoidy

- PYRELLIA** Robineau-Desvoidy, 1830: 462. Type species: *Pyrellia vivida* Robineau-Desvoidy, 1830, des. Townsend, 1916c: 8.
- attonita** Pont, 1973a: 217. Australia (Qld).
- tasmaniae** Macquart, 1846: 327(199). Australia (Tas); Australia (ACT, NSW, Qld, Vic).
- extrema* Walker, 1853: 348 (*Musca*). Australia (Tas).
- egle* Bigot, 1878d: 37. "Australia."
- australensis* Curran, 1927b: 345. Australia (Qld).

Tribe STOMOXYINI

Genus HAEMATOBIA Lepeletier & Serville

- HAEMATOBIA** Lepeletier & Serville *in* Latreille *et al.*, 1828: 499 (*Stomoxys* subg.). Type species: *Conops irritans* Linnaeus, 1758, des. Westwood, 1840: 140. [Validated by I.C.Z.N., 1974: 157.]
- LYPEROSIA* Rondani, 1856: 93. Type species: *Conops irritans* Linnaeus, 1758, orig. des.
- exigua** de Meijere *in* Schat, 1903: 17. Not given [Indonesia (Java)]; Australia (NT, Qld, WA), Belau, Guam, Indonesia (Irian Jaya), Micronesia, Northern Marianas, PNG (Bismarck Arch, PNG), Solomon Is; Seychelles, E Asia, Oriental Reg.
- australis* Malloch, 1932c: 506. Australia (NT).
- irritans** Linnaeus, 1758: 604 (*Conops*). Not given [Sweden]; ?Fiji, Hawaiian Is; Nearctic, Neotrop., Palearctic Regs.
- serrata* Robineau-Desvoidy, 1830: 389. France.
- rufifrons* Bezzi, 1911: 134 (*Lyperosia irritans* var.). Hawaiian Is & USA.

Genus HAEMATOBOSCA Bezzi

- HAEMATOBOSCA** Bezzi, 1907b: 414. Type species: *Haematobia atripalpis* Bezzi, 1895, orig. des.
- BDELLOLARYNX* Austen, 1909: 290. Type species: *Bdellolarynx sanguinolentus* Austen, 1909, orig. des.
- sanguinolenta** Austen, 1909: 290 (*Bdellolarynx*). India; Bonin Is, Guam, Micronesia, Northern Marianas; E Asia, Oriental Reg.
- nudinervis* Stein, 1918: 150 (*Haematobia*). Taiwan.
- rufipes* Stein, 1918: 151 (*Haematobia*). Taiwan. [Preocc. Brunetti, 1910.]
- carabao* Bohart & Gressitt, 1946: 422 (*Siphona*). Guam.

Genus STOMOXYNS Geoffroy

- STOMOXYNS** Geoffroy, 1762: 449, 538. Type species: *Conops calcitrans* Linnaeus, 1758, des. I.C.Z.N., 1957: 83.
- calcitrans** Linnaeus, 1758: 604 (*Conops*). Not given [Sweden]; widesp. Australasia/Oceania; cosmopol.
- aenos* Walker, 1849: 1160. NZ (NZ).
- indicus** Picard, 1908: 20. India; Fiji, ? "Samoa"; E Asia, Oriental Reg.
- pratti* Summers, 1911: 238. Not given [Malaysia (Pen)].
- discalis* Malloch, 1932b: 425. Malaysia (Sabah).
- latipennis* Karl, 1935: 30. Taiwan.

Subfamily PHAONIINAE

Tribe METOPOMYIINI

Genus METOPOMYIA Malloch

- METOPOMYIA** Malloch, 1922a: 272. Type species: *Metopomyia atropunctipes* Malloch, 1922, orig. des.
- atropunctipes** Malloch, 1922a: 272. Australia (Vic); Australia (ACT, NSW, Tas).

Tribe EGINIINI

Genus NEOHELINA Malloch

- NEOHELINA** Malloch, 1924a: 414. Type species: *Neohelina semivittata* Malloch, 1924, orig. des.
- flavomarginata** Malloch, 1925a: 329. Australia (SA); Australia (ACT, Qld).
- semivittata** Malloch, 1924a: 415. Australia (NSW); Australia (ACT, Qld).

Tribe ATHERIGONINI

Genus ATHERIGONA Rondani

- ORTHOSTYLUM** Macquart, 1851: 245(272). Type species: *Orthostylum rufipes* Macquart, 1851 [= *Coenosia pulla* Wiedemann, 1830], orig. des. [Application is being made to I.C.Z.N. for suppression of this name for purposes of the Law of Priority].
- ATHERIGONA** Rondani, 1856: 97. Type species: *Anthomyia varia* Meigen, 1826, orig. des.
- ACRITOAETA** Grimshaw, 1901: 41. Type species: *Acritochaeta pulvinata* Grimshaw, 1901 [= *Atherigona orientalis* Schiner, 1868], mon.
- alpha** Pont, 1981: 382. Australia (ACT); Australia (NSW); Burma, India, Turkey.
- apicemaculata** Hennig, 1952: 62. Indonesia (Nusa Tenggara); Australia (NT, Qld, WA), PNG (PNG); Oriental Reg.
- atripalpis** Malloch, 1925*d*: 116. India; Australia (NSW, Qld); Oriental Reg.
- bella** Frey, 1917: 17 (*Coenosia*). Sri Lanka; PNG (PNG); Oriental Reg.
- beta** Pont, 1986: 55. Australia (Qld).
- bidens** Hennig, 1952: 67 (*tridens* ssp.). Indonesia (Nusa Tenggara); Australia (ACT, NSW, NT, Qld, WA), Norfolk I, PNG (PNG); Oriental Reg.
- bidentata** Malloch, 1928*f*: 326. PNG (PNG); Australia (Qld); Indonesia (Nusa Tenggara).
- biseriata** Walker, 1861*e*: 11 (*Atomogaster*). Indonesia (Maluku).
- bivittata** Malloch, 1929*c*: 397 [1929*d*: 427]. Indonesia (Maluku).
- boninensis** Snyder, 1965: 256. Bonin Is; Burma, Japan, Ryukyu Is.
shibuyai Pont, 1968: 201. Japan.
- collessi** Pont, 1986: 33. Australia (ACT); Australia (NSW, NT, ?Qld, ?WA)
- confusa** Malloch, 1928*c*: 302. Indonesia (Sumatra); PNG (PNG); China, Oriental Reg.
- cryptica** Pont, 1986: 54. Australia (Qld).
- dybasi** Snyder, 1965: 248. Belau.
- epsilon** Pont, 1986: 39. Australia (Qld).
- falcata** Thomson, 1869: 560 (*Coenosia*). "China" [= Hong Kong; see Persson, 1971: 170]; Australia (NSW, Qld), Lord Howe I, PNG (PNG); China, S. Afr., Oriental Reg.
nudiseta Malloch, 1923*b*: 186. India.
- ferrari** Pont, 1986: 45. Australia (NSW); Australia (Qld); Indonesia (Nusa Tenggara), Malaysia (Sarawak).
- flava** Pont, 1986: 16. Australia (Qld).
- flexinervis** Stein, 1900*b*: 154. PNG (PNG).
- hendersoni** Malloch, 1923*b*: 184. Pitcairn Is; Fiji, Hawaiian Is, Tonga, Western Samoa.
- hennigi** Pont, 1986: 48. Australia (Qld); Australia (NSW); Indonesia (Java, Nusa Tenggara), Malaysia (Sarawak).
- hirtitarsis** Pont, 1986: 49. Australia (Qld).
- laeta** Wiedemann, 1830*a*: 440 (*Coenosia*). "Ostindien"; ?Belau, Fiji; Oriental Reg.
- longipalpis** Malloch, 1923*b*: 182. Guam.
maculigera Stein — not Australasian/Oceanian.
- matema** Curran, 1936: 56. Solomon Is; Australia (Qld).
- miliaceae** Malloch, 1925*d*: 118. India; Australia (NSW, Qld, WA); China, Oriental Reg.
- naqvii** Steyskal, 1966*a*: 53. Pakistan; Australia (NT, Qld, WA); Canary Is, Afrotrop., Oriental Regs.
- neotripalpis** Snyder, 1965: 257. Belau.
- nigripes** Stein, 1900*b*: 155. PNG (PNG).
nigripes Stein, 1900*a*: 395. *Nomen nudum*.
- nitida** Pont, 1986: 15. Australia (Qld).
- occulta** Pont, 1986: 59. Australia (NT).
- omega** Pont, 1981: 380. Indonesia (Maluku); Australia (NT, Qld); Oriental Reg.
- orientalis** Schiner, 1868: 295. Nicobar Is; American Samoa, Australia (NSW, NT, Qld, WA), Belau, Bonin Is, Easter I, Fiji, French Polynesia, Guam, Hawaiian Is, Indonesia (Irian Jaya,

- Maluku), Johnston Atoll, Kiribati, Marcus I, Marshall Is, Micronesia, Niue, Northern Marianas, Palmyra Atoll, PNG (Bismarck Arch, PNG), Solomon Is, Tonga, Vanuatu, Volcano Is, Wake I, Western Samoa; pantrop.
- excisa* Thomson, 1869: 560 (*Coenosia*). "Insulae Rossii" [= Cocos (Keeling) Is; see Persson, 1971: 171].
- trilineata* Stein, 1900b: 157. PNG (PNG).
- pulvinata* Grimshaw, 1901: 42 (*Acritochaeta*). Hawaiian Is.
- flavipalpis* Malloch, 1928c: 303 (*excisa* var.): Indonesia (Sumatra).
- oryzae* Malloch, 1925d: 117. India; Australia (NSW, NT, Qld), Belau, Bonin Is, Indonesia (Maluku), Lord Howe I, Micronesia, New Caledonia (New Caledonia), PNG (PNG), Tonga, Vanuatu, Volcano Is, Western Samoa; Japan, Oriental Reg.
- samoensis* Malloch, 1929g: 159. Western Samoa.
- pallicornis* Stein, 1900b: 156. PNG (PNG); Indonesia (Irian Jaya).
- pallicornis* Stein, 1900a: 395. *Nomen nudum*.
- pallidipalpis* Malloch, 1923b: 183. Indonesia (Java); ?Solomon Is; Oriental Reg.
- poecilopoda* Bezzi, 1928: 172. Fiji; Tonga, Vanuatu, Western Samoa.
- pottsi* Snyder, 1965: 250. Micronesia.
- punctata* Karl, 1940: 147. Taiwan; Australia (NT, Qld), PNG (PNG), Solomon Is; Oriental Reg.
- ramu* Pont, 1988: 151. PNG (PNG).
- reversura* Villeneuve, 1936: 11. China; Hawaiian Is, PNG (PNG); Japan, Oriental Reg.
- rho* Pont, 1986: 25. Australia (Qld).
- sabroskyi* Snyder, 1965: 254. Belau.
- sigma* Pont, 1981: 377. India; Australia (NT, Qld); Oriental Reg.
- simplex* Thomson, 1869: 560 (*Coenosia*). "China" [= Hong Kong; see Persson, 1971: 170]; Australia (NT, Qld, WA), New Caledonia (New Caledonia), Solomon Is, Vanuatu; Oriental Reg.
- bituberculata* Malloch, 1925d: 119. India.
- splendens* Bezzi, 1928: 173. Fiji.
- theta* Pont, 1986: 56. Australia (Qld); Australia (NSW).
- tibiseta* Malloch, 1924c: 145. Australia (NSW); Australia (ACT, NT, Qld, Vic, WA), Lord Howe I, New Caledonia (New Caledonia), Norfolk I, Vanuatu.
- tobi* Snyder, 1965: 251. Belau.
- tridens* Malloch, 1928c: 310. Indonesia (Sumatra); PNG (PNG); Oriental Reg.
- trukensis* Snyder, 1965: 243. Micronesia
- ustipennis* Malloch, 1932o: 201. French Polynesia (Marquesas); French Polynesia (Society Is).
- vita* Snyder, 1965: 258. Micronesia
- vittata* Rainbow, 1897: 97 (*Lispe*). Tuvalu.

Nomen nudum in Atherigona Rondani

incertula Walker, 1866: 22 (*Anthomyia*).

Tribe DICHAETOMYIINI

Genus DICHAETOMYIA Malloch

- DICHAETOMYIA** Malloch, 1921b: 163. Type species: *Dichaetomyia polita* Malloch, 1921 [preocc., = *Dichaetomyia emdeni* Pont, 1969], orig. des.
- albiceps* Wulp, 1881: 47 (*Spilogaster*). Indonesia (Sumatra); Indonesia (Irian Jaya), PNG (PNG); Oriental Reg.
- latitarsis* Stein, 1909: 232 (*Mydaea*). Indonesia (Java).
- albolineata* Stein, 1900a: 379 (*Spilogaster*). PNG (PNG).
- apicalis* Stein, 1904: 103 (*Spilogaster*). Indonesia (Java); Micronesia; Oriental Reg.
- armata* Stein, 1918: 184 (key) [1919b: 203] (*Mydaea*). Indonesia (Irian Jaya).
- arrogans* Pont, 1969a: 270. Australia (Qld).

- aset** Pont, 1969a: 260. Australia (Qld).
- atratala** Malloch, 1925b: 325. Philippines; ?Solomon Is.
- australis** Pont, 1969a: 239. Australia (Qld).
- bifasciata** Stein, 1900a: 378 (*Spilogaster*). PNG (PNG); Indonesia (Irian Jaya).
bivittata Malloch, 1921e: 420. Unavailable name; proposed in synonymy with *bifasciata* Stein, not subsequently made available.
- bilimbata** Bigot, 1885g: 290 (*Spilogaster*). New Caledonia (New Caledonia).
- biplaga** Walker, 1864: 217 (*Aricia*). Indonesia (Irian Jaya); PNG (PNG).
- breviseta** Pont, 1969a: 224. Australia (Qld); Australia (NSW, NT), Indonesia (Irian Jaya), PNG (Bismarck Arch, Bougainville I, PNG), Solomon Is.
- brunneipennis** Malloch, 1929c: 406 [1929d: 436]. Indonesia (Maluku).
- buruensis** Malloch, 1929c: 402 [1929d: 432]. Indonesia (Maluku).
- canivitta** Walker, 1858b: 107 (*Aricia*). Indonesia (Maluku); PNG (PNG).
- carolina** Snyder, 1965: 305. Micronesia.
- centralis** Malloch, 1929c: 404 [1929d: 434]. Indonesia (Maluku).
- cilifemur** Pont, 1974b: 12. Australia (Qld).
- claripennis** Malloch, 1929c: 401 [1929d: 431]. Indonesia (Maluku).
- collessi** Pont, 1969a: 257. Australia (Qld).
- demens** Stein, 1918: 184 (key) [1920b: 78] (*Mydaea*). Indonesia (Irian Jaya).
- dimidiata** Stein, 1904: 100 (*Spilogaster*). Indonesia (Java); PNG (PNG); widesp. Indonesia.
- distincta** Stein, 1918: 182 (key) [1919b: 205] (*Mydaea*). Indonesia (Irian Jaya); PNG (PNG)
- elegans** Malloch, 1928a: 468. Fiji.
prodigiosa Bezzi, 1928: 176. Fiji.
- ferrari** Pont, 1974b: 6. Australia (NT).
- flavibasis** Stein, 1900a: 388 (*Spilogaster*). PNG (PNG).
- flavicoxa** Stein, 1900b: 144 (*Spilogaster*). PNG (PNG); Indonesia (Irian Jaya).
- flavohirta** Malloch, 1925a: 326. Australia (Qld); Australia (NT).
- frontalis** Stein, 1918: 182 (key) [1919b: 206] (*Mydaea*). Indonesia (Irian Jaya).
- fulvohirta** Pont, 1969a: 255. Australia (Qld).
- fumicosta** Malloch, 1929g: 172. Western Samoa; American Samoa.
 ssp. *fumicosta* s. str. Western Samoa; American Samoa.
 ssp. *hirta* Malloch, 1929g: 173 (*fumicosta* var.). Western Samoa.
 ssp. *savaii* Malloch, 1929g: 173 (*fumicosta* var.). Western Samoa.
- fusconota** Pont, 1969a: 266. Australia (Qld).
- incerta** Stein, 1900a: 377 [1900b: 136] (*Spilogaster*). PNG (PNG).
- johannis** Pont, 1967: 622. Australia (Qld); Australia (NSW, NT, WA), Indonesia (Irian Jaya), PNG (PNG).
- lacustris** Malloch, 1929c: 404 [1929d: 434]. Indonesia (Maluku).
- leucoceros** Walker, 1864: 217 (*Aricia*). Indonesia (Irian Jaya); PNG (PNG).
- longiseta** Pont, 1967: 626. Australia (Qld); Australia (NSW, NT).
- mariana** Snyder, 1965: 305. Northern Marianas; Guam, Micronesia.
- megophthalma** Malloch, 1925a: 325. Australia (Qld).
- mellea** Malloch, 1929c: 406 [1929d: 436]. Indonesia (Maluku).
- neboissi** Pont, 1974b: 2. Australia (Qld); Australia (NT).
- nigripes** Malloch, 1929c: 404 [1929d: 434]. Indonesia (Maluku).
- nigrolineata** Stein, 1900a: 382 (*Spilogaster*). PNG (PNG).
- nigroscuta** Bohart & Gressitt, 1946: 421. Guam.
- norrisi** Pont, 1967: 636. Australia (Qld); Australia (NSW).
- parimpar** Pont, 1969a: 219. Australia (Qld); Australia (NSW).
- parviseta** Pont, 1969a: 228. Solomon Is.
- polita** Stein, 1900b: 145 (*Spilogaster*). PNG (PNG); Indonesia (Irian Jaya, Maluku), PNG (Bismarck Arch).
polita Stein, 1900a: 387 (*Spilogaster*). *Nomen nudum*.
- prolixa** Walker, 1864: 218 (*Aricia*). Indonesia (Irian Jaya).

- quadrata** Wiedemann, 1824: 52 (*Anthomyia*). Indonesia (Java); Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG), Solomon Is, Vanuatu; Oriental Reg.
patula Walker, 1856a: 28 (*Aricia*). Singapore.
inaperta Walker, 1858b: 129 (*Aricia*). Malaysia (Sarawak).
- quadrripunctata** Doleschall, 1858: 113 (*Aricia*). Indonesia (Maluku).
- reversa** Walker, 1849: 1069 (*Sciomyza*). "New Holland" [= Australia, N or NW coast]; Australia (Qld).
luteohirta Malloch, 1925a: 326. Australia (Qld).
- rigidiseta** Stein, 1900b: 139 (*Spilogaster*). PNG (PNG); Indonesia (Maluku).
- rota** Snyder, 1965: 298, Northern Marianas.
- rufaeformis** Pont, 1969a: 234. Australia (Qld); Australia (NT), Indonesia (Irian Jaya), PNG (PNG).
- rufescens** Stein, 1900b: 134 (*Spilogaster*). PNG (PNG).
rufescens Stein, 1900a: 378 (*Spilogaster*). *Nomen nudum*.
- sabroskyi** Snyder, 1965: 300. Belau.
- saperoi** Bohart & Gressitt, 1946: 418. Guam; Northern Marianas.
- semifumosa** Malloch, 1929c: 403 [1929d: 433]. Indonesia (Maluku).
- significans** Walker, 1858b: 107 (*Aricia*). Indonesia (Maluku); Australia (NT, Qld), Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG).
helomyzina Stein, 1900a: 384 (*Spilogaster*). PNG (PNG).
spinipes Stein, 1918: 184 (*Mydaea*). Indonesia (Maluku).
- soror** Pont, 1969a: 273. Australia (Qld); Australia (NT).
- spinuligera** Pont, 1969a: 263. Australia (Qld).
- strigilata** Stein, 1900a: 383 (*Spilogaster*). PNG (PNG); Indonesia (Maluku).
- suffusa** Malloch, 1929c: 406 [1929d: 436]. Indonesia (Maluku).
- terraereginae** Malloch, 1925a: 325. Australia (Qld); Australia (NSW).
- testaceiventris** Stein, 1907: 288 (*Spilogaster*). Indonesia (Maluku).
- trukensis** Snyder, 1965: 306. Micronesia.
- unicolor** Stein, 1900a: 387 (*Spilogaster*). PNG (PNG).
- uniformis** Malloch, 1929c: 407 [1929d: 437]. Indonesia (Maluku).
- vicaria** Walker, 1859a: 130 (*Aricia*). Indonesia (Maluku); Australia (NT, Qld), Belau, Fiji, Indonesia (Irian Jaya), Marshall Is, Micronesia, Niue, Northern Marianas, PNG (Bismarck Arch, Bougainville I, PNG), Solomon Is, Tokelau, Tonga, Vanuatu, Western Samoa; Malaysia (Sabah), Philippines.
rufa Stein, 1900a: 380 (*Spilogaster*). *Nomen nudum*.
rufa Stein, 1900b: 132 (*Spilogaster*). PNG (PNG).
personata Bezzi, 1928: 176 (*rufa* var.). Fiji.
- vittata** Stein, 1900a: 376 (*Spilogaster*). PNG (PNG).
- yapensis** Snyder, 1965: 307. Micronesia.

Tribe PHAONIINI

Genus BECCIMYIA Pont

- BECCIMYIA** Pont, 1969b: 935. Type species: *Beccimyia papuana* Pont, 1969, orig. des.
papuana Pont, 1969b: 936. PNG (PNG).

Genus BRONTAEA Kowarz

- GYMNODIA** Robineau-Desvoidy, 1863: 635. Type species: *Gymnodia pratensis* Robineau-Desvoidy, 1863 [= *Anthomyia polystigma* Meigen, 1826], mon. [Preocc. Robineau-Desvoidy, 1830.]
- BRONTAEA** Kowarz, 1873: 461. Type species: *Anthomyia polystigma* Meigen, 1826, des. Coquillett, 1910: 516.
- ANACLYSTA** Brauer & Bergenstamm, 1894: 86. Type species: *Anaclysta eremophila* Brauer & Bergenstamm, 1894, orig. des.
- ANACLYSTA** Stein, 1919a: 138. Type species: *Limnophora multipunctata* Stein, 1903 [= *Anaclysta*

eremophila Brauer & Bergenstamm, 1894], des. Malloch, 1923c: 601. [Preocc. Brauer & Bergenstamm, 1894.]

ANTIPODOMYIA Malloch, 1921c: 429. Type species: *Antipodomyia bancrofti* Malloch, 1921 [= *Limnophora subtilis* Stein, 1909], orig. des.

ascendens Stein, 1915: 32 (*Limnophora*). Taiwan; Bonin Is; Oriental, E Palearctic Regs.
expansa Snyder, 1965: 280 (*Gymnodia*). Bonin Is.

nigrogrisea Karl, 1939: 279 (*Limnophora*). China; Bonin Is; Oriental, E Palearctic Regs.
marguerita Snyder, 1965: 279 (*Gymnodia*). Bonin Is.

obliterata Malloch, 1923c: 602 (*Anaclysta*). Australia (NSW); Australia (ACT, Qld, Vic, WA).

quadristigma Thomson, 1869: 551 (*Anthomyia*). Ecuador; Hawaiian Is; Nearctic, Neotrop. Regs.
arcuata Stein, 1898: 201 (*Limnophora*). USA.

ruficornis Malloch, 1923c: 602 (*Anaclysta*). Australia (Qld); Australia (NSW, NT, WA), PNG (PNG); India, Afrotrop. Reg.

subtilis Stein, 1909: 249 (*Limnophora*). Indonesia (Java); Australia (NSW, NT, Qld, WA); Afrotrop., Oriental Regs.

bancrofti Malloch, 1921c: 429 (*Antipodomyia*). Australia (Qld).

Genus BUCCOPHAONIA Emden

BUCCOPHAONIA Emden, 1965: 212. Type species: *Buccophaonia subcostalis* Emden, 1965, orig. des. Unidentified sp. — Australia (Qld).

Genus HELINA Robineau-Desvoidy

HELINA Robineau-Desvoidy, 1830: 493. Type species: *Helina euphemioides* Robineau-Desvoidy, 1830 [= *Anthomyia pertusa* Meigen, 1826], des. Coquillett, 1901d: 137.

EUSPILARIA Malloch, 1921d: 228. Type species: *Euspilaria fusciorufa* Malloch, 1921 [= *Mydaea dorsalis* Stein, 1914], orig. des.

achaeta Malloch, 1922b: 143. Australia (Tas).

addita Walker, 1853: 359 (*Anthomyia*). Australia (NSW); Australia (Qld, SA, Tas, Vic), Indonesia (Nusa Tenggara).

translata Walker, 1853: 359 (*Anthomyia*). Australia (NSW).

inserta Walker, 1853: 360 (*Anthomyia*). Australia (SA).

ruficoxis Macquart, 1855: 139(119) (*Limnophora*). Australia (NSW).

intendens Walker, 1861a: 316 (*Ophyra*). Australia (NSW).

oogaster Thomson, 1869: 552 (*Anthomyia*). Australia (NSW).

adjecta Walker, 1853: 355 (*Anthomyia*). Australia (Tas).

adversa Malloch, 1925e: 44. Australia (NSW).

aeneiventris Malloch, 1922b: 143. Australia (Tas).

allisoni Shinonaga & Kano, 1984: 22. PNG (PNG).

australasiae Malloch, 1923a: 669. Australia (Vic); Australia (NSW, Tas).

caerulescens Stein, 1910: 548 (*Mydaea*). Australia (NSW); Australia (ACT, Tas, WA).

calyprata Malloch, 1924c: 142. Australia (NSW); Australia (Qld).

castigata Malloch, 1925e: 44. Australia (Qld); Australia (NSW, Vic).

collessi Pont, n. n. Australia (Tas); Australia (Vic).

trinubilifera Malloch, 1922b: 141. Australia (Tas). [Preocc. Malloch, 1921.]

concolor Walker — not Australasian/Oceanian.

cryptohowei Pont, 1973b: 183. Lord Howe I.

duplex Stein, 1900b: 143 (*Spilogaster*). PNG (PNG); Australia (Qld), PNG (Bismarck Arch).

fluocharis Shinonaga & Kano, 1984: 20. PNG (PNG).

fuscifacies Shinonaga & Kano, 1984: 24. PNG (PNG).

grandicornis Shinonaga & Kano, 1984: 27. PNG (PNG).

hirashimai Shinonaga & Kano, 1984: 22. PNG (PNG).

hirtibasis Malloch, 1923a: 671. Australia (NSW); Australia (Tas, Vic).

- howei** Malloch, 1923a: 671. Lord Howe I.
hypopleuralis Malloch, 1925e: 43. Australia (NSW); Australia (WA).
imitatrix Malloch, 1924c: 143. Australia (NSW).
inscia Walker, 1858a: 217 (*Aricia*). Australia (Tas).
iridescens Malloch, 1922b: 139. Australia (Tas); Australia (WA).
isolata Malloch, 1929c: 398 [1929d: 428]. Indonesia (Maluku).
leai Malloch, 1926b: 49. Australia (Tas).
liepae Pont, 1973b: 185. Lord Howe I.
mediensis Shinonaga & Kano, 1984: 28. PNG (PNG).
micans Malloch, 1922b: 142. Australia (Tas); Australia (Vic).
nais Shinonaga & Kano, 1984: 26. PNG (PNG).
nana Shinonaga & Kano, 1984: 28. PNG (PNG).
nigrescens Stein, 1910: 548 (*Mydaea*). Australia (NSW).
nigricornis Shinonaga & Kano, 1984: 26. PNG (PNG).
nigritarsis Macquart, 1847a: 85 [1847b: 101] (*Aricia*). "Nouvelle-Hollande"; Australia (Tas).
rufipes Macquart, 1851: 236(263) (*Limnophora*). Australia, "côte orientale." [Preocc. Macquart, 1847.]
piliventris Malloch, 1922b: 141. Australia (Tas).
nigrohalterata Malloch, 1925e: 43. Australia (Vic).
nitens Macquart, 1855: 138(118) (*Spilogaster*). Australia (SA).
nitida Macquart, 1851: 231(258) (*Aricia*). Australia (Tas); Australia (Vic).
olivacea Macquart, 1851: 230(257) (*Aricia*). Australia (Tas).
papuana Shinonaga & Kano, 1984: 21. PNG (PNG).
poeciliventris Malloch, 1922b: 140. Australia (Tas).
pusilla Doleschall, 1858: 114 (*Spilogaster*). Indonesia (Maluku). **N. comb.**
regina Malloch, 1922b: 138. Australia (Qld); Australia (ACT, NSW, Tas, WA), Norfolk I.
sexmaculata Preyssl, 1791: 88 (*Musca*). Czechoslovakia; NZ (NZ); Holarctic, N Oriental Regs.
punctata Robineau-Desvoidy, 1830: 492 (*Rohrella*). France.
simulata Malloch, 1923c: 603. Australia (NSW).
spilariformis Malloch, 1922b: 142. Australia (Tas); Australia (Vic).
subpubescens Macquart, 1847a: 86 [1847b: 102] (*Aricia*). Australia (Tas); Australia (NSW, Vic).
rufipes Macquart, 1847a: 86 [1847b: 102] (*Ophyra*). "Nouvelle-Hollande."
stupida Walker, 1853: 351 (*Anthomyia*). Australia (NSW).
antartica Bigot, 1885g: 295 (*Yetodesia*). "Australia."
antarctica, error for *antartica*.
tasmaniensis Malloch, 1922b: 138. Australia (Tas).
vandiemeni Malloch, 1923a: 672. Australia (Tas); Australia (NSW).
versicolor Stein, 1910: 554 (*Mydaea*). Australia (NSW).
victoria Malloch, 1922b: 141. Australia (Vic); Australia (Tas).
viridiventris Macquart, 1846: 329(201) (*Aricia*). Australia (Tas); Australia (SA).
caeruleigaster Macquart, 1851: 230(257) (*Aricia*). Australia (Tas).
caeruleigaster Stein, 1901: 191 (*Aricia*). Australia (Tas).
wauensis Shinonaga & Kano, 1984: 23. PNG (PNG).
whitei Malloch, 1922b: 137. Australia (Vic).

Genus HENNIGIOLA Pont

- HENNIGIOLA** Pont, 1969b: 930. Type species: *Spilogaster setulifera* Stein, 1906, orig. des.
setulifera Stein, 1906: 45 (*Spilogaster*). "Australia"; Australia (NSW, Qld).
australis Malloch, 1922b: 135 (*Rhynchomydaea*). Australia (Qld).

Genus IDIOHELINA Malloch

- IDIOHELINA** Malloch, 1921d: 238. Type species: *Idiohelina nubeculosa* Malloch, 1921, orig. des.

- nelsoni* Malloch, 1929a: 263. NZ (NZ).
nubeculosa Malloch, 1921d: 238. NZ (NZ).
setifemur Malloch, 1924h: 141. NZ (NZ).

Genus PHAONIA Robineau-Desvoidy

- PHAONIA** Robineau-Desvoidy, 1830: 482. Type species: *Phaonia viarum* Robineau-Desvoidy, 1830
 [= *Musca valida* Harris, 1780], des. Coquillett, 1901d: 140.
fergusoni Malloch, 1924c: 141. Australia (NSW).
umbrinervis Stein, 1910: 546. Australia (NSW); Australia (Qld).
parvula Malloch, 1921e: 414. Australia (Qld).

Genus PHAONINA Emden

- PHAONINA** Emden, 1965: 201. Type species: *Phaonina corbelli* Malloch, 1931, orig. des.
corbelli Malloch, 1931b: 187 (*Phaonia*). Malaysia (Pen); PNG (Bougainville I, PNG), Solomon Is;
 Malaysia (Sarawak), Philippines.

Genus PROHARDYIA Pont

- HARDYIA* Malloch, 1926d: 554. Type species: *Mydaea carinata* Stein, 1910, orig. des. [Preocc. Walcott,
 1924.]
PROHARDYIA Pont, 1969b: 939 (n. n. for *Hardyia*).
carinata Stein, 1910: 552 (*Mydaea*). Australia (NSW); widesp. Australia (excl. NT), Lord Howe I.
fungorum Pont, 1969b: 954. Australia (Tas); Australia (ACT, NSW, Vic, WA).
intermedia Pont, 1974b: 25. Australia (NSW); Australia (Qld).
macalpinei Pont, 1969b: 947. Australia (Vic); Australia (ACT, NSW, Qld).
pollinosa Malloch, 1926b: 48 (*Rhynchomydaea*). Australia (WA); Australia (ACT, NSW, Vic).

Subfamily MYDAEINAE

Genus CHAETOPAPUAIA Vockeroth

- CHAETOPAPUAIA** Vockeroth, 1972: 56. Type species: *Chaetopapuaia setifrons* Vockeroth, 1972, orig.
 des.
setifrons Vockeroth, 1972: 58. Indonesia (Irian Jaya); PNG (PNG).

Genus GRAPHOMYA Robineau-Desvoidy

- GRAPHOMYA** Robineau-Desvoidy, 1830: 403. Type species: *Musca maculata* Scopoli, 1763, des.
 Westwood, 1840: 141.
GRAPHOMYIA Agassiz, 1847: 167 (unjust. emend. of *Graphomya*).
aurantioventris Vockeroth, 1972: 124. Solomon Is; PNG (Bismarck Arch).
campbelli Mackerras, 1932: 363. Australia (NT).
eximia Stein, 1919b: 199. Indonesia (Irian Jaya).
hypocrita Vockeroth, 1972: 120. Solomon Is.
maculata Scopoli, 1763: 326 (*Musca*). Yugoslavia; Bonin Is, Indonesia (Irian Jaya, ?Maluku), PNG
 (Bismarck Arch, PNG); Oriental, Palearctic Regs.
mediolinea Vockeroth, 1972: 129. PNG (PNG).
occidentalis Arntfield, 1975: 285. USA; Hawaiian Is; Mexico.
maculata, authors, not Scopoli, 1763, misid.
opima Vockeroth, 1972: 121. Indonesia (Irian Jaya); PNG (PNG).
rufitibia Stein, 1918: 147. Taiwan; Australia (NSW, NT, Qld), Belau, Indonesia (Irian Jaya); Oriental
 Reg.

- rufiventris** Stein, 1919b: 201 (key) [1920a: 41; 1920b: 77]. Indonesia (Maluku).
confluens Stein, 1920a: 42. Indonesia (Maluku).
setifrons Vockeroth, 1972: 118. PNG (Bismarck Arch); PNG (PNG).

Genus GYMNOPAPUAIA Vockeroth

- GYMNOPAPUAIA** Vockeroth, 1972: 26. Type species: *Aricia albicornis* Walker, 1864, orig. des.
acuta Vockeroth, 1972: 39. PNG (Bismarck Arch).
albicornis Walker, 1864: 216 (*Aricia*). Indonesia (Irian Jaya); PNG (PNG).
annulata Stein, 1900b: 133 (*Spilogaster*). PNG (PNG).
annulata Stein, 1900a: 379 (*Spilogaster*). *Nomen nudum*.
aquila Vockeroth, 1972: 40. PNG (Bismarck Arch).
bicincta Stein, 1907: 213 (*Spilogaster*). "Neu-Guinea"; Indonesia (Irian Jaya), PNG (PNG).
brunneisquama Vockeroth, 1972: 51. PNG (PNG); Indonesia (Irian Jaya).
clavipalpis Vockeroth, 1972: 38. PNG (PNG); Indonesia (Irian Jaya), PNG (Bismarck Arch).
clivata Vockeroth, 1972: 45. PNG (PNG).
conformis Vockeroth, 1972: 35. PNG (PNG); Indonesia (Irian Jaya).
decipiens Stein, 1918: 185 (key) [1919b: 204] (*Mydaea*). Indonesia (Irian Jaya).
diffidentia Vockeroth, 1972: 50. PNG (PNG).
femina Vockeroth, 1972: 52. PNG (PNG).
hypopleuralis Malloch, 1925a: 330 (*Myiospila*). Australia (Qld).
laterohirta Vockeroth, 1972: 46. PNG (PNG).
lativittata Vockeroth, 1972: 42. Indonesia (Irian Jaya); ?PNG (PNG).
magnicornis Vockeroth, 1972: 53. PNG (PNG); Indonesia (Irian Jaya).
marginisquama Stein, 1900a: 375 (*Spilogaster*). PNG (PNG).
multisetosa Vockeroth, 1972: 44. Indonesia (Irian Jaya).
palau Snyder, 1965: 295 (*Myospila*). Belau.
paula Vockeroth, 1972: 51. PNG (PNG); Indonesia (Irian Jaya), PNG (Bismarck Arch).
precaria Vockeroth, 1972: 47. PNG (PNG).
quadristriata Stein, 1918: 185 (key) [1919b: 208] (*Mydaea*). Indonesia (Irian Jaya); PNG (PNG).
rufiscuta Vockeroth, 1972: 37. Indonesia (Maluku).
sexvittata Vockeroth, 1972: 47. PNG (PNG).
solomonensis Vockeroth, 1972: 38. Solomon Is.
unisetosa Vockeroth, 1972: 45. PNG (PNG).

Genus HEBECNEMA Schnabl

- HEBECNEMA** Schnabl, 1889: 331 (*Aricia* subg.). Type species: *Anthomyia umbratica* Meigen, 1826, des.
 Coquillett, 1901d: 137.
gressitti Vockeroth, 1972: 70. Solomon Is.
infusata Bigot, 1885g: 290 (*Spilogaster*). New Caledonia (New Caledonia)
rufula Vockeroth, 1972: 68. PNG (PNG); Indonesia (Irian Jaya).
unisetata Hennig, 1952: 75. Indonesia (Nusa Tenggara); Australia (Qld), PNG (PNG).
nigrita Vockeroth, 1972: 69. PNG (PNG). [Preocc. Fallén, 1823.]

Genus HELINOMYDAEA Vockeroth

- HELINOMYDAEA** Vockeroth, 1972: 58. Type species: *Helinomydaea acrostichalis* Vockeroth, 1972,
 orig. des.
acrostichalis Vockeroth, 1972: 61. PNG (PNG); Indonesia (Irian Jaya).
flavofusca Malloch, 1924c: 143 (*Helina*). Australia (NSW). **N. comb.**
fuscoflava Malloch, 1922a: 274 (*Helina*). Australia (Tas); Australia (NSW, Vic). **N. comb.**
punctiventris Vockeroth, 1972: 63. PNG (PNG); Indonesia (Irian Jaya).

Genus MYOSPILA Rondani

- MYOSPILA** Rondani, 1856: 91. Type species: *Musca mediatubunda* Fabricius, 1782, orig. des.
- XENOSINA** Malloch, 1925c: 509. Type species: *Mydaea morosa* Stein, 1918, orig. des. [Preocc. Warren, 1900.]
- HELINELLA** Malloch, 1926e: 498. Type species: *Spilogaster propinqua* Stein, 1900 [misid., = *Anthomyia lenticeps* Thomson, 1869], orig. des.
- EUMYOSPILA** Malloch, 1926e: 499. Type species: *Eumyospila spinifemorata* Malloch, 1926 [= *Aricia argentata* Walker, 1856], orig. des.
- PAHANGIA** Malloch, 1928e: 311. Type species: *Pahangia flavipennis* Malloch, 1928, orig. des.
- EUMYDAEA** Karl, 1935: 41. Type species: *Aricia argentata* Walker, 1856, orig. des.
- MYOSPILA**, error for *Myospila*.
- argentata** Walker, 1856a: 27 (*Aricia*). Malaysia (Pen); Indonesia (Irian Jaya, Maluku), PNG (Bismarck Arch, Bougainville I, PNG), Solomon Is; Oriental Reg.
- integra** Walker, 1859c: 140 (*Aricia*). Indonesia (Sulawesi).
- nigricosta** Walker, 1859c: 140 (*Aricia*). Indonesia (Sulawesi).
- pellucida** Stein, 1900a: 381 (*Spilogaster*). Indonesia (Maluku).
- bilineata** Stein, 1900b: 137 (*Spilogaster*). PNG (PNG).
- spinifemorata** Malloch, 1926e: 500 (*Eumyospila*). Philippines.
- aureorufa** Vockeroth, 1972: 102. PNG (Bougainville I); Solomon Is.
- cincta** Bigot, 1885g: 276 (*Hydrophoria*). Indonesia (Maluku); PNG (Bismarck Arch, PNG); ?Malaysia (Pen).
- dubia** Stein, 1920b: 77 (*Mydaea*). Indonesia (Maluku).
- effeminata** Vockeroth, 1972: 109. Fiji.
- flavicans** Malloch, 1921d: 237. Australia (Qld).
- flavipennis** Malloch, 1928e: 311 (*Pahangia*). Malaysia (Pen); Indonesia (Irian Jaya), PNG (Bismarck Arch, Bougainville I), Solomon Is.
- fumidala** Vockeroth, 1972: 104. PNG (Bismarck Arch).
- graminicola** Doleschall, 1858: 113 (*Aricia*). Indonesia (Maluku).
- laevis** Stein, 1900a: 380 (*Spilogaster*). Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG); Oriental Reg.
- arminervis** Stein, 1900a: 381 [1900b: 138] (*Spilogaster*). PNG (PNG).
- livida** Stein, 1907: 278 (*Spilogaster*). Unavailable name; proposed in synonymy with *arminervis* Stein, not subsequently made available..
- tarsalis** Malloch, 1935e: 232 (*Xenosina*). Malaysia (Pen).
- scutellaris** Malloch, 1935e: 233 (*Xenosina*). Malaysia (Pen).
- novaebritanniae** Vockeroth, 1972: 109. PNG (Bismarck Arch).
- novaehebudae** Vockeroth, 1972: 106. Vanuatu.
- pallidibasis** Vockeroth, 1972: 108. PNG (PNG); Indonesia (Irian Jaya).
- papuensis** Vockeroth, 1972: 106. PNG (PNG).
- propinqua** Stein, 1900a: 386 (*Spilogaster*). Indonesia (Maluku); New Caledonia (New Caledonia), PNG (PNG), Solomon Is, Vanuatu.
- semidiaphana** Stein, 1918: 185 (key) [1920b: 80] (*Mydaea*). Indonesia (Maluku).
- setinervis** Stein, 1900a: 385 (*Spilogaster*). PNG (Bismarck Arch); Solomon Is.
- setosissima** Vockeroth, 1972: 87. Indonesia (Irian Jaya).
- squalens** Walker, 1859a: 130 (*Aricia*). Indonesia (Maluku); Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG).
- leucocerus** Bigot, 1885g: 29 (*Spilogaster*). Indonesia (Maluku).
- unistriata** Stein, 1900b: 141 (*Spilogaster*). PNG (PNG).
- toxopei** Malloch, 1929c: 399 [1929d: 429] (*Xenosina*). Indonesia (Maluku).

Genus PAPUAIA Malloch

- PAPUAIA** Malloch, 1921e: 422. Type species: *Spilogaster rufescens* Stein, 1900 [misid., = *Spilogaster curvinervis* Stein, 1900], orig. des.
- ALGHETIMYIA** Séguy, 1937: 347. Type species: *Alghetimyia rufa* Séguy, 1937 [= *Spilogaster curvinervis* Stein, 1900], orig. des.
- asternata** Vockeroth, 1972: 25. PNG (PNG); Indonesia (Irian Jaya).
- curvinervis** Stein, 1900b: 136 (*Spilogaster*). PNG (PNG); Indonesia (Irian Jaya).
curvinervis Stein, 1900a: 378 (*Spilogaster*). *Nomen nudum*.
ochromyioides Malloch, 1921e: 422. Unavailable name; proposed in synonymy with *rufescens* Stein, not subsequently made available.
rufa Séguy, 1927: 347 (*Alghetimyia*). Indonesia (Irian Jaya).
rufescens, authors, not Stein, 1900, misid.
- immaculata** Vockeroth, 1972: 22. Indonesia (Irian Jaya); Australia (Qld), PNG (PNG).
- marginata** Stein, 1900a: 374 (*Spilogaster*). Indonesia (Irian Jaya); PNG (PNG).
- quadrissetosa** Vockeroth, 1972: 24. Indonesia (Irian Jaya).

Genus PAPUAIELLA Vockeroth

- PAPUAIELLA** Vockeroth, 1972: 54. Type species: *Papuaiella ponti* Vockeroth, 1972, orig. des.
- ponti** Vockeroth, 1972: 55. PNG (PNG); Indonesia (Irian Jaya).

Unplaced species of Phaoniinae and Mydaeinae

- bistriata** Stein, 1918: 168 (*Mydaea*). PNG (PNG).
- crassicauda** Stein, 1900b: 135 (*Spilogaster*). PNG (PNG).
- diluta** Stein, 1900b: 139 (*Spilogaster*). PNG (PNG).
- fuscitarsis** Bergroth, 1894: 74 (*Spilogaster*). Australia (Qld).
- inducta** Walker, 1861a: 316 (*Arcia*). Australia (NSW).
- maculata** Stein, 1900b: 134 (*Spilogaster*). PNG (PNG).
- rufiventris** Stein, 1918: 171 (*Mydaea*). PNG (PNG).

Subfamily COENOSIINAE**Tribe LIMNOPHORINI****Genus EXSUL Hutton**

- EXSUL** Hutton, 1901: 75. Type species: *Exsul singularis* Hutton, 1901, mon.
- singularis** Hutton, 1901: 75. NZ (NZ).
- tenuis** Malloch, 1923a: 674. NZ (NZ).

Genus HELIOGRAPHA Malloch

- HELIOGRAPHA** Malloch, 1921b: 169. Type species: *Limnophora tonsa* Stein, 1909 (as *intonso*) [= *Hydrotoea javana* Macquart, 1851], orig. des.
- LIMNELLA** Malloch, 1928f: 328. Type species: *Limnophora orthoneura* Malloch, 1924, orig. des.
- acumicornis** Shinonaga & Pont, 1988: 124. PNG (Bougainville I).
- albistriata** Shinonaga & Pont, 1988: 128. Solomon Is; PNG (Bougainville I).
- aurantiaca** Stein, 1915: 38 (key) [1918: 174] (*Limnophora*). PNG (Bismarck Arch); Indonesia (Maluku).
- bicolorata** Shinonaga & Pont, 1988: 137. PNG (Bismarck Arch).
- bismarckensis** Shinonaga & Pont, 1988: 141. PNG (Bismarck Arch).
- excellens** Stein, 1900b: 143 (*Spilogaster*). PNG (PNG); Australia (Qld), PNG (Bismarck Arch), Solomon Is.

- gressitti** Shinonaga & Pont, 1988: 130. Solomon Is; PNG (Bougainville I).
insignis Stein, 1900a: 390 (*Spilogaster*). PNG (PNG); Indonesia (Irian Jaya, Maluku), PNG (Bismarck Arch), Solomon Is; Oriental Reg.
ismayi Shinonaga & Pont, 1988: 138. PNG (PNG).
javana Macquart, 1851: 235(262) (*Hydrotoea*). Indonesia (Java); Indonesia (Maluku); Oriental Reg.
tonsa Stein, 1909: 245 (*Limnophora*). Indonesia (Java).
intonsa, error for *tonsa*.
nigrolineata Shinonaga & Pont, 1988: 123. Solomon Is.
orthoneura Malloch, 1924c: 144 (*Limnophora*). Australia (NSW).
papuensis Shinonaga & Pont, 1988: 136. PNG (PNG); PNG (Bismarck Arch); Malaysia (Pen).
ruficornis Shinonaga & Pont, 1988: 130. Solomon Is; PNG (Bougainville I).
solomonensis Shinonaga & Pont, 1988: 132. PNG (Bougainville I); Solomon Is.
steini Shinonaga & Pont, 1988: 139 (n. n. for *fasciata* Stein). PNG (PNG); Indonesia (Irian Jaya, Maluku).
fasciata Stein, 1900a: 389 (*Spilogaster*). PNG (PNG). [Preocc. Jaenicke, 1867.]
xanthisma Shinonaga & Pont, 1988: 124. PNG (Bougainville I).
xanthofemina Shinonaga & Pont, 1988: 129. PNG (Bougainville I).

Genus LIMNOHELINA Malloch

- LIMNOHELINA** Malloch, 1930i: 294. Type species: *Cordylura debilis* Hutton, 1901, orig. des.
bivittata Malloch, 1930i: 298. NZ (NZ).
debilis Hutton, 1901: 79 (*Cordylura*). NZ (NZ).
dorsovittata Malloch, 1930i: 300. NZ (NZ).
grisea Malloch, 1930i: 299. NZ (NZ).
huttoni Malloch, 1930i: 296. NZ (NZ).
nelsoni Malloch, 1930i: 303. NZ (NZ).
nigripes Malloch, 1930i: 301. NZ (NZ).
smithii Hutton, 1901: 77 (*Coenosia*). NZ (NZ).
spinipes Walker, 1849: 969 (*Caenosia*). NZ (NZ).
uniformis Malloch, 1930i: 299. NZ (NZ).

Genus LIMNOPHORA Robineau-Desvoidy

- LIMNOPHORA** Robineau-Desvoidy, 1830: 517. Type species: *Limnophora palustris* Robineau-Desvoidy, 1830 [= *Anthomyia maculosa* Meigen, 1826], des. Coquillett, 1910: 561.
MELANOCHELIA Rondani, 1866: 72. Type species: *Aricia surda* Zetterstedt, 1845 [= misid. of several spp. of *Limnophora*], orig. des.
CALLIOPHRYS Kowarz, 1893: 49. Type species: *Musca riparia* Fallén, 1824, des. Séguy, 1937: 253.
PSEUDOLIMNOPHORA Strobl, 1893a: 272 (*Coenosia* "section"). Type species: *Musca triangula* Fallén, 1825, des. Coquillett, 1901d: 140.
LIMNINA Malloch, 1928f: 327. Type species: *Limnina elongata* Malloch, 1928, orig. des.
atrithorax Malloch, 1929g: 167. Western Samoa.
boninensis Snyder, 1965: 290. Bonin Is.
bracteola Snyder, 1965: 288. Bonin Is.
brunneicosta Malloch, 1929o: 332. French Polynesia (Society Is).
carolina Snyder, 1965: 293. Belau; Micronesia.
cheesmanae Malloch, 1929o: 331. French Polynesia (Society Is).
claripennis Malloch, 1929o: 332. French Polynesia (Society Is).
cylindrica Stein, 1915: 39 (key) [1920b: 81]. Indonesia (Irian Jaya).
divergens Malloch, 1925a: 328. Australia (NSW).
dybasi Snyder, 1965: 291. Micronesia.
elongata Malloch, 1928f: 327 (*Limnina*). PNG (PNG).

- exigua** Wiedemann, 1830a: 658 (*Anthomyia*). China; Indonesia (Maluku), PNG (PNG); Afrotrop., Oriental, S Palearctic Regs.
plumiseta Stein in Becker, 1903: 109. Egypt.
- extincta** Snyder, 1965: 293. Guam.
- flavolateralis** Malloch, 1929g: 167. Western Samoa; American Samoa.
- haha** Snyder, 1965: 283. Bonin Is.
- idiina** Thomson, 1869: 554 (*Anthomyia*). French Polynesia (Society Is).
- immaculiventris** Malloch, 1929g: 166. Western Samoa.
- macronycha** Thomson, 1869: 554 (*Anthomyia*). Australia (NSW); Australia (Qld).
pulvillata Malloch, 1925a: 328. Australia (Qld).
- mesolissa** Bezzi, 1928: 175. Fiji; American Samoa, Australia (NT, Qld), Belau, French Polynesia (Society Is), Guam, Indonesia (Maluku), Lord Howe I, Micronesia, New Caledonia (New Caledonia), Northern Marianas, PNG (Bismarck Arch, PNG), Solomon Is, Tonga, Vanuatu, Western Samoa.
- narranderae** Malloch, 1925a: 340. Australia (NSW).
- nigradorsata** Malloch, 1929o: 333. French Polynesia (Society Is).
- nigriorbitalis** Malloch, 1924c: 144. Australia (NSW); Lord Howe I.
- nigropolita** Malloch, 1932o: 198. French Polynesia (Marquesas).
- opacifrons** Malloch, 1924c: 144. Australia (NSW).
- procellaria** Walker, 1858b: 108 (*Anthomyia*). Indonesia (Maluku); ?Oriental Reg.
- setibunda** Snyder, 1965: 289. Bonin Is.
- sternopleuralis** Malloch, 1929o: 332. French Polynesia (Society Is).
- subobsoleta** Malloch, 1929g: 169. Tonga.
- subpolita** Malloch, 1929o: 330. French Polynesia (Society Is).
- suturalis** Stein, 1915: 36. Taiwan; Indonesia (Irian Jaya, Maluku).
- tepunae** Malloch, 1932o: 199. French Polynesia (Marquesas).
- umbra** Snyder, 1965: 284. Bonin Is.

Genus LISPE Latreille

- LISPE** Latreille, 1796: 169. Type species: *Musca tentaculata* De Geer, 1776, subs. mon. Latreille, 1802: 462.
- XENOLISPA** Malloch, 1922a: 279 (*Lispa* subg.). Type species: *Xenolispa atrifrontata* Malloch, 1922, orig. des.
- CHAETOLISPA** Malloch, 1922d: 386. Type species: *Lispa geniseta* Stein, 1909, orig. des.
- COENOLISPA** Malloch, 1932o: 194. Type species: *Coenolispa erratica* Malloch, 1932, orig. des.
- DIPLECTROLISPA** Enderlein, 1934: 424. Type species: *Lispa pectinipes* Becker, 1903, orig. des.
- LISPA**, error for *Lispe*.
- albifacies** Malloch, 1929g: 154. Western Samoa; Belau, Lord Howe I.
- albimacula** Malloch, 1923c: 610 (*Xenolispa*). Australia (Qld).
albimaculata, error for *albimacula*.
- albimaculata** Stein, 1910: 561. Australia (NSW & Qld).
- argenteifacies** Grimshaw, 1901: 30. Hawaiian Is.
- armata** Malloch, 1925a: 335. Australia (NSW).
- assimilis** Wiedemann, 1824: 51. "India orientali"; Bonin Is, Fiji, French Polynesia (Society Is); Oriental, S Palearctic Regs.
- atrifrontata** Malloch, 1922a: 280 (*Xenolispa*). Australia (Qld).
- bengalensis** Robineau-Desvoidy, 1830: 518 (*Limnophora*). India; Australia (NSW), French Polynesia (Marquesas, Society Is); Afrotrop., Oriental, S Palearctic Regs.
tetrastigma Schiner, 1868: 297. Sri Lanka.
armipes Becker, 1903: 118. Egypt.
determinata Becker, 1914: 86. Taiwan.

- bivittata** Stein, 1909: 262. Indonesia (Java); Bonin Is, Indonesia (Maluku); Afrotrop., Oriental, S Palearctic Regs.
nigrifacies Becker, 1914: 83 (*Lispe*). Taiwan.
haha Snyder, 1965: 266. Bonin Is. **N. syn.**
- boninensis** Snyder, 1965: 268. Bonin Is.
- cana** Walker, 1849: 929 (*Anthomyia*). “New Holland”; Australia (NSW), Indonesia (Maluku), Lord Howe I, New Caledonia (New Caledonia), PNG (PNG), Solomon Is, Western Samoa.
- cyrtoneurina** Stein, 1900a: 393. PNG (PNG).
- erratica** Malloch, 1925a: 336. Australia (Qld).
- eidsvoldica** Malloch, 1932o: 194 (*Coenolispa*). French Polynesia (Marquesas).
- fuscipalpis** Malloch, 1929g: 155. Vanuatu; Belau, Micronesia, Solomon Is.
pumiloides Snyder, 1965: 265. Micronesia. **N. syn.**
- geniseta** Stein, 1909: 256. Indonesia (Java); Australia (Qld); Afrotrop., Oriental Regs.
- glabra** Wiedemann, 1824: 50. “India orient.”; French Polynesia (Society Is); Oriental Reg.
dilatata Wiedemann, 1824: 51 [1830a: 433]. “Ostindien.”
taitensis Schiner, 1868: 296. French Polynesia (Society Is).
grandis Thomson, 1869: 561. Philippines.
- incerta** Malloch, 1925a: 337. Australia (Qld); Australia (NT), Belau, Micronesia, New Caledonia (New Caledonia), Norfolk I, Solomon Is, Vanuatu, Western Samoa; Oriental Reg.
hilli Lee, Crust & Sabrosky, 1956: 319. Unavailable name; proposed in synonymy with *incerta* Malloch, not subsequently made available.
modesta, authors, not Stein, 1913, misid.
- isolata** Malloch, 1929g: 153. Western Samoa; American Samoa.
- leucospila** Wiedemann, 1830a: 441 (*Coenosia*). “Ostindien”; ?Indonesia (Irian Jaya), ?PNG (PNG); Afrotrop., Oriental Regs.
- metatarsalis** Thomson, 1869: 562. Hawaiian Is.
cupreigena Grimshaw, 1901: 31. Hawaiian Is.
- metatarsata** Stein, 1900b: 152. PNG (PNG); Oriental Reg.
- nigrimana** Malloch, 1923c: 611 (*Xenolispa*). Australia (Qld).
- pectinipes** Becker, 1903: 113. Egypt; Hawaiian Is; S Palearctic Reg.
- ponti** Hardy, 1981: 87. Hawaiian Is.
- pumila** Wiedemann, 1824: 51 (*Coenosia*). “India orient.”; Australia (Qld), Solomon Is; Oriental Reg.
ignobilis Stein, 1910: 562. Australia (Qld) & Malaysia (Pen).
- sydneyensis** Schiner, 1868: 297. Australia (NSW); Australia (Qld); Oriental Reg.
- tentaculata** De Geer, 1776: 86 (*Musca*). Sweden; ?Fiji; Holarctic, Neotrop. Regs.
- uniseta** Malloch, 1922d: 389. Australia (Vic); Australia (NSW).
- weschei** Malloch, 1922d: 389. Australia (Vic); Australia (NSW, SA).
- xenochaeta** Malloch, 1923c: 608. Australia (SA).

Genus PARACOENOSIA Malloch

- PARACOENOSIA** Malloch, 1938c: 254. Type species: *Paracoenosia tonnoiri* Malloch, 1938, orig. des.
- bicolor** Malloch, 1938c: 256. NZ (NZ).
- tonnoiri** Malloch, 1938c: 254. NZ (NZ).

Genus PARALIMNOPHORA Lamb

- PARALIMNOPHORA** Lamb, 1909: 136. Type species: *Paralimnophora depressa* Lamb, 1909, des. Séguy, 1937: 272.
- antipoda** Harrison, 1955: 227. NZ (Campbell I).
- depressa** Lamb, 1909: 136. NZ (Antipodes Is & Auckland Is).
- indistincta** Lamb, 1909: 137. NZ (Auckland Is).

Genus **SPILOGONA** Schnabl

- SPILOGONA** Schnabl, 1911: 92 (*Limnophora* subg.). Type species: *Aricia carbonella* Zetterstedt, 1845, mon.
- MILLERINA** Malloch, 1924h: 138 (*Melanocheilia* subg.). Type species: *Melanocheilia pennata* Malloch, 1924, orig. des.
- albifrons** Malloch, 1931f: 382. NZ (NZ).
- argentifrons** Malloch, 1931f: 382. NZ (NZ).
- aucklandica** Hutton, 1902a: 172 (*Limnophora*). NZ (Auckland Is); NZ (Antipodes Is).
- aucklandica** Hutton, 1902a: 173 (*Lonchaea*). NZ (Auckland Is). **N. comb.**
- aureifacies** Malloch, 1931f: 383. NZ (NZ).
- badia** Hutton, 1901: 74 (*Homalomyia*). NZ (NZ).
- brunneinota** Harrison, 1955: 223 (*Limnophora*). NZ (Campbell I).
- brunneivittata** Harrison, 1955: 224 (*Limnophora*). NZ (Campbell I).
- carbonaria** Hutton, 1901: 71 (*Trichophthicus*). NZ (NZ).
- curvipes** Lamb, 1909: 138 (*Trichopticus*). NZ (Auckland Is).
- dasyops** Stein, 1910: 556 (*Limnophora*). Australia (NSW).
- dolosa** Hutton, 1901: 71 (*Trichophthicus*). NZ (NZ).
- ferrari** Pont, 1973b: 191. Norfolk I.
- flaviventris** Malloch, 1931f: 379. NZ (NZ).
- fuliginosa** Hutton, 1901: 74 (*Homalomyia*). NZ (NZ).
- fulvescens** Hutton, 1901: 73 (*Homalomyia*). NZ (NZ).
- fumicosta** Malloch, 1931f: 380. NZ (NZ).
- hudsoni** Malloch, 1924h: 140 (*Melanocheilia*). NZ (NZ).
- insularis** Lamb, 1909: 137 (*Melanocheilia*). NZ (Campbell I).
- lasiophthalma** Lamb, 1909: 135 (*Limnophora*). NZ (Auckland Is).
- latimana** Malloch, 1931f: 380. NZ (NZ).
- limpida** Hutton, 1901: 71 (*Trichophthicus*). NZ (NZ).
- maculipennis** Hutton, 1901: 71 (*Trichophthicus*). NZ (NZ).
- melas** Schiner, 1868: 302 (*Aricia*). NZ (Auckland Is).
melus, error for *melas*.
- minuta** Harrison, 1955: 225 (*Limnophora*). NZ (NZ).
- nigrifemur** Malloch, 1924h: 141 (*Melanocheilia*). NZ (NZ).
- ordinata** Hutton, 1901: 72 (*Trichophthicus*). NZ (NZ).
- pennata** Malloch, 1924h: 140 (*Melanocheilia*). NZ (NZ).
- rapax** Hutton, 1901: 72 (*Limnophora*). NZ (NZ).
- rufa** Hutton, 1902a: 173 (*Coelopa*). NZ (NZ). **N. comb.**
- sorenseni** Harrison, 1955: 226 (*Limnophora*). NZ (NZ).
- tenuicornis** Malloch, 1923a: 673 (*Melanocheilia*). NZ (NZ).
- villosa** Hutton, 1902a: 171 (*Trichophthicus*). NZ (Auckland Is).

Tribe **COENOSIINI**Genus **CEPHALISPA** Malloch

- CEPHALISPA** Malloch, 1935f: 658 (*Lispocephala* subg.). Type species: *Lispocephala scutellata* Malloch, 1935, orig. des.
- bipuncta** Malloch, 1929c: 394 [1929d: 424] (*Lispocephala*). Indonesia (Maluku).
- communi** Paramonov, 1961a: 507 (*Pygophora*). Australia (Qld).
- gressitti** Snyder, 1965: 224 (*Cephalispa*). Belau.
- parvisquama** Stein, 1900b: 150 (*Coenosia*). PNG (PNG).

Genus COENOSIA Meigen

- COENOSIA** Meigen, 1826: 210. Type species: *Musca tigrina* Fabricius, 1775, des. Westwood, 1840: 143.
CARICEA Robineau-Desvoidy, 1830: 530. Type species: *Caricea communis* Robineau-Desvoidy, 1830 [= *Musca tigrina* Fabricius, 1775], des. Desmarest *in d'Orbigny*, 1842b: 172.
LIMOSIA Robineau-Desvoidy, 1830: 535. Type species: *Limosia campestris* Robineau-Desvoidy, 1830, des. Coquillett, 1901d: 138.
acuticornis Stein, 1910: 568. Australia (NSW); Australia (Qld, Tas, Vic, WA), Lord Howe I, Norfolk I.
algivora Hutton, 1901: 78. NZ (NZ).
attenuata Stein *in* Becker, 1903: 121. Egypt; Australia (NSW); Afrotrop., Oriental, S Palearctic Regs.
bimorpha Snyder, 1965: 207 (*Limosia*). Micronesia; Belau, Guam. **N. comb.**
filipennis Lamb, 1909: 138. NZ (Campbell I).
fumipennis Lamb, 1909: 139. NZ (Campbell I).
imitatrix Malloch, 1925a: 333 (*Caricea*). Australia (NSW).
latitarsis Malloch, 1925a: 332. Australia (NSW).
pumilio Stein, 1900b: 151. PNG (PNG); ?New Caledonia (New Caledonia); ?Taiwan.
purgatoria Hutton, 1901: 77. NZ (NZ).
rubriceps Hutton, 1901: 77. NZ (NZ).
spumicola Pont, 1973b: 179. Norfolk I; Australia (NSW).
subvittata Malloch, 1925a: 332 (*Caricea*). Australia (NSW).
townesi Snyder, 1965: 210 (*Limosia*). Micronesia. **N. comb.**

Genus LISPOCEPHALA Pokorný

- LISPOCEPHALA** Pokorný, 1893: 532. Type species: *Anthomyia alma* Meigen, 1826, orig des.
alakaiae Hardy, 1981: 117. Hawaiian Is.
aquila Hardy, 1981: 119. Hawaiian Is.
argentifrons Hardy, 1981: 199. Hawaiian Is.
ascita Hardy, 1981: 200. Hawaiian Is.
aspilota Hardy, 1981: 120. Hawaiian Is.
atratiptis Malloch, 1928b: 83. Hawaiian Is.
badia Hardy, 1981: 180. Hawaiian Is.
beardsleyi Snyder, 1965: 220. Belau.
biseta Grimshaw, 1901: 39 (*Coenosia*). Hawaiian Is.
bispina Malloch, 1928b: 75. Hawaiian Is.
brachydexioides Hardy, 1981: 228. Hawaiian Is.
brevispina Malloch, 1928b: 81. Hawaiian Is.
brunneifrons Hardy, 1981: 204. Hawaiian Is.
brunneipennis Hardy, 1981: 152. Hawaiian Is.
brunnidorsata Hardy, 1981: 183. Hawaiian Is.
caliginosa Hardy, 1981: 185. Hawaiian Is.
carita Hardy, 1981: 153. Hawaiian Is.
chaetoloma Hardy, 1981: 205. Hawaiian Is.
comata Hardy, 1981: 207. Hawaiian Is.
comparata Hardy, 1981: 208. Hawaiian Is.
confluens Malloch, 1928b: 79. Hawaiian Is.
crassifemur Malloch, 1928b: 87. Hawaiian Is.
deceptiva Hardy, 1981: 122. Hawaiian Is.
dentata Hardy, 1981: 124. Hawaiian Is.
dexioides Grimshaw, 1901: 33 (*Coenosia*). Hawaiian Is.
difficilis Hardy, 1981: 233. Hawaiian Is.
dilatata Malloch, 1928b: 74. Hawaiian Is.
dispar Grimshaw, 1901: 35 (*Coenosia*). Hawaiian Is.
dispersa Snyder, 1965: 221. Micronesia; Belau.

- eximia** Hardy, 1981: 209. Hawaiian Is.
expulsa Hardy, 1981: 157. Hawaiian Is.
fasciculata Malloch, 1928*b*: 82. Hawaiian Is.
flaccida Hardy, 1981: 236. Hawaiian Is.
flavobasalis Grimshaw, 1901: 32 (*Coenosia*). Hawaiian Is.
 ssp. **extera** Hardy, 1981: 160. Hawaiian Is.
 ssp. **flavobasalis** s. str. Hawaiian Is.
flexa Hardy, 1981: 161. Hawaiian Is.
fusca Malloch, 1928*b*: 85. Hawaiian Is.
fusciseta Malloch, 1928*b*: 86. Hawaiian Is.
fuscobrunnea Malloch, 1928*b*: 80. Hawaiian Is.
fuscofacies Malloch, 1928*b*: 83. Hawaiian Is.
haleakalae Hardy, 1981: 187. Hawaiian Is.
hamifera Hardy, 1981: 218. Hawaiian Is.
hirtifemur Malloch, 1928*b*: 77. Hawaiian Is.
hualalalae Hardy, 1981: 189. Hawaiian Is.
implumis Hardy, 1981: 163. Hawaiian Is.
incompta Hardy, 1981: 131. Hawaiian Is.
inconstans Malloch, 1928*b*: 85. Hawaiian Is.
indecisa Hardy, 1981: 165. Hawaiian Is.
ingens Grimshaw, 1901: 40 (*Coenosia*). Hawaiian Is.
intonsa Hardy, 1981: 132. Hawaiian Is.
kaalae Williams, 1938*a*: 118. Hawaiian Is.
kauaiensis Grimshaw, 1901: 37 (*Coenosia*). Hawaiian Is.
lanaiensis Hardy, 1981: 222. Hawaiian Is.
latimana Grimshaw, 1901: 35 (*Coenosia*). Hawaiian Is.
latitarsis Hardy, 1981: 240. Hawaiian Is.
leptostylata Hardy, 1981: 133. Hawaiian Is.
longipes Grimshaw, 1901: 38 (*Coenosia*). Hawaiian Is.
 orbitalis Malloch, 1928*b*: 78. Hawaiian Is.
longisetosa Hardy, 1981: 190. Hawaiian Is.
macrocera Hardy, 1981: 262. Hawaiian Is.
mauiensis Hardy, 1981: 192. Hawaiian Is.
melanoxenina Hardy, 1981: 252. Hawaiian Is.
mimetica Hardy, 1981: 194. Hawaiian Is.
molokaiensis Hardy, 1981: 134. Hawaiian Is.
montgomeryi Hardy, 1981: 168. Hawaiian Is.
nana Hardy, 1981: 195. Hawaiian Is.
oahuae Malloch, 1928*b*: 87. Hawaiian Is.
obscura Hardy, 1981: 169. Hawaiian Is.
ocellata Hardy, 1981: 212. Hawaiian Is.
pallida Malloch, 1928*b*: 72. Hawaiian Is.
pallidibasis Malloch, 1928*b*: 73. Hawaiian Is.
paloloae Malloch, 1928*b*: 88. Hawaiian Is.
parilis Hardy, 1981: 173. Hawaiian Is.
parva Hardy, 1981: 214. Hawaiian Is.
parydra Hardy, 1981: 136. Hawaiian Is.
pauciseta Hardy, 1981: 175. Hawaiian Is.
pectinata Hardy, 1981: 138. Hawaiian Is.
penaquila Hardy, 1981: 139. Hawaiian Is.
perflava Hardy, 1981: 140. Hawaiian Is.
philydra Hardy, 1981: 141. Hawaiian Is.
planifemorata Hardy, 1981: 225. Hawaiian Is.

pollinosa Malloch, 1928*b*: 76. Hawaiian Is.
quasipallida Hardy, 1981: 265. Hawaiian Is.
rudis Grimshaw, 1901: 40 (*Coenosia*). Hawaiian Is.
rufibasis Malloch, 1928*b*: 84. Hawaiian Is.
seminigra Grimshaw, 1901: 33 (*Coenosia*). Hawaiian Is.
 plumiseta Malloch, 1928*b*: 79. Hawaiian Is.
seminitida Malloch, 1928*b*: 78. Hawaiian Is.
sigillata Hardy, 1981: 197. Hawaiian Is.
silvicola Hardy, 1981: 144. Hawaiian Is.
striata Grimshaw, 1901: 38 (*Coenosia*). Hawaiian Is.
subseminigra Hardy, 1981: 258. Hawaiian Is.
subtilis Hardy, 1981: 266. Hawaiian Is.
subvittata Malloch, 1928*b*: 88. Hawaiian Is.
swezeyi Hardy, 1981: 147. Hawaiian Is.
triangulifera Grimshaw, 1901: 36 (*Coenosia*). Hawaiian Is.
tridentata Hardy, 1981: 149. Hawaiian Is.
uniseta Hardy, 1981: 267. Hawaiian Is.
univittata Hardy, 1981: 246. Hawaiian Is.
valida Grimshaw, 1901: 34 (*Coenosia*). Hawaiian Is.
villosifemora Hardy, 1981: 250. Hawaiian Is.
waialealeae Hardy, 1981: 269. Hawaiian Is.
whittlei Hardy, 1981: 150. Hawaiian Is.
xanthopleura Hardy, 1981: 179. Hawaiian Is.
xenina Malloch, 1928*b*: 78. Hawaiian Is.
zonata Hardy, 1981: 227. Hawaiian Is.

Genus MACRORCHIS Rondani

MACRORCHIS Rondani, 1877: 280. Type species: *Musca meditata* Fallén, 1825, orig. des.
meditata Fallén, 1825: 87 (*Musca*). Sweden; NZ (NZ) [chance importation]; Palearctic Reg.

Genus ORCHISIA Rondani

ORCHISIA Rondani, 1877: 16. Type species: *Sapromyza costata* Meigen, 1826, orig. des.
costata Meigen, 1826: 266 (*Sapromyza*). Germany; Australia (Qld), Belau, Bonin Is, Fiji, Micronesia, New Caledonia (New Caledonia), Northern Marianas, Western Samoa; Afrotrop., Oriental, Palearctic Regs.

Genus PARVISQUAMA Malloch

PARVISQUAMA Malloch, 1935*f*: 662 (*Lispocephala* subg.). Type species: *Lispocephala pahangensis* Malloch, 1935, orig. des.
bifurcata Snyder, 1965: 216. Belau.
ciliata Malloch, 1929*c*: 393 [1929*d*: 423] (*Lispocephala*). Indonesia (Maluku); Belau, Micronesia, Solomon Is, Vanuatu; Malaysia (Pen).
dolichocera Bezzi, 1928: 169 (*Coenosia*). Fiji.
 microlepis Bezzi, 1928: 168 (*Coenosia*). Fiji.
fulvafacies Snyder, 1965: 214. Micronesia.
mariana Snyder, 1965: 215. Guam.
simplex Snyder, 1965: 215. Micronesia.
tripuncta Malloch, 1928*b*: 80 (*Lispocephala*). Fiji.
trukensis Snyder, 1965: 216. Micronesia.

Genus **PECTINISETA** Stein

- PECTINISETA** Stein, 1919a: 96, 145. Type species: *Caricea prominens* Stein, 1910 [= *Coenosia pectinata* Stein, 1900], mon.
- australis** Malloch, 1923c: 604 (*Lispocephala*). Australia (Qld); Australia (NT).
- fulvithorax** Malloch, 1929g: 163. Western Samoa.
- occulta** Pont, 1972: 149. Australia (Qld); PNG (Bismarck Arch).
- pectinata** Stein, 1900b: 147 (*Coenosia*). PNG (PNG); Australia (Qld), Belau, French Polynesia (Society Is), Guam, Indonesia (Maluku), Micronesia, PNG (Bismarck Arch), Solomon Is, Western Samoa; Afrotrop., Oriental Regs.
- prominens* Stein in Becker, 1910d: 152 (*Caricea*). Socotra I.
- proxima* Malloch, 1929c: 393 [1929d: 423] (*Lispocephala*). Indonesia (Maluku).
- similis** Pont, 1972: 147. Australia (Qld); Australia (NSW, NT, WA).
- societas** Malloch, 1929o: 326. French Polynesia (Society Is).
- torresiana** Pont, 1972: 152. Australia (Qld).

Genus **PYGOPHORA** Schiner

- MACROCHOETA** Macquart, 1851: 242(269). Suppressed by I.C.Z.N., 1969a: 152.
- PYGOPHORA** Schiner, 1868: 295. Type species: *Pygophora apicalis* Schiner, 1868, orig. des. **MACROCHAETA**, error for *Macrochoeta*.
- absentiseta** Crosskey, 1962b: 406. Indonesia (Irian Jaya); PNG (PNG).
- alaseta** Snyder, 1965: 234. Micronesia.
- apicalis** Schiner, 1868: 295. Australia (NSW); Australia (Qld, Vic, WA).
- notatus* Bigot, 1885g: 281 (*Hoplogaster*). "Australia."
- australis* Malloch, 1922d: 383. Australia (Qld).
- argentea** Paramonov, 1961a: 506. Australia (Qld).
- boninensis** Snyder, 1965: 230. Bonin Is.
- brandti** Crosskey, 1962b: 481. PNG (PNG).
- buxtoni** Malloch, 1929g: 160. American Samoa.
- caledonica** Bigot, 1885g: 269 (*Coenosia*). New Caledonia (New Caledonia); ?Vanuatu.
- cheesmanae** Crosskey, 1962b: 411. Indonesia (Irian Jaya); PNG (PNG).
- compressiventris** Thomson, 1869: 559 (*Coenosia*). "Malacca" [= Singapore; see Persson, 1971: 171]; Australia (Qld), ?Indonesia (Irian Jaya), ?PNG (PNG); Oriental Reg.
- norrisi* Paramonov, 1961a: 508. Australia (Qld).
- ctenophora** Bezzi, 1928: 169. Fiji.
- dolabra** Crosskey, 1962b: 479. PNG (PNG); Indonesia (Irian Jaya).
- edgari** Snyder, 1965: 233. Northern Marianas.
- enigma** Crosskey, 1962b: 491. PNG (PNG).
- flavida** Crosskey, 1962b: 488. Indonesia (Irian Jaya); ?PNG (PNG).
- hirtimana** Malloch, 1935c: 77. PNG (Bismarck Arch); Solomon Is, Vanuatu.
- hopkinsi** Malloch, 1929g: 161. American Samoa; Australia (Qld), PNG (Bismarck Arch), Solomon Is, Vanuatu, Western Samoa; Oriental Reg.
- howeana** Paramonov, 1961a: 510. Lord Howe I.
- incisa** Stein, 1900b: 146 (*Coenosia*). PNG (PNG).
- kusaiensis** Snyder, 1965: 236. Micronesia.
- litureta** Walker, 1864: 218 (*Caenosia*). Indonesia (Irian Jaya); Indonesia (Maluku).
- longicornis** Stein, 1918: 161 (*Coenosia*). Taiwan; Indonesia (Irian Jaya, Maluku); Oriental Reg.
- simplex* Hennig, 1952: 58. Indonesia (Nusa Tenggara).
- longipila** Stein, 1910: 565 (*Coenosia*). PNG (PNG).
- luteicornis** Walker, 1858b: 108 (*Caenosia*). Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG).
- maculigera** Stein, 1920b: 85 (*Coenosia*). Indonesia (Irian Jaya); Australia (Qld), Indonesia (Maluku), New Caledonia (New Caledonia), Norfolk I, PNG (Bismarck Arch, PNG), Solomon Is; Oriental Reg.

- aliena* Malloch, 1922*d*: 382. Australia (Qld).
setiventris Malloch, 1929*c*: 394 [1929*d*: 424]. Indonesia (Maluku).
majalis Paramonov, 1961*a*: 509, Australia (NSW).
mariana Snyder, 1965: 237. Guam; Northern Marianas.
minuscula Snyder, 1965: 238. Belau.
minuta Malloch, 1921*d*: 239. Australia (Qld); New Caledonia (New Caledonia).
nitidiventris Malloch, 1929*c*: 396 [1929*d*: 426]. Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG), Solomon Is; Oriental Reg.
oakleyi Snyder, 1965: 237. Micronesia.
palauensis Snyder, 1965: 232. Belau.
respondens Walker, 1859*c*: 142 (*Coenosia*). Indonesia (Sulawesi); Belau, Guam, Hawaiian Is, Indonesia (Irian Jaya, Maluku), Kiribati (Gilbert Is), Marshall Is, Micronesia, Northern Marianas, PNG (Bismarck Arch, PNG), Solomon Is, Vanuatu; Seychelles, Oriental Reg.
lobata Stein, 1900*a*: 393 (*Coenosia*). *Nomen nudum*.
lobata Stein, 1900*b*: 147 (*Coenosia*). Singapore.
rufipes Macquart, 1851: 243(270) (*Macrochoeta*). Australia, "côte orientale"; Australia (NSW, Qld).
abnorma Paramonov, 1961*a*: 508. Australia (NSW).
seticornis Crosskey, 1962*b*: 483. PNG (PNG).
setitarsis Stein, 1919*b*: 211. Indonesia (Irian Jaya).
tarsaseta Snyder, 1965: 235. Belau.
torrida Wiedemann, 1830*a*: 437 (*Coenosia*). China; Indonesia (Maluku); Oriental Reg.
triseriata Walker, 1861*e*: 11 (*Atomogaster*). Indonesia (Maluku).
compressicauda Stein, 1900*a*: 391 (*Coenosia*). Indonesia (Sulawesi).
unicolor Stein, 1920*b*: 64 (*Coenosia*). PNG (PNG); Oriental Reg.
villicoxa Crosskey, 1962*b*: 477. PNG (PNG).
yapensis Snyder, 1965: 231. Micronesia.

Unplaced species of Muscidae

- bicolor** Doleschall, 1858: 114 (*Hydrotaea*). Indonesia (Maluku).
tahitiensis Lichtenstein, 1796: 215 (*Musca*). French Polynesia (Society Is).