

11. Family SCIARIDAE

By Wallace A. Steffan

Sciaridae are common faunal elements in nearly all regions of the world but are poorly known because their small size and superficial homogeneity have not attracted collectors or taxonomists. Immature stages can be found in rotten wood, under bark of fallen trees, in other kinds of decaying plant material, feeding in fungi or animal excrement or, in *Austrosciara termitophila*, asinquilines in termite nests. Some species feed on living plant tissue and can cause economically important damage, especially in greenhouses and mushroom houses.

The Australasian/Oceanian fauna is undoubtedly much richer than the listings in this catalog indicate. The regional literature, with the exception of the faunal studies of Hawaii (Hardy 1960) and Micronesia (Steffan 1969), consists primarily

of descriptions of new species. Skuse (1888*b*, 1890*d*) described 61 Sciaridae from Australia, but most of the collections were from New South Wales only. The rich Papua New Guinean fauna has scarcely been touched. The New Zealand fauna was treated by Tonnoir & Edwards (1927).

This catalog is essentially a list of published names, although some necessarily obvious taxonomic changes have been made. Many generic placements undoubtedly are incorrect, and types need to be examined before correct generic assignments can be made. Most of the species listed under *Sciara* should be transferred to other genera after examination of the types.

Refs.: Hardy (1960, Hawaiian spp.), Freeman (1983), Frey (1942, 1948), Steffan (1966*b*, rev. Nearctic gen.; 1969, Micronesian spp.), Tuomikoski (1960).

Genus AUSTROSCIARA Schmitz & Mjöberg

AUSTROSCIARA Schmitz & Mjöberg, 1924: 1. Type species: *Austrosciara termitophila* Schmitz & Mjöberg, 1924, mon.
termitophila Schmitz & Mjöberg, 1924: 2. Australia (NSW).

Genus BRADYSIA Winnertz

BRADYSIA Winnertz, 1867: 180. Type species: *Bradysia angustipennis* Winnertz, 1867, des. Enderlein, 1911*c*: 127.
bishopi Steffan, 1973: 353. Hawaiian Is.
boninensis Steffan, 1969: 717. Bonin Is.
campbellensis Steffan, 1964: 296. NZ (Campbell I).
impatiens Johannsen, 1912: 136 (*Sciara*). USA; Hawaiian Is.
hardyi Shaw, 1952: 493 (*Sciara*). Hawaiian Is.
kraussi Steffan, 1969: 718. Guam.
molokaiensis Grimshaw, 1901: 2 (*Sciara*). Hawaiian Is.
stonei Shaw, 1952: 495 (*Sciara*). Hawaiian Is.
pseudocampestris Mohrig — not Australasian/Oceanian.
radicum Brunetti, 1912*b*: 139 (*Sciara*). India; American Samoa, Fiji, French Polynesia (Marquesas, ?Society Is), Hawaiian Is, Western Samoa; England.
rubra Harrison, 1955: 213 (*Sciara*). NZ (Campbell I).
setigera Hardy, 1960: 234 (*Spathobdella*). Hawaiian Is.
snyderi Steffan, 1969: 723. Bonin Is.
spatitergum Hardy, 1956*c*: 85 (*Sciara*). Hawaiian Is; Brazil, Panama.
radicum, Hardy, 1960, not Brunetti, 1912, misid.
triticum Coquillett, 1895*a*: 408 (*Sciara*). Not given [USA]; Hawaiian Is, Micronesia; widesp. New World.

- johannseni* Shaw, 1952: 493 (*Sciara*). Hawaiian Is. [Preocc. Enderlein, 1912.]
garreti Shaw, 1952: 494 (*Sciara*). Hawaiian Is.
laffooni Shaw, 1952: 494 (*Sciara*). Hawaiian Is.
watsoni Colless, 1962b: 955. Macquarie I.

Genus CORYNOPTERA Winnertz

- CORYNOPTERA** Winnertz, 1867: 177. Type species: *Corynoptera perpusilla* Winnertz, 1867, des. Enderlein, 1911c: 127.
alpina Mohrig – not Australasian/Oceanian.
brevipalpis Steffan, 1969: 695. Belau; Hawaiian Is.
heterochela Steffan, 1969: 697. Micronesia; Belau.
latistylata Hardy, 1956c: 82 (*Sciara*). Hawaiian Is; Marshall Is, Northern Marianas.
ponapensis Steffan, 1969: 703. Micronesia.
sabroskyi Steffan, 1969: 703. Belau.
subantarctica Steffan, 1964: 295. NZ (Campbell I).
sylviae Steffan, 1969: 705. Belau; Micronesia.

Genus CTENOSCIARA Tuomikoski

- CTENOSCIARA** Tuomikoski, 1960: 110. Type species: *Sciara hyalipennis* Meigen, 1804, orig. des.
hawaiiensis Hardy, 1956c: 78 (*Sciara*). Hawaiian Is.
hyalipennis Meigen, 1804: 99 (*Sciara*). Not given [Central Europe; see Gerbachevskaya-Pavluhenko, 1986: 43]; NZ (Campbell I, NZ) [immigrant]; Taiwan, widesp. Palearctic Reg.
annulata Meigen, 1818: 284 (*Sciara*). Not given [Germany].
multispinosa Steffan, 1969: 712. Micronesia.

Genus DODECASCARIARA Edwards

- DODECASCARIARA** Edwards, 1928c: 37. Type species: *Dodecascariara debilis* Edwards, 1928, mon.
debilis Edwards, 1928c: 37. Western Samoa; American Samoa; Fiji.

Genus EPIDAPUS Haliday

- EPIDAPUS** Haliday in Walker, 1851b: 7. Type species: *Chionea venatica* Haliday in Walker, 1856 [= *Tipula atomaria* De Geer, 1778], subs. mon. Haliday in Walker, 1856b: 56.
ATOMARIA Bigot, 1854: 454. Type species: *Tipula atomaria* De Geer, 1778, taut.
 Undescribed sp. – Belau (Steffan, 1969: 685).

Genus HYPERLASON Schmitz

- HYPERLASON** Schmitz, 1918: 95, 96. Type species: *Hyperlason wasmanni* Schmitz, 1918, mon.
magnisenorium Hardy, 1956c: 89 (*Scythropochroa*). Hawaiian Is.

Genus LOBOSCIARA Steffan

- LOBOSCIARA** Steffan, 1969: 727. Type species: *Bradysia spinipennis* Sasakawa, 1962, orig. des.
spinipennis Sasakawa, 1962: 130 (*Bradysia*). Thailand; Guam, Micronesia.

Genus LYCORIELLA Frey

- LYCORIELLA** Frey, 1942: 39. Type species: *Sciara vivida* Winnertz, 1867 [misid., = *Sciara auripila* Winnertz, 1867], orig. des.
agraria Felt, 1898a: 225 [1898b: 225] (*Sciara*). USA; NZ (NZ) [immigrant]; England.
agarici Loudon, 1978: 163. Australia (NSW).

- hoyti** Hardy, 1956c: 80 (*Sciara*). Hawaiian Is.
mali Fitch, 1856: 486 (*Molobrus*). USA; Hawaiian Is.
pauciseta Felt, 1898: 224. USA.
solispina Hardy, 1956c: 84 (*Sciara*). Hawaiian Is.

Genus NEOPHNYXIA Tonnoir

- NEOPHNYXIA** Tonnoir *in* Tonnoir & Edwards, 1927: 800. Type species: *Neophnyxia nelsoniana* Tonnoir *in* Tonnoir & Edwards, 1927, orig. des.
nelsoniana Tonnoir *in* Tonnoir & Edwards, 1927: 800. NZ (NZ).

Genus ODONTOSCIARA Rübsaamen

- ODONTONYX** Rübsaamen, 1894: 19, 25. Type species: *Sciara nigra* Wiedemann, 1821, des. Coquillett, 1910: 578. [Preocc. Stephens, 1827.]
ODONTOSCIARA Rübsaamen, 1908: 450 (n. n. for *Odontonyx*).
PHORODONTA Coquillett, 1910: 589 (n. n. for *Odontonyx*).
filipes Walker, 1865a: 102 (*Sciara*). "New Guinea" [= Indonesia (Irian Jaya)]. **N. comb.**
pacifica Edwards, 1924f: 569 (*Phorodonta*). Fiji; American Samoa, Vanuatu, Western Samoa. **N. comb.**
politicollis Edwards, 1928c: 34 (*Phorodonta*). Western Samoa. **N. comb.**

Genus OHAKUNEA Edwards

- OHAKUNEA** Edwards *in* Tonnoir & Edwards, 1927: 799. Type species: *Ohakunea bicolor* Edwards *in* Tonnoir & Edwards, 1927, orig. des.
australiensis Colless, 1963a: 304. Australia (Vic); Australia (NSW).
bicolor Edwards *in* Tonnoir & Edwards, 1927: 799. NZ (NZ).

Genus PHYTOSCIARA Frey

- PHYTOSCIARA** Frey, 1942: 27. Type species: *Sciara halterata* Lengersdorf, 1926, orig. des.
brachygaster Steffan, 1969: 709. Belau; Micronesia.
vulcanata Steffan, 1973: 358. Hawaiian Is.

Genus PLASTOSCIARA Berg

- PSEUDOSCIARA** Kieffer, 1898a: 194. Type species: *Pseudosciara pictiventris* Kieffer, 1898, orig. des. [Preocc. Schiner, 1866.]
PLASTOSCIARA Berg, 1899: 78 (n. n. for *Pseudosciara*).
COSMOSCIARA Frey, 1942: 39. Type species: *Plastosciara perniciosa* Edwards, 1922, orig. des.
adrostylata Hardy, 1956c: 72. Hawaiian Is.
flavibasis Edwards, 1928c: 35. American Samoa; Fiji.
jaluitensis Steffan, 1969: 688. Marshall Is.
latipons Hardy, 1956c: 77. Hawaiian Is; Marshall Is, Micronesia.
longicosta Hardy, 1956c: 75. Hawaiian Is.
perniciosa Edwards, 1922c: 160. England; Fiji, French Polynesia (Marquesas), Hawaiian Is, Western Samoa; Finland, Philippines, Tristan da Cunha, USSR.
brevicalcarata Hardy, 1956c: 73. Hawaiian Is.
yapensis Steffan, 1969: 692. Micronesia.

Genus PNYXIA Johannsen

- PNYXIA** Johannsen, 1912: 114. Type species: *Epidapus scabiei* Hopkins, 1895, orig. des.
 Undescribed sp. — Hawaiian Is (Steffan, 1981: 140).

Genus PSEUDOZYGONEURA Steffan

PSEUDOZYGONEURA Steffan, 1969: 676. Type species: *Pseudozygoneura musicola* Steffan, 1969, orig. des.
musicola Steffan, 1969: 677. Belau; Hawaiian Is [introduced; ?established], Micronesia.

Genus SCATOPSCIARA Edwards

SCAPTOPSCIARA Edwards in Tonnoir & Edwards, 1927: 798 (*Sciara* subg.). Type species: *Sciara quinquelineata* Macquart, 1834 [= *Sciara vitripennis* Meigen, 1818], orig. des.

UDMANNIA Frey, 1942: 38. Type species: *Sciara pusilla* Meigen, 1818, orig. des. [Preocc. Bergroth, 1915.]

UDMANNIELLA Frey, 1948: 86 (n. n. for *Udmania*).

nigrita Hardy, 1956c: 86 (*Scatopsciara*). Hawaiian Is.

unicarata Edwards in Tonnoir & Edwards, 1927: 798 (*Sciara*). NZ (NZ).

Genus SCHWENKFELDINA Frey

SCHWENKFELDINA Frey, 1942: 32 (*Neosciara* subg.). Type species: *Sciara carbonaria* Meigen, 1820, orig. des.

ponderosa Walker, 1864: 230 (*Sciara*). Indonesia (Maluku).

Genus SCIARA Meigen

LYCORIA Meigen, 1800: 17. Suppressed by I.C.Z.N., 1963b: 339.

SCIARA Meigen, 1803: 263. Type species: *Tipula thomae* Linnaeus, 1767, mon.

adjuncta Skuse, 1890c: 398. Australia (NSW).

aemula Skuse, 1888b: 678. Australia (NSW).

amabilis Skuse, 1888b: 712. Australia (NSW).

approximata Skuse, 1888b: 697. Australia (NSW).

aquila Skuse, 1888b: 692. Australia (NSW).

atratura Skuse, 1888b: 704. Australia (NSW).

audax Skuse, 1888b: 693. Australia (NSW).

brevifurca Skuse, 1888b: 700. Australia (NSW).

cavicata Skuse, 1888b: 688. Australia (NSW).

conjuncta Skuse, 1890c: 403. Australia (NSW).

consanguinea Skuse, 1890c: 401. Australia (NSW).

constrictans Edwards in Tonnoir & Edwards, 1927: 792. NZ (NZ).

contermina Skuse, 1890c: 395. Australia (NSW).

contractans Edwards in Tonnoir & Edwards, 1927: 795. NZ (NZ).

crassicornis Skuse, 1890c: 407. Australia (NSW).

distigma Edwards, 1924f: 568. Fiji.

diversa Skuse, 1888b: 701. Australia (NSW).

dolosa Skuse, 1888b: 683. Australia (NSW).

erratica Skuse, 1888b: 696. Australia (NSW).

evanescens Skuse, 1888b: 698. Australia (NSW).

exposita Skuse, 1890c: 397. Australia (NSW).

exsequialis Skuse, 1890c: 409. Australia (NSW).

familiaris Skuse, 1888b: 687. Australia (NSW).

femoralis Doleschall, 1858: 78. Indonesia (Maluku).

festina Skuse, 1888b: 684. Australia (NSW).

festiva Skuse, 1888b: 689. Australia (NSW).

finitima Skuse, 1888b: 677. Australia (NSW).

flavicoxis Skuse, 1890c: 396. Australia (NSW).

- frequens* Skuse, 1888b: 682. Australia (NSW).
froggatti Skuse, 1888b: 681. Australia (NSW).
fumipennis Skuse, 1888b: 706. Australia (NSW).
griseinervis Edwards *in* Tonnoir & Edwards, 1927: 793. NZ (NZ).
harrisi Edwards *in* Tonnoir & Edwards, 1927: 797. NZ (NZ).
helmsi Skuse, 1890c: 408. Australia (NSW).
ignobilis Skuse, 1888b: 717. Australia (NSW).
infixa Skuse, 1890c: 400. Australia (NSW).
infrequens Skuse, 1888b: 719. Australia (NSW).
jejuna Edwards *in* Tonnoir & Edwards, 1927: 796. NZ (NZ).
lucidipennis Skuse, 1888b: 714. Australia (NSW).
luctifica Skuse, 1888b: 680. Australia (SA).
luculenta Skuse, 1888b: 705. Australia (NSW).
macleayi Skuse, 1888b: 691. Australia (NSW).
maesta Skuse, 1888b: 691. Australia (NSW).
marcilla Hutton, 1902b: 192. NZ (NZ).
marginata Skuse, 1890c: 399. Australia (NSW).
minutela Skuse, 1888b: 702. Australia (NSW).
montivaga Skuse, 1888b: 710. Australia (NSW).
neorufescens Miller, 1950: 57 (n. n. for *rufescens* Hutton). NZ (NZ).
rufescens Hutton, 1881: 13. NZ (NZ). [Preocc. Zetterstedt, 1852.]
notata Skuse, 1888b: 720. Australia (NSW).
nubeculosa Edwards *in* Tonnoir & Edwards, 1927: 793. NZ (NZ).
nubicula Skuse, 1888b: 715. Australia (NSW).
ornatula Skuse, 1888b: 711. Australia (NSW).
ovalis Edwards *in* Tonnoir & Edwards, 1927: 795. NZ (NZ).
pernitida Skuse, 1888b: 685. Australia (NSW).
philpotti Tonnoir *in* Tonnoir & Edwards, 1927: 796. NZ (NZ).
pictipes Skuse, 1888b: 721. Australia (NSW).
praescellens Skuse, 1890c: 404. Australia (NSW).
prominens Hardy, 1956c: 83. Hawaiian Is.
promiscua Skuse, 1890c: 394. Australia (NSW).
reciproca Walker, 1856d: 420. Australia (Tas).
recondita Skuse, 1890c: 390. Australia (NSW).
rufulenta Edwards *in* Tonnoir & Edwards, 1927: 794. NZ (NZ).
scitula Skuse, 1888b: 699. Australia (NSW).
sedula Skuse, 1888b: 674. Australia (NSW).
selecta Walker, 1858b: 77. Indonesia (Maluku).
serenipennis Skuse, 1890c: 402. Australia (NSW).
sororia Skuse, 1888b: 716. Australia (NSW).
spectabilis Skuse, 1888b: 716. Australia (NSW).
tapleyi Edwards *in* Tonnoir & Edwards, 1927: 797. NZ (NZ).
tepperi Skuse, 1890c: 393. Australia (SA).
tryoni Skuse, 1890c: 391. Australia (Qld).
turrida de Meijere, 1913a: 45. Indonesia (Maluku).
unica Skuse, 1888b: 708. Australia (NSW).
varipes Walker, 1865a: 102. "New Guinea" [= Indonesia (Irian Jaya)].
vecors Skuse, 1888b: 695. Australia (NSW).
vicarians Edwards *in* Tonnoir & Edwards, 1927: 793. NZ (NZ).
winnertzi Skuse, 1888b: 709. Australia (NSW).
womersleyi Séguy, 1940: 210. Kerguelen Is; Macquarie I.
xanthonota Edwards *in* Tonnoir & Edwards, 1927: 795. NZ (NZ).

zealandica Edwards in Tonnoir & Edwards, 1927: 796. NZ (NZ). [Preocc. Kieffer, 1910; no n. n. proposed at this time.]
zealandica Kieffer, 1910a: 327. NZ (NZ).

Genus SCYTHROPOCHROA Edwards

SCYTHROPOCHROA Enderlein, 1911c: 138. Type species: *Scythropochroa latefurcata* Enderlein, 1911, orig. des.
antarctica Hudson, 1892: pl. 4, fig. 5a,b (*Mycetophila*). Not given [NZ (NZ)]. *Nomen dubium*.
gressitti Steffan, 1969: 680. Micronesia; Guam.
nitida Edwards in Tonnoir & Edwards, 1927: 799. NZ (NZ).
quadrispinosa Steffan, 1969: 682. Belau.
samoana Edwards, 1928c: 36. Western Samoa.
trispinosa Steffan, 1969: 682. Marshall Is.

Genus TRICHOSIA Winnertz

TRICHOSIA Winnertz, 1867: 173. Type species: *Trichosia splendens* Winnertz, 1867, des. Coquillett, 1910: 616.
LEPTOSCIARA Frey, 1942: 21, 28. Type species: *Sciara longiventris* Zetterstedt, 1851 [= *Sciara caudata* Walker, 1848], orig. des.
mastersi Skuse, 1888b: 723. Australia (NSW).

Genus XYLOSCIARA Tuomikoski

PLASTOSCIARA Frey, 1942: 34. Type species: *Sciara lignicola* Winnertz, 1867, orig. des. [Preocc. Berg, 1899.]
XYLOSCIARA Tuomikoski, 1957: 10 (n. n. for *Plastosciara*).
brevipes Steffan, 1964: 293. NZ (Campbell I).

Genus ZYGONEURA Meigen

ZYGONEURA Meigen, 1830: 304. Type species: *Zygoneura sciarina* Meigen, 1830, mon.
maculipennis Skuse, 1890c: 411. Australia (NSW).
remota de Meijere, 1913b: 305. Indonesia (Irian Jaya).