

33. Family STRATIOMYIDAE

By Norman E. Woodley

Stratiomyids or soldier flies, compose a moderately large family of Diptera that exhibit an extreme array of morphological diversity, as well as a moderate range of life histories. Stratiomyids are found throughout the world but are particularly diverse in tropical regions. Worldwide there are about 400 genera recognized at present and well over 2,000 species. In this catalog 100 genera and 420 species-group names are listed for the Australasian/Oceanian Regions.

There are no modern monographs dealing with any major portion of the family on a worldwide basis, leaving taxonomic concepts in at least some subfamilies with a decidedly regional flavor. World-level generic reviews are necessary for progress to be made in higher level taxonomy and phylogeny within the family. No adequate summary of knowledge of the taxonomy of stratiomyids is available covering the Australasian/Oceanian Regions, and there are very few generic revisions that are modern enough to allow positive identifications to be made. A few treatments of limited geographic scope (e.g., Brunetti 1923a; Bezzi 1928; James 1948, 1950b, 1962) can be used for limited areas within the regions.

Adults are generally collected in Malaise traps or by sweeping vegetation. Adult *Odontomyia* are usually found on flowers; adults of most other groups are normally found near larval food sources. Although it is not well documented in the literature, many stratiomyids form aerial swarms, probably for mating purposes. Larval soldier flies occupy diverse habitats, including soil and sod (Chiromyzinae), a wide variety of decaying organic matter (Beridinae, Clitellariinae, Chrysochlorinae, Hermetiinae, Sarginae), under bark (Pachygastrinae), and aquatic situations (Stratiomyinae, Nemotelinae). Larvae of *Inopus rubriceps* are sod and pasture pests, especially where introduced in New Zealand. Larvae of *Hermetia illucens* inhabit many types of decaying organic matter, and the species has been introduced by man's activities and become established in warmer areas throughout much of the world. Immature stages of most stratiomyids remain unknown.

Ref.: Brunetti (1923a, rev.), Woodley (1986, phylog.).

Subfamily CHIROMYZINAE

Genus ARCHILAGARINUS Enderlein

ARCHILAGARINUS Enderlein, 1932: 270. Type species: *Archilagarinus priscus* Enderlein, 1932, orig. des.
priscus Enderlein, 1932: 270. PNG (PNG).

Genus ARCHIMYZA Enderlein

ARCHIMYZA Enderlein, 1921b: 157. Type species: *Archimyza ava* Enderlein, 1921, orig. des.
ava Enderlein, 1921b: 157. Australia (Qld).

Genus BOREOIDES Hardy

BOREOIDES Hardy, 1920f: 539. Type species: *Boreoides subulatus* Hardy, 1920, mon.
BOREOMYIA Hardy, 1920f: 539. *Nomen nudum.*
PSEGMOPTERA Enderlein, 1921b: 177. Type species: *Psegmoptera aurifrons* Enderlein, 1921 [= *Boreoides subulatus* Hardy, 1920], orig. des.

machiliformis Enderlein, 1921b: 178 (*Psegmoptera*). Australia (SA).

subulatus Hardy, 1920f: 540. Australia (NSW & Vic).

aurifrons Enderlein, 1921b: 178 (*Psegmoptera*). "Australia."

tasmaniensis Bezzi, 1922: 324. Australia (Tas).

Genus CHIROMYZA Wiedemann

CHIROMYZA Wiedemann, 1820a: 19. Type species: *Chiromyza vittata* Wiedemann, 1820, orig. des.

CHEIROMYZA Henning, 1832: 337. Type species: *Cheiromyza vittata* Hennig, 1832 [preocc., =

Chiromyza vittata Wiedemann, 1820], pres. des.

XENOMORPHA Macquart, 1838a: 197(193). Type species: *Xenomorpha leptiformis* Macquart, 1838, mon.

CHIROMYIA, CHYROMYZA, errors for *Chiromyza*.

fulva Nagatomi & Yukawa, 1969: 635. Indonesia (Irian Jaya); PNG (PNG).

grandicornis Hardy, 1920e: 39 (*Xenomorpha*). Australia (Tas).

gressitti Nagatomi & Yukawa, 1969: 637. PNG (PNG).

longicornis Hardy, 1924b: 366. Australia (Qld).

papuae Nagatomi & Yukawa, 1969: 638. PNG (PNG).

prisca Walker, 1852: 162. Australia (Tas).

sedlaceki Nagatomi & Yukawa, 1969: 640. PNG (PNG); Indonesia (Irian Jaya).

vicina Bigot, 1879c: 200. "Australia?"

Genus HYLOROPS Enderlein

HYLOROPS Enderlein, 1921b: 179. Type species: *Hylorops philippii* Enderlein, 1921, orig. des.

australis Macquart, 1850: 358(54) (*Xenomorpha*). Australia, "côte orientale"; Australia (NSW, Vic).

matruelis Enderlein, 1921b: 180. "Australia."

Genus INOPUS Walker

METOPONIA Macquart, 1847a: 28 [1847b: 44]. Type species: *Metoponia rubriceps* Macquart, 1847, mon. [Preocc. Duponchel, 1845.]

INOPUS Walker, 1850b: 2. Type species: *Inopus despectus* Walker, 1850 [= *Metoponia rubriceps* Macquart, 1847], mon.

CRYPTOBERIS White, 1916a: 73. Type species: *Cryptoberis hebescens* White, 1916 [= *Metoponia rubriceps* Macquart, 1847], mon.

ALTERMETOPONIA Miller, 1945: 72 (n. n. for *Metoponia*).

brevicornis Nagatomi & Yukawa, 1968: 522. PNG (PNG).

flavus James, 1968: 155 (*Altermetoponia*). Australia (Qld).

geminus Hardy, 1920f: 535 (*Metoponia*). Australia (NSW); Australia (SA).

grossus Nagatomi & Yukawa, 1968: 523. Australia (Vic).

hitchcocki James, 1961: 365 (*Chiromyza*). Australia (Qld).

rubriceps Macquart, 1847a: 28 [1847b: 44] (*Metoponia*). "Nouvelle-Hollande"; Australia (ACT, NSW, Qld, SA, Vic, ?Tas), NZ (NZ) [introduced]; USA [introduced; ?established].

despectus Walker, 1850b: 2. Not given [unknown].

fulvicaput Walker, 1852: 163 (*Chiromyza*). Australia (?NSW).

hebescens White, 1916a: 74 (*Cryptoberis*). Australia (NSW).

flavicaput, error for *fulvicaput*.

herbescens, error for *hebescens*.

Genus STENIMAS Enderlein

STENIMAS Enderlein, 1921b: 175. Type species: *Stenimas stemmaticalis* Enderlein, 1921, orig. des.

stemmaticalis Enderlein, 1921b: 175. Australia (NT).

Subfamily BERIDINAE

Genus ACTINA Meigen

ACTINA Meigen, 1804: 116. Type species: *Actina chalybea* Meigen, 1804, des. Coquillett, 1910: 503.
brevihirta Hardy, 1932b: 42. Australia (NSW & Qld).
brisbanensis Hardy, 1939a: 37. Australia (Qld).
costata White, 1914b: 51. Australia (Tas); Australia (Vic.).
imperfecta Hardy, 1932a: 54. Australia (Qld).
incisuralis Macquart, 1847a: 28 [1847b: 44] (*Beris*). "Nouvelle-Hollande"; widesp. Australia (excl. NT).
 filiopalpis Macquart, 1850: 345(41) (*Beris*). Australia (Tas).
 nitidithorax Macquart, 1850: 345(41) (*Beris*). Australia (Tas).
 fusciventris Macquart, 1850: 346(42) (*Beris*). Australia (Tas).
 victoriae Hill, 1919: 450. Australia (Vic).
nigricornis Enderlein, 1921b: 191. Australia (Tas).
ocinis Hardy, 1932a: 52. Australia (Qld).
silvicola Hardy, 1932a: 55. Australia (Tas).

Genus AUSTRALOBERIS Lindner

AUSTRALOBERIS Lindner, 1958a: 435. Type species: *Australoberis amoena* Lindner, 1958, orig. des.
amoena Lindner, 1958a: 436. NZ (NZ).
refugians Miller, 1917: 193 (*Beris*). NZ (NZ). **N. comb.**

Genus BENHAMYIA Miller

HUTTONELLA Enderlein, 1921b: 195. Type species: *Exaireta alpina* Hutton, 1901, orig. des. [Preocc. Pfeiffer, 1855.]
BENHAMYIA Miller, 1945: 72 (n. n. for *Huttonella*).
alpina Hutton, 1901: 5 (*Exaireta*). NZ (NZ).
apicalis Walker, 1849: 1151 (*Diphysa*). NZ (NZ).
 apicalis Walker, 1848: 126 (*Beris*). *Nomen nudum*.
 analis Nowicki, 1875: 11 (*Exaireta*). NZ (NZ). **N. syn.**
hoheria Miller, 1917: 180 (*Exaireta*). NZ (NZ).
 virolata Enderlein, 1921b: 194 (*Neoexaereta*). NZ (NZ). **N. syn.**
 venusta Lindner, 1958a: 434 (*Neoexaireta*). NZ (NZ). **N. syn.**
seolforalis Miller, 1917: 179 (*Exaireta*). NZ (NZ).
smaragdina Lindner, 1958a: 434 (*Neoexaireta*). NZ (NZ). **N. comb.**
straznitzkii Nowicki, 1875: 14 (*Exaireta*). NZ (NZ).
whitei Woodley, n. n. NZ (NZ).
 apicalis White & Butler, 1874: 27 (*Diphysa*). NZ (NZ). [Preocc. Walker, 1849.]

Genus BERIS Latreille

BERIS Latreille, 1802: 447. Type species: *Stratiomys sexdentata* Fabricius, 1782 [= *Musca chalybata* Forster, 1771], mon.
cuprea Hutton, 1901: 6. NZ (NZ).
lacuans Miller, 1917: 192. NZ (NZ).
micans Hutton, 1901: 6. NZ (NZ).
substituta Walker, 1854: 12. NZ (NZ).
violacea Hutton, 1901: 6. NZ (NZ).

Genus BERISINA Malloch

BERISINA Malloch, 1928g: 364. Type species: *Berisina maculipennis* Malloch, 1928, orig. des.
caliginosa Miller, 1917: 191 (*Beris*). NZ (NZ). **N. comb.**
maculipennis Malloch, 1928g: 365. NZ (NZ).
saltusans Miller, 1917: 190 (*Beris*). NZ (NZ). **N. comb.**

Genus EUMECACIS Enderlein

EUMECACIS Enderlein, 1921b: 211. Type species: *Eumecacis clavigera* Enderlein, 1921, orig. des.
clavigera Enderlein, 1921b: 212. Australia (NSW); Australia (ACT, Qld).

Genus EXAIRETA Schiner

DIPHYSA Macquart, 1838a: 176(172). Type species: *Xylophagus spiniger* Wiedemann, 1830, pres. des.
[Preocc. Blainville, 1830.]
EXAIRETA Schiner, 1867: 309. Type species: *Xylophagus spiniger* Wiedemann, 1830, orig. des.
NEOEXAIRETA Osten Sacken, 1878: 44 (unnec. n. n. for *Exaireta*).
EXAERETA Kertész, 1908c: 131 (unjust. emend. of *Exaireta*). [Preocc. Hübner, 1820.]
NEOEXAERETA Kertész, 1908c: 131 (unjust. emend. of *Neoexaireta*).
spinigera Wiedemann, 1830a: 618 (*Xylophagus*). Australia (NSW); widesp. Australia, Hawaiian Is
[introduced], Lord Howe I, NZ (NZ) [?introduced].
servillei Macquart, 1838a: 176(172) (*Beris*). "Patrie inconnue" [prob. = Australia].
albimacula Walker, 1848: 126 (*Beris*). Australia (NSW).
albimaculata, error for *albimacula*.

Genus NEACTINA Enderlein

NEACTINA Enderlein, 1921b: 193. Type species: *Actina opposita* Walker, 1854, orig. des.
opposita Walker, 1854: 13 (*Actina*). NZ (NZ).
ostensackeni Lindner, 1958a: 435 (*Neoxaireta*). NZ (NZ). **N. comb.**
simmondsii Miller, 1917: 184 (*Actina*). NZ (NZ). **N. comb.**

Genus XANTHOBERIS White

XANTHOBERIS White, 1916a: 75. Type species: *Xanthoberis siliacea* White, 1916, mon.
APOSPASMA Enderlein, 1921b: 197. Type species: *Apospasma famelicum* Enderlein, 1921, orig. des.
siliacea White, 1916a: 76. Australia (NSW); Australia (Qld).
famelicum Enderlein, 1921b: 198 (*Apospasma*). Australia (NSW).

Subfamily ANTISSINAE

Genus ANACANTHELLA Macquart

ANACANTHELLA Macquart, 1855: 58(38). Type species: *Anacanthella splendens* Macquart, 1855,
mon.
angustifrons Hardy, 1932b: 47 (*Antissella*). Australia (Qld). **N. comb.**
splendens Macquart, 1855: 59(39). Australia (SA).

Genus ANTISSA Walker

ANTISSA Walker, 1854: 63 (*Clitellaria* subg.). Type species: *Clitellaria cuprea* Walker, 1849, mon.
cuprea Walker, 1849: 524 (*Clitellaria*). Australia (WA).

Genus ANTISSELLA White

ANTISSELLA White, 1914b: 52. Type species: *Beris parvidentata* Macquart, 1850, mon. *parvidentata* Macquart, 1850: 344(40) (*Beris*). Australia (Tas); Australia (NSW, Vic). *quinquecella* Macquart, 1846: 175(47) (*Beris*). Australia (Tas). N. comb.

Genus LECOMYIA White

LECOGASTER White, 1914b: 53. Type species: *Lecogaster caerulea* White, 1914, mon. [Preocc. Scheffer, 1846.]

LECOMYIA White, 1916b: 260 (n. n. for *Lecogaster*).

caerulea White, 1914b: 54 (*Lecogaster*). Australia (Tas); Australia (Vic).

cyanea White, 1916a: 79 (*Lecogaster*). Australia (NSW); Australia (Qld).

notha Hardy, 1932b: 46. Australia (Qld).

Subfamily PACHYGASTRINAE

Genus ACYROCERA Lindner

ACYROCERA Lindner, 1937: 389. Type species: *Acyrocera argyrapis* Lindner, 1937, mon. *argyrapis* Lindner, 1937: 391. Solomon Is.

Genus ACYROCEROOPS James

ACYROCEROOPS James, 1978: 25. Type species: *Acyrocerops furcifera* James, 1978, orig. des. *furcifer* James, 1978: 26. PNG (Bismarck Arch.).

Genus ADRAGA Walker

ADRAGA Walker, 1858b: 82. Type species: *Adraga univitta* Walker, 1858, mon.

australis James, 1948: 208. Solomon Is.

crassivena Kertész, 1916: 199. Indonesia (Maluku).

dimidiata James, 1977b: 486. PNG (PNG).

semiglabra James, 1980: 301. PNG (PNG); Indonesia (Irian Jaya).

tomentosa James, 1980: 300. PNG (PNG); Indonesia (Irian Jaya).

univitta Walker, 1858b: 82. Indonesia (Maluku); Indonesia (Irian Jaya).

univicta, error for *univitta*.

varipes James, 1980: 299. PNG (PNG).

Genus AIDOMYIA Kertész

AIDOMYIA Kertész, 1916: 191. Type species: *Aidomyia femoralis* Kertész, 1916, orig. des.

glabrirrons James, 1977b: 485. Indonesia (Irian Jaya).

nitens James, 1977b: 484. PNG (PNG).

snyderi James, 1962: 102. Bonin Is.

tomentosa James, 1977b: 484. Indonesia (Irian Jaya).

Genus ANOMALACANTHA James

ANOMALACANTHA James, 1978: 20. Type species: *Anomalacantha divaricata* James, 1978, orig. des.

divaricata James, 1978: 21. PNG (PNG); Indonesia (Irian Jaya).

pedunculata James, 1978: 22. PNG (PNG); Indonesia (Irian Jaya).

Genus ARGYROBRITHES Grünberg

ARGYROBRITHES Grünberg, 1915: 46. Type species: *Argyrobithes argenteus* Grünberg, 1915, mon. *albopilosa* de Meijere, 1907: 238 (*Wallacea*). Indonesia (Java); PNG (PNG); Sri Lanka. *insularis* Kertész, 1921: 167. Indonesia (Irian Jaya).

Genus ARTEMITA Walker

ARTEMITA Walker, 1854: 61 (*Clitellaria* subg.). Type species: *Clitellaria amenides* Walker, 1849, des. Brauer, 1882: 86. *insularis* James, 1962: 92. Bonin Is.

Genus ARTEMITOMIMA James

ARTEMITOMIMA James, 1948: 205. Type species: *Artemitomima mirabilis* James, 1948, orig. des. *mirabilis* James, 1948: 206. Solomon Is; Vanuatu.

Genus ASYNCRITULA Strand

ASYNCRITUS Kertész, 1914: 542. Type species: *Pachygaster limbipennis* Wulp, 1898, orig. des. [Preocc. Handlirsch, 1911.]
ASYNCRITULA Strand, 1929: 22 (n. n. for *Asyncritus*).
brevis James, 1978: 18. PNG (PNG); Indonesia (Irian Jaya).
limbipennis Wulp, 1898a: 417 (*Pachygaster*). PNG (PNG); Indonesia (Irian Jaya).
pubescens James, 1978: 20. PNG (Bismarck Arch).

Genus AULANA Walker

AULANA Walker, 1864: 204. Type species: *Aulana confirmata* Walker, 1864, mon.
ACRASPIDEA Brauer, 1882: 75, 86. Type species: *Acraspidea felderii* Brauer, 1882 [= *Aulana confirmata* Walker, 1864], orig. des.
confirmata Walker, 1864: 204. Indonesia (Irian Jaya); Malaysia (Pen); Sri Lanka.
felderi Brauer, 1882: 76 (*Acraspidea*). Sri Lanka.
cyrtaspis Kertész, 1908b: 344. Indonesia (Maluku); Solomon Is.
ornatifrons Hollis, 1963a: 562. Australia (Qld).

Genus BISTINDA Bezzi

BISTINDA Bezzi, 1928: 16. Type species: *Bistinda castanea* Bezzi, 1928, orig. des.
castanea Bezzi, 1928: 17. Fiji.

Genus CAMELOMYIA James

CAMELOMYIA James, 1980: 295. Type species: *Camelomyia signata* James, 1980, orig. des. *signata* James, 1980: 295. PNG (PNG).

Genus CAMPTOPTEROMYIA de Meijere

CAMPTOPTEROMYIA de Meijere, 1914a: 12. Type species: *Camptopteromyia fractipennis* de Meijere, 1914, mon.
flavipes James, 1962: 105. Micronesia.
lanata James, 1962: 107. Belau.
obscura James, 1962: 106. Belau.
tibialis James, 1962: 106. Belau.

Genus CIBOTOGASTER Enderlein

CIBOTOGASTER Enderlein, 1914a: 305. Type species: *Acanthina azurea* Gerstaecker, 1857, orig. des.
TETRACANTHINA Enderlein, 1914b: 11. Type species: *Clitellaria varia* Walker, 1854, orig. des.
walkeri James, 1975: 35 (n. n. for *obesa* Walker). Indonesia (Irian Jaya); PNG (PNG); Malaysia (Pen).
obesa Walker, 1861b: 232 (*Clitellaria*). Indonesia (Irian Jaya). [Preocc. Walker, 1860.]

Genus DAMAROMYIA Kertész

DAMAROMYIA Kertész, 1916: 195. Type species: *Damaromyia tasmanica* Kertész, 1916, orig. des.
bifossa Hardy, 1931: 124. Australia (Qld).
clivosa Hardy, 1931: 128. Australia (NSW & Qld); Australia (Vic).
confusa Hardy, 1931: 125. Australia (Qld).
depressa Hardy, 1931: 123. Australia (Qld).
discolor Hardy, 1931: 123. Australia (Qld).
hirsuta Hardy, 1931: 124. Australia (Qld).
interrupta James, 1950c: 313. Australia (SA).
limbipuncta Hardy, 1931: 127. Australia (Tas).
neohirsuta Hardy, 1939a: 39. Australia (Qld).
nitens Hardy, 1922: 194 (*Pachygaster*). Australia (Qld); Australia (NSW).
racemipuncta Hardy, 1931: 128. Australia (Qld).
similis Hardy, 1939a: 38. Australia (Qld).
tasmanica Kertész, 1916: 197. Australia (Tas); Australia (NSW).
trina Hardy, 1931: 127. Australia (NSW & Qld).
whitei Hardy, 1920e: 44 (*Pachygaster*). Australia (Tas); Australia (NSW, Qld).

Genus DIALAMPSIS Kertész

DIALAMPSIS Kertész, 1916: 193. Type species: *Obrapa argentata* Wulp, 1898, orig. des.
argentata Wulp, 1898a: 417 (*Obrapa*). Indonesia (Irian Jaya); PNG (Bismarck Arch, PNG).

Genus DISCOPTEROMYIA de Meijere

DISCOPTEROMYIA de Meijere, 1913b: 316. Type species: *Discopteromyia bicincta* de Meijere, 1913,
mon.
bicincta de Meijere, 1913b: 316. Indonesia (Irian Jaya).
fascipennis James, 1978: 29. PNG (PNG).
inermis James, 1978: 28. PNG (PNG).

Genus DOCHMIOCERA Hardy

DOCHMIOCERA Hardy, 1922: 194. Type species: *Dochmiocera aurilineata* Hardy, 1922, orig. des.
aurilineata Hardy, 1922: 195. Australia (Qld).
aureolineata, error for *aurilineata*.

Genus DROSIMOMYIA Kertész

DROSIMOMYIA Kertész, 1916: 160. Type species: *Drosimomyia natalensis* Kertész, 1916, orig. des.
baueri James, 1950b: 257. Vanuatu.

Genus EUFIJIA Bezzı

EUFIJIA Bezzı, 1928: 10. Type species: *Eufijia albicornis* Bezzı, 1928, orig. des.
albicornis Bezzı, 1928: 11. Fiji.
dimidiata Bezzı, 1928: 12. Fiji.
flavinervis Bezzı, 1928: 13. Fiji.

ovalis James, 1950b: 258. Vanuatu.

tarsalis Bezzi, 1928: 14. Fiji.

tibialis Bezzi, 1928: 13. Fiji; American Samoa, Western Samoa.

Genus EUPACHYGASTER Kertész

EUPACHYGASTER Kertész, 1911: 31. Type species: *Pachygaster tarsalis* Zetterstedt, 1842, orig. des. *flava* James, 1977b: 487. PNG (PNG).

Genus EVAZA Walker

EVAZA Walker, 1856c: 109. Type species: *Evaza bipars* Walker, 1856, mon.

NERUA Walker, 1858b: 81. Type species: *Nerua scenopinoides* Walker, 1858, mon.

PSEUDOEVASA Kertész, 1916: 146. Type species: *Evasa argyroceps* Bigot, 1879, orig. des.

EVASA, error for *Evaza*.

NERNA, error for *Nerua*.

argyroceps Bigot, 1879e: 219. Indonesia (Maluku).

atterima James, 1969: 109. PNG (PNG).

aurivestis James, 1969: 102. PNG (PNG).

batchianensis Woodley, n. n. Indonesia (Maluku).

debilis Walker, 1861d: 274 (*Sargus*). Indonesia (Maluku). [Preocc. Walker, 1851.]

bipars Walker, 1856c: 110. Malaysia (Sarawak); Indonesia (Irian Jaya), PNG (PNG); Oriental Reg.

flavipes, Wulp, 1898, not Bigot, 1879, misid.

brandti James, 1969: 92. PNG (PNG).

cordata James, 1969: 107. PNG (PNG).

dimidiata James, 1969: 98. PNG (PNG).

discalis James, 1962: 95. Belau.

discolor de Meijere, 1916a: 15. Indonesia (Sumatra); Indonesia (Irian Jaya), PNG (PNG).

fenestrata James, 1969: 90. PNG (PNG).

flava James, 1969: 94. Indonesia (Irian Jaya).

fortis Walker, 1865a: 107 (*Sargus*). "New Guinea" [= Indonesia (Irian Jaya)]; PNG (PNG).

pictipes Bigot, 1879e: 221. "Nova Guinea."

fulviventris Bigot, 1879e: 220. Indonesia (Maluku); Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG); Solomon Is.

gracilis James, 1969: 114. PNG (PNG).

gressitti James, 1969: 103. PNG (Bismarck Arch.).

hardyi James, 1969: 113. PNG (PNG); Indonesia (Irian Jaya).

impedens Walker, 1859b: 97 (*Nerua*). Indonesia (Sulawesi); Indonesia (Irian Jaya), PNG (PNG).

incident Curran, 1936: 13. Solomon Is.

inflata James, 1969: 106. PNG (PNG); Indonesia (Irian Jaya).

interrupta James, 1969: 93. Indonesia (Irian Jaya).

javanensis de Meijere, 1911b: 274. Indonesia (Java); Hawaiian Is [introduced], Indonesia (Maluku); Oriental Reg.

lanata James, 1969: 99. PNG (PNG); Indonesia (Irian Jaya).

lutea James, 1969: 93. PNG (PNG).

pallipes Bigot, 1879e: 220. Indonesia (Maluku).

paliipes, error for *pallipes*.

picticornis James, 1969: 101. PNG (PNG); Indonesia (Irian Jaya).

quatei James, 1969: 107. PNG (PNG).

rossi James, 1969: 105. PNG (PNG).

scenopinoides Walker, 1858b: 81 (*Nerua*). Indonesia (Maluku); Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG); Philippines.

solomensis Curran, 1936: 12. Solomon Is.

varia James, 1969: 88. PNG (PNG).

varipes James, 1969: 111. PNG (PNG).
ventralis James, 1969: 115. PNG (PNG).
whitneyi Curran, 1936: 13. Solomon Is.

Genus GLOCHINOMYIA Kertész

GLOCHINOMYIA Kertész, 1916: 140. Type species: *Glochinomyia albiseta* Kertész, 1916, orig. des.
albiseta Kertész, 1916: 142. PNG (PNG).

Genus GOBERTINA Bigot

GOBERTINA Bigot, 1879b: 87 [1879c: 192; 1879d: lxviii]. Type species: *Gobertia picticornis* Bigot, 1879, des. Brauer, 1882: 87.
picticornis Bigot, 1879b: 87 [1879c: 192; 1879d: lxviii]. Sierra Leone; Hawaiian Is [introduced]; widesp. Afrotrop. Reg.

Genus HAPLOFIJIA Bezzi

HAPLOFIJIA Bezzi, 1928: 8. Type species: *Haplofijia simplex* Bezzi, 1928, orig. des.
simplex Bezzi, 1928: 9. Fiji.

Genus LENOMYIA Kertész

LENOMYIA Kertész, 1916: 186. Type species: *Lenomyia honesta* Kertész, 1916, orig. des.
alticola James, 1977b: 481. Indonesia (Irian Jaya).
glabra James, 1977b: 480. PNG (PNG).
grandis James, 1977b: 475. PNG (PNG); Indonesia (Irian Jaya).
lucens James, 1977b: 480. PNG (PNG).
pallipes James, 1977b: 482. PNG (PNG).
pyrifera James, 1977b: 478. PNG (PNG); Indonesia (Irian Jaya).
sedlacekorum James, 1977b: 479. PNG (PNG).
similis James, 1977b: 477. PNG (PNG).

Genus LEVEROMYIA Lindner

LEVEROMYIA Lindner, 1937: 391. Type species: *Leveromyia geniculata* Lindner, 1937, mon.
geniculata Lindner, 1937: 392. Solomon Is; PNG (Bismarck Arch).
 ssp. **geniculata** s. str. Solomon Is.
 ssp. **pallipes** James, 1978: 30. PNG (Bismarck Arch).
lindneri James, 1978: 29. PNG (Bismarck Arch).

Genus LONCHEGASTER White

LONCHEGASTER White, 1914b: 61. Type species: *Lonchegaster armata* White, 1914, mon.
armata White, 1914b: 62. Australia (Tas).
decumbens Hardy, 1933b: 411. Australia (Qld).

Genus LOPHOTELES Loew

LOPHOTELES Loew, 1858b: 110. Type species: *Lophoteles plumula* Loew, 1858, mon.
cheesmae James, 1950b: 259. Vanuatu.
costalis James, 1977a: 315. PNG (Bismarck Arch).
dentata James, 1948: 213. Solomon Is.
elongata James, 1977a: 317. PNG (PNG).
fascipennis Kertész, 1914: 514. "Neu-Guinea"; Indonesia (Irian Jaya), PNG (PNG).

- glabrifrons* James, 1977a: 317. PNG (PNG).
laticeps James, 1977a: 318. PNG (Bismarck Arch).
latipennis James, 1977a: 316. PNG (PNG).
plumula Loew, 1858b: 111. Marshall Is; Belau, Micronesia, Northern Marianas, PNG (Bismarck Arch, PNG), Solomon Is, Vanuatu; Comoro Is, Madagascar, Seychelles.
exigua Wulp, 1898a: 413 (*Salduba*). PNG (PNG).
plumata, error for *plumula*.
vittata James, 1977a: 314. PNG (PNG).
vittipennis Lindner, 1937: 389 (*Saldubella*). Solomon Is.

Genus MONACANTHOMYIA Brunetti

- MONACANTHOMYIA** Brunetti, 1912c: 448. Type species: *Monacanthomyia annandalei* Brunetti, 1912, mon.
becki James, 1948: 201. Solomon Is.
robertsi James, 1980: 302. PNG (PNG).
stigmata James, 1980: 302. PNG (PNG); Indonesia (Irian Jaya).

Genus OBRAPA Walker

- OBRAPA** Walker, 1858b: 82. Type species: *Obrapa celyphoides* Walker, 1858, des. Brauer, 1882: 88.
celyphoides Walker, 1858b: 83. Indonesia (Maluku); PNG (PNG).
leucostigma Bezzi, 1928: 20. Fiji.
perilampoides Walker, 1858b: 82. Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG).

Genus PACHYGASTER Meigen

- PACHYGASTER** Meigen, 1803: 266. Type species: *Nemotelus ater* Panzer, 1798, mon.
dorsalis Lindner, 1957: 184. Indonesia (Irian Jaya).
flavimana Lindner, 1957: 184. Indonesia (Irian Jaya).

Genus PANGOMYIA James

- PANGOMYIA** James, 1978: 22. Type species: *Pangomyia pictipes* James, 1978, orig. des.
pallipes James, 1978: 24. PNG (PNG).
pictipes James, 1978: 23. PNG (PNG); Indonesia (Irian Jaya).

Genus PARACECHORISMENUS Kertész

- PARACECHORISMENUS** Kertész, 1916: 163. Type species: *Paracechorismenus intermedius* Kertész, 1916, orig. des.
guamae James, 1950a: 185. Guam; Northern Marianas.

Genus PARADRAGA James

- PARADRAGA** James, 1980: 297. Type species: *Paradruga omnihirta* James, 1980, orig. des.
omnihirta James, 1980: 297. PNG (PNG).

Genus PAREVAZA James

- PAREVAZA** James, 1978: 26. Type species: *Parevaza longa* James, 1978, orig. des.
longa James, 1978: 26. PNG (Bismarck Arch); Indonesia (Irian Jaya).

Genus PEDINOCEROPS James

- PEDINOCEROPS** James, 1980: 293. Type species: *Pedinocerops robusta* James, 1980, orig. des.

robustus James, 1980: 294. PNG (PNG).

Genus PEGADOMYIA Kertész

PEGADOMYIA Kertész, 1916: 182. Type species: *Pegadomyia pruinosa* Kertész, 1916, orig. des.
glabra Bezzi, 1928: 22. Fiji.
nuda James, 1948: 209. Solomon Is; PNG (Bismarck Arch, PNG).

Genus PERATOMASTIX Enderlein

PERATOMASTIX Enderlein, 1914a: 311. Type species: *Peratomastix australis* Enderlein, 1914, orig. des.
australis Enderlein, 1914a: 311. Australia (NSW).

Genus PRISTASPIS Bezzi

PRISTASPIS Bezzi, 1928: 19. Type species: *Pristaspis truncata* Bezzi, 1928, orig. des.
truncata Bezzi, 1928: 20. Fiji.

Genus PTILOCERA Wiedemann

PTILOCERA Wiedemann, 1820a: 7. Type species: *Stratiomys quadridentata* Fabricius, 1805, mon.
PTILOCERA Henning, 1832: 321. Type species: *Stratiomys quadridentata* Fabricius, 1805, mon. [Preocc.
 Wiedemann, 1820.]
bergi James, 1948: 202. Solomon Is.
 ssp. **bergi** s. str. Solomon Is.
 ssp. **flavescens** James, 1948: 204. Solomon Is.
fastuosa Gerstaecker, 1857: 332. Sri Lanka; Indonesia (Irian Jaya, Maluku), PNG (PNG); Oriental
 Reg.
dilutiapicis Lindner, 1938: 434 (*fastuosa* ssp.). *Nomen nudum*.
quadridentata Fabricius, 1805: 86 (*Stratiomys*). Indonesia (Sumatra); Indonesia (Maluku), PNG
 (PNG); Oriental Reg.
violacea Edwards, 1915b: 394. Indonesia (Irian Jaya); Indonesia (Maluku).

Genus ROSAPHA Walker

ROSAPHA Walker, 1859c: 100. Type species: *Rosapha habilis* Walker, 1859, mon.
CALOCHAETIS Bigot, 1877c: 88. *Nomen nudum*.
CALOCHAETIS Bigot, 1877d: 102 [1877h: lxxiv]. Type species: *Calochaetus bicolor* Bigot, 1877, mon.
CALLICHAETIS Rye, 1879: 191 (unjust. emend. of *Calochaetus*).
CALLOCHAETIS Brauer, 1882: 86 (unjust. emend. of *Calochaetus*).
CALCOCHAETIS, CHALCOCHAETIS, errors for *Calochaetus*.
bicolor Bigot, 1877d: 102 [1877h: lxxiv] (*Calochaetus*) [1879c: 189 (*Calcochaetus*)]. Philippines; Guam;
 India.
umbripennis Lindner, 1957: 188. Indonesia (Irian Jaya).

Genus SALDUBA Walker

SALDUBA Walker, 1858b: 79. Type species: *Salduba diphysoides* Walker, 1858, mon.
EUPLOMYIA Bigot, 1878c: 44 [1878h: xxxv]. Type species: *Euplomyia cothurnata* Bigot, 1878, mon.
ENOPLOMYIA, error for *Euplomyia*.
areolaris Walker, 1864: 204. Indonesia (Irian Jaya).
austeni Kertész, 1908b: 353. PNG (Bismarck Arch).
australis James, 1950b: 258. Vanuatu.
confusa Kertész, 1908b: 357. PNG (PNG).
cothurnata Bigot, 1878c: 44 [1878h: xxxv] (*Euplomyia*) [1879c: 191 (*Enoplomyia*)]. Indonesia (Maluku);

PNG (PNG).

diphysoides Walker, 1858b: 79. Indonesia (Maluku).

hilaris Walker, 1861d: 271. Indonesia (Maluku).

elegans Kertész, 1908b: 361. PNG (PNG).

gradiens Walker, 1864: 203. Indonesia (Irian Jaya); PNG (PNG).

inermis Kertész, 1908b: 360. PNG (PNG).

lugubris Walker, 1861d: 271. Indonesia (Maluku); PNG (PNG), Solomon Is.

singularis Walker, 1861d: 272. Indonesia (Maluku).

maxima Kertész, 1908b: 352. PNG (PNG).

Genus SALDUBELLA Kertész

SALDUBELLA Kertész, 1916: 142. Type species: *Salduba signatipennis* Wulp, 1898, orig. des.

abdominalis James, 1977a: 306. PNG (Bismarck Arch).

albipluma James, 1977a: 303. PNG (PNG).

brevis James, 1977a: 309. PNG (Bismarck Arch).

diffusa James, 1977a: 313. Indonesia (Irian Jaya); PNG (PNG).

gressitti James, 1977a: 308. PNG (PNG).

hardyi James, 1977a: 309. Indonesia (Irian Jaya); PNG (PNG).

latimanus James, 1977a: 304. Indonesia (Irian Jaya); PNG (PNG).

longipennis James, 1977a: 308. PNG (PNG).

margaritifera Lindner, 1938: 435. PNG (PNG); Indonesia (Irian Jaya).

missimensis James, 1977a: 311. PNG (PNG).

obliqua James, 1977a: 312. PNG (Bismarck Arch).

pictipes James, 1977a: 307. PNG (PNG); Indonesia (Irian Jaya).

scutellaris James, 1977a: 306. PNG (PNG); Indonesia (Irian Jaya).

signatipennis Wulp, 1898a: 412. PNG (PNG); Indonesia (Irian Jaya).

tenuicornis James, 1977a: 312. PNG (Bismarck Arch); PNG (PNG).

wauensis James, 1977a: 311. PNG (PNG); Indonesia (Irian Jaya).

yombae Kertész, 1916: 145. PNG (PNG).

Genus SARUGA Walker

SARUGA Walker, 1859c: 101. Type species: *Saruga conifera* Walker, 1859, mon.

conifera Walker, 1859c: 102. Indonesia (Sulawesi); PNG (PNG).

Genus SPHAEROFIJIA Bezzi

SPHAEROFIJIA Bezzi, 1928: 15. Type species: *Sphaerofija evazaiformis* Bezzii, 1928, orig. des.

evazaiformis Bezzii, 1928: 15. Fiji.

Genus THYLACOGNATHUS Kertész

THYLACOGNATHUS Kertész, 1916: 157. Type species: *Pachygaster lativentris* Wulp, 1898, orig. des.

lativentris Wulp, 1898a: 416 (*Pachygaster*). Indonesia (Irian Jaya); PNG (PNG).

Genus TINDA Walker

TINDA Walker, 1859c: 101. Type species: *Tinda modifera* Walker, 1859 [= *Beris javana* Macquart, 1838], mon.

javana Macquart, 1838b: 188 [1839b: 304] (*Beris*). Indonesia (Java); Bonin Is, Volcano Is; Mauritius, widesp. Oriental Reg.

modifera Walker, 1859c: 101. Indonesia (Sulawesi).

Genus TOXOPEUSOMYIA Lindner

TOXOPEUSOMYIA Lindner, 1957: 185. Type species: *Toxopeusomyia flavitarsis* Lindner, 1957, orig. des.
flavitarsis Lindner, 1957: 185. Indonesia (Irian Jaya).

Genus TRICHOCHAETA Bigot

TRICHOCHAETA Bigot, 1878b: 26 [1878g: xxii; 1879c: 191]. Type species: *Trichochaeta nemoteloides* Bigot, 1878, mon.
nemoteloides Bigot, 1878b: 26 [1878g: xxii; 1879c: 191]. Indonesia (Maluku).
recedens Walker, 1861d: 233 (*Tinda*). PNG (PNG); Belau.
scapularis Walker, 1861d: 272 (*Salduba*). Indonesia (Maluku).

Genus WALLACEA Doleschall

WALLACEA Doleschall, 1858: 82. Type species: *Wallacea argentea* Doleschall, 1858 [preocc., = *Gabaza argentea* Walker, 1858], mon. [Available evidence of dating shows that Walker (1858b) predates Doleschall (1858), which would give *Gabaza* priority over *Wallacea*. In order to maintain stability of taxonomy and follow common usage the author prefers to retain *Wallacea* as the accepted name for this genus.]
GABAZA Walker, 1858b: 80. Type species: *Gabaza argentea* Walker, 1858, mon.
MUSAMA Walker, 1864: 205. Type species: *Musama paupera* Walker, 1864, mon.
albiseta de Meijere, 1907: 236. Indonesia (Java); Bonin Is, Guam, Hawaiian Is [introduced], Northern Marianas; Japan, Taiwan, Oriental, Palearctic Regs.
 ssp. **albiseta** s. str. Indonesia (Java); Hawaiian Is [introduced]; Japan, Oriental, Palearctic Regs.
 ssp. **borealis** James, 1962: 101. Bonin Is; Guam, Northern Marianas.
argentea Doleschall, 1858: 82. Indonesia (Maluku); Australia (Qld), Belau, Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG), Solomon Is, Vanuatu; Oriental Reg.
 argentea Walker, 1858b: 80 (*Gabaza*). Indonesia (Maluku).
 nigrofemorata Brunetti, 1912c: 449 (*Pachygaster*). India.
 splendens Hardy, 1933b: 410. Australia (Qld).
connectens James, 1950b: 257. Solomon Is.
darwini Hill, 1919: 460. Australia (NT).
dorsalis James, 1950b: 256. Vanuatu.
paupera Walker, 1864: 205 (*Musama*). Indonesia (Irian Jaya).

Genus WEIMYIA James

WEIMYIA James, 1978: 24. Type species: *Weimyia bispinosa* James, 1978, orig. des.
bispinosa James, 1978: 25. PNG (PNG).

Subfamily CLITELLARIINAE

Genus CAENOCEPHALUS Wulp

CAENOCEPHALUS Wulp, 1898a: 413. Type species: *Salduba melanaria* Walker, 1861, mon.
CAENOCEPHALOIDES Strand, 1928: 48 (unnec. n. n. for *Caenocephalus*).
COENOCEPHALA, error for *Caenocephalus*.
melanarius Walker, 1861d: 272 (*Salduba*). Indonesia (Maluku); PNG (PNG).

Genus CLITELLARIA Meigen

POTAMIDA Meigen, 1800: 22. Suppressed by I.C.Z.N., 1963b: 339.
EPHIPPIUM Latreille, 1802: 448. Type species: *Stratiomys ephippium* Fabricius, 1775, taut. [Preocc.

Bolten, 1798.]

CHIPPIUM, error for *Ephippium*.

CLITELLARIA Meigen, 1803: 265. Type species: *Stratiomys ephippium* Fabricius, 1775, mon.

ENGONIA Brauer, 1882: 76. Type species: *Clitellaria bivittata* Wiedemann, 1819 [= *Stratiomys bilineata* Fabricius, 1805], orig. des. [Preocc. Brunner von Wattenwyl, 1878.]

EPHIPPIOMYIA Bezzi, 1902: 191 (n. n. for *Ephippium*).

CLITILLARIA, error for *Clitellaria*.

bilineata Fabricius, 1805: 79 (*Stratiomys*). Indonesia (Sumatra); Indonesia (Maluku); Oriental Reg.

bivittata Wiedemann, 1819a: 6 (*Clitellaria*). Indonesia (Java).

spinigerum Doleschall, 1856: 407 (*Ephippium*). Indonesia (Java).

Genus CYPHOMYIA Wiedemann

CYPHOMYIA Wiedemann, 1819b: 54. Type species: *Cyphomyia auriflamma* Wiedemann, 1819, des.

Blanchard in Audouin *et al.*, 1847: pl. 172bis.

marshalli Lindner, 1937: 380. Solomon Is.

Genus DYSBIOTA Lindner

DYSBIOTA Lindner, 1958a: 432. Type species: *Dysbiota parvula* Lindner, 1958, orig. des.

parvula Lindner, 1958a: 432. NZ (NZ).

Genus ELISSOMA White

ELISSOMA White, 1916a: 86. Type species: *Elissoma lauta* White, 1916, mon.

brunneum Hardy, 1933b: 410. Australia (Qld).

lautum White, 1916a: 87. Australia (Vic).

Genus EUDMETA Wiedemann

EUDMETA Wiedemann, 1830a: 43. Type species: *Hermetia marginata* Fabricius, 1805, mon.

marginata Fabricius, 1805: 63 (*Hermetia*). Indonesia (Sumatra); Indonesia (Maluku); widesp. Oriental Reg.

Genus LAGENOSOMA Brauer

LAGENOSOMA Brauer, 1882: 81, 88. Type species: *Lagenosoma picta* Brauer, 1882, orig. des.

dispar Brauer, 1882: 82. Australia (Qld).

pictum Brauer, 1882: 81. Australia (Qld).

propinquum Brauer, 1882: 82. Australia (Qld).

Genus NIGRITOMYIA Bigot

NEGRITOMYIA Bigot, 1877c: 88. *Nomen nudum*.

NIGRITOMYIA Bigot, 1877d: 102 [1877h: lxxiv] [1879c: 190 (as *Negritomyia*)]. Type species: *Ephippium maculipennis* Macquart, 1850, mon.

albitarsis Bigot, 1879c: 207 (*Ephippium*). "Australia et Nova Guinea"; Australia (NT, Qld).

cinerea Doleschall, 1857: 403 (*Odontomyia*). Indonesia (Maluku).

consobrina Bigot, 1879c: 208 (*Ephippium*). "Nova Guinea"; Australia (NT), Indonesia (Maluku), Solomon Is.

festinans Walker, 1859b: 95 (*Clitellaria*). Indonesia (Sulawesi); Indonesia (Maluku).

gavisa Walker, 1859b: 95 (*Clitellaria*). Indonesia (Sulawesi).

aurata Brauer, 1882: 76 (*Engonia*). Indonesia (Maluku).

maculipennis Macquart, 1850: 358(54) (*Ephippium*). Philippines; Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG); "Borneo," Sri Lanka.

novaeguineensis de Meijere, 1913b: 317 (*maculipennis* ssp.). Indonesia (Irian Jaya).
responsalis Walker, 1865a: 106 (*Clitillaria*). "New Guinea" [= Indonesia (Irian Jaya)].

Genus OCTARTHRIA Brauer

OCTARTHRIA Brauer, 1882: 67, 88. Type species: *Clitellaria aberrans* Schiner, 1868, orig. des.
OPHIODESMA White, 1916a: 88. Type species: *Odontomyia flavipalpis* Macquart, 1850, mon. N. syn.
DIAPONTIOMYIA Kertész, 1923: 116. Type species: *Diapontiomyia rufispina* Kertész, 1923 [= *Odontomyia flavipalpis* Macquart, 1850], orig. des. N. syn.
aberrans Schiner, 1868: 55 (*Clitellaria*). NZ (NZ), prob. error [= ?Australia].
auricincta Kertész, 1923: 94. PNG (PNG).
brunnipennis Fuller, 1934b: 422 (*Ophiodesma*). Australia (Vic). N. comb.
flavipalpis Macquart, 1850: 353(49) (*Odontomyia*). "Nouvelle-Hollande"; Australia (NSW, Vic). N. comb.
rufispina Kertész, 1923: 118 (*Diapontiomyia*). Australia (NSW).
innoda Hardy, 1932b: 44 (*Ophiodesma*). Australia (Qld). N. comb.
minor Fuller, 1934b: 423 (*Ophiodesma*). Australia (NSW). N. comb.

Genus PYCNOTHORAX Kertész

PYCNOTHORAX Kertész, 1923: 124. Type species: *Pycnothorax australis* Kertész, 1923, orig. des.
australis Kertész, 1923: 125. Australia (Qld).

Genus RUBA Walker

RUBA Walker, 1859c: 100. Type species: *Ruba inflata* Walker, 1859, mon.
THYLACOSOMA Brauer, 1882: 77. Type species: *Thylacosoma amboinense* Brauer, 1882, orig. des.
amboinensis Brauer, 1882: 77 (*Thylacosoma*). Indonesia (Maluku).
fuscipennis Enderlein, 1914b: 22. Indonesia (Nusa Tenggara); PNG (PNG).
opponens Walker, 1865a: 107. "New Guinea" [= Indonesia (Irian Jaya)]; PNG (PNG).
tarsalis James, 1948: 200. Solomon Is.

Genus SYNDIPNOMYIA Kertész

SYNDIPNOMYIA Kertész, 1921: 170. Type species: *Syndipnomyia auricincta* Kertész, 1921, orig. des.
auricincta Kertész, 1921: 172. Australia (Qld).
odyneroides Hollis, 1963a: 560. Australia (NT).

Unplaced species of Clitellariinae

armata Wulp, 1885b: 68 (*Hermetia*). Indonesia (Maluku).
nigerrima Doleschall, 1858: 81 (*Ephippium*). Indonesia (Maluku).
peregrina Hutton, 1901: 10 (*Cyclogaster*). NZ (NZ).

Subfamily CHRYSOCHLORINAE

Genus CHROMATOPODA Brauer

CHROMATOPODA Brauer, 1882: 78, 86. Type species: *Chrysochlora bicolor* Macquart, 1855 [= *Sargus annulipes* Walker, 1849], orig. des.
annulipes Walker, 1849: 515 (*Sargus*). Not given [Australasian/Oceanian]; American Samoa, Fiji, French Polynesia (Society Is), Niue, Tonga, Vanuatu, Western Samoa.
bicolor Macquart, 1855: 64(44) (*Chrysochlora*). Tonga.
frontalis Thomson, 1869: 459 (*Chrysochlora*). French Polynesia (Society Is).

Genus CHRYSOCHLORA Latreille

CHRYSOCHLORA Latreille, 1829: 486. Type species: *Sargus amethystinus* Fabricius, 1805, mon.
insularis Ricardo, 1929: 114. Western Samoa.
lineata de Meijere, 1913b: 318. Indonesia (Irian Jaya).
luteipes Ricardo, 1929: 113. American Samoa.

Subfamily HERMETIINAE

Genus HERMETIA Latreille

HERMETIA Latreille, 1804: 192. Type species: *Musca illucens* Linnaeus, 1758, mon.
MASSICYTA Walker, 1856a: 8. Type species: *Massicyta bicolor* Walker, 1856, mon. N. syn.
albitarsis Wulp, 1898a: 409. PNG (PNG).
brunettii Lindner, 1937: 381. Solomon Is.
cerioides Walker, 1858b: 78 (*Massicyta*). Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG).
melanaesiae Bigot, 1879c: 202. Indonesia (Maluku).
batjanensis Wulp, 1880: 161. Indonesia (Maluku).
illucens Linnaeus, 1758: 589 (*Musca*). "Americae australi"; widesp. Australia, Belau, Bonin Is, French Polynesia (Austral Is, Society Is), Guam, Hawaiian Is, Indonesia (Irian Jaya), Kiribati (Gilbert Is), Marshall Is, Micronesia, New Caledonia (New Caledonia), NZ (NZ), Northern Marianas, PNG (PNG), Solomon Is, Vanuatu, Western Samoa; [introduced throughout warmer regions of the world, spread by commerce.]
inflata Walker, 1858b: 78 (*Massicyta*). Indonesia (Maluku).
laglaizei Bigot, 1887b: 21. Indonesia (Irian Jaya); PNG (PNG).
pallidipes Hill, 1919: 454. Australia (NT).
palmivora James, 1972: 73. PNG (Bismarck Arch); Malaysia (Sabah).
rufiventris Walker, 1860b: 145. Indonesia (Maluku).
samoae Lindner, 1937: 383. Western Samoa.
samoensis Ricardo, 1929: 110. Western Samoa.

Genus NOTOHERMETIA James

NOTOHERMETIA James, 1950b: 254. Type species: *Notohermetia pilifrons* James, 1950, orig. des.
pilifrons James, 1950b: 255. Vanuatu.

Subfamily SARGINAE

Genus CEPHALOCHRYSA Kertész

CEPHALOCHRYSA Kertész, 1912a: 99. Type species: *Sargus hovas* Bigot, 1859, orig. des.
chrysidiiformis Lindner, 1937: 373 (*Microchrysa*). Solomon Is; Micronesia PNG (PNG), Vanuatu; Philippines.
gracilis James, 1962: 82. Micronesia.
infuscata James, 1950a: 186. Guam; Northern Marianas.
maxima Bezzì, 1928: 33 (*Microchrysa*). Fiji; Hawaiian Is [?introduced], Niue, Tonga, Western Samoa.
hovas, Hardy, 1960, not Bigot, 1859, misid.
nigra James, 1962: 84. Micronesia.
rugulosa James, 1962: 83. Marshall Is; Micronesia.
stigmatica Wulp, 1898a: 411 (*Chloromyia*). PNG (PNG).

Genus MICROCHRYSA Loew

CHRYSOMYIA Macquart, 1834a: 262. Suppressed by I.C.Z.N., 1987b: 148.

MICROCHRYSA Loew, 1855: 148. Type species: *Musca polita* Linnaeus, 1758, orig. des.
MICROCHRYZA, MYOCHRISA, errors for *Microchrysa*.
bipars Walker, 1861d: 273 (*Chrysomyia*). Indonesia (Maluku).
flaviventris Wiedemann, 1824: 31 (*Sargus*). "Ind. orient."; Belau, Guam, Indonesia (Irian Jaya), Micronesia, Northern Marianas, PNG (PNG), Solomon Is, Vanuatu; widesp. Oriental Reg.
affinis Wiedemann, 1824: 31 (*Sargus*). "Ind. orient."
annulipes Thomson, 1869: 461 (*Chrysomyia*). Philippines.
gemma Bigot, 1879e: 231. Philippines.
fuscistigma de Meijere, 1913b: 321. Indonesia (Irian Jaya); Indonesia (Java, Sumatra), Philippines, Thailand.

Genus PTECTICUS Loew

PTECTICUS Loew, 1855: 142. Type species: *Sargus testaceus* Fabricius, 1805, orig. des.
PLECTICUS. Incorr. orig. spell. of *Plecticus* (Loew, 1855: 147).
amplior Daniels, 1979b: 581. Australia (Qld); Indonesia (Irian Jaya), PNG (PNG).
archboldi Lindner, 1957: 189. Indonesia (Irian Jaya).
complens Walker, 1858b: 81 (*Sargus*). Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG).
connectens Brunetti, 1923a: 149. Indonesia (Irian Jaya).
eximius Daniels, 1979b: 585. Solomon Is.
ferrugineus Doleschall, 1858: 83 (*Sargus*). Indonesia (Maluku); Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG).
atritarsis Edwards, 1915b: 396. Indonesia (Irian Jaya).
atritarsus, error for *atritarsis*.
gilvus Daniels, 1979b: 572. "New Zealand," error [= PNG (Bismarck Arch)].
helvolus Daniels, 1979b: 581. PNG (PNG).
isabelensis Lindner, 1937: 373. Solomon Is.
salomonensis Lindner, 1937: 393. Solomon Is.
papuanus Bigot, 1879e: 223 (*Sargus*). "Nova Guinea"; Indonesia (Irian Jaya), PNG (PNG).
quadrifasciatus Walker, 1860b: 146 (*Sargus*). Indonesia (Maluku); Australia (Qld), Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG).
albitarsis de Meijere, 1913b: 319. Indonesia (Irian Jaya).
albitarsus, error for *albitarsis*.
queenslandicus Daniels, 1979b: 580. Australia (Qld).
rogans Walker, 1858b: 81 (*Sargus*). Indonesia (Maluku); Indonesia (Irian Jaya); India, Philippines.
doleschalii Bigot, 1879e: 231. Indonesia (Irian Jaya).
doleschalli, doleschallii, errors for *doleschalii*.
rufus Doleschall, 1858: 83 (*Sargus*). Indonesia (Maluku).
spatuloides Daniels, 1979b: 577. PNG (Bismarck Arch).
substitutus Daniels, 1979b: 583. Solomon Is.
tarsalis Walker, 1861d: 274 (*Sargus*). Indonesia (Maluku); Indonesia (Irian Jaya).
rufescens Wulp, 1869: 104 (*Sargus*). Indonesia (Irian Jaya & Maluku).
tritus Daniels, 1979b: 568 (n. n. for *salomonensis* Lindner). Solomon Is; PNG (PNG).
salomonensis Lindner, 1937: 372 (*longipennis* ssp.). Solomon Is. [Preocc. Lindner, 1937.]

Genus SARGUS Fabricius

SARGUS Fabricius, 1798: 549. Type species: *Musca cupraria* Linnaeus, 1758, des. Latreille, 1810: 442.
GEOSARGUS Bezzii, 1907a: 53 (unnec. n. n. for *Sargus*). [*Sargus* Fabricius not preocc. by *Sargus* Klein, 1744, a pre-Linnaean name, and its subsequent publication, Walbaum, 1792, under I.C.Z.N., 1910a: 6 and I.C.Z.N., 1910b: 51.]
albopilosus de Meijere, 1906b: 73. Indonesia (Irian Jaya); Indonesia (Java).
concisis Walker, 1861d: 273. Indonesia (Maluku).
darius Hardy, 1932b: 47. Australia (Qld).

- gselli** Hill, 1919: 459. Australia (NT).
inficitus Walker, 1861d: 274. Indonesia (Maluku).
longipes Walker, 1861b: 232. PNG (PNG); Indonesia (Maluku).
tibialis Walker, 1861d: 273. Indonesia (Maluku).
meridionalis White, 1916a: 95. Australia (NSW).
metallinus Fabricius, 1805: 258. India; Indonesia (Irian Jaya, Maluku), New Caledonia (New Caledonia), Solomon Is; widesp. Oriental Reg.
formicaeformis Doleschall, 1857: 403. Indonesia (Maluku).
mactans Walker, 1859c: 97. Indonesia (Sulawesi).
redhibens Walker, 1859c: 97. Indonesia (Sulawesi).

Subfamily RHAPHIOCERINAE

Genus RHAPHIOCERA Macquart

RHAPHIOCERA Macquart, 1834a: 253. Type species: *Sargus armatus* Wiedemann, 1830, mon.
orientalis Lindner, 1957: 191. Indonesia (Irian Jaya).

Subfamily STRATIOMYINAE

Tribe PROSOPOCHRYSINI

Genus ACANTHASARGUS White

ACANTHASARGUS White, 1914b: 60. Type species: *Acanthasargus palustris* White, 1914, mon.
flavipes Hardy, 1932b: 48. Australia (Qld); Australia (NSW).
gracilis White, 1916a: 98. Australia (Vic).
inflatus James, 1950b: 253. New Caledonia (New Caledonia).
palustris White, 1914b: 60. Australia (Tas); Australia (NSW).
pallustris, error for *palustris*.
roseus James, 1950b: 253. New Caledonia (New Caledonia).
varipes Hardy, 1932b: 49. Australia (Qld).

Genus GERANOPUS White

GERANOPUS White, 1916a: 84. Type species: *Geranopus purpuratus* White, 1916, mon.
purpuratus White, 1916a: 85. Australia (Vic).

Genus HOPLISTOPSIS James

HOPLISTOPSIS James, 1950b: 250. Type species: *Hoplistopsis geminatus* James, 1950, orig. des.
geminata James, 1950b: 251. New Caledonia (New Caledonia).

Genus NOTHOMYIA Loew

NOTHOMYIA Loew, 1869a: 4 [1872b: 118]. Type species: *Nothomyia scutellata* Loew, 1869, des.
Brauer, 1882: 88.
brevis Bigot, 1887b: 26 (*Rhaphiocera*). New Caledonia (New Caledonia).

Tribe STRATIOMYINI

Genus ODONTOMYIA Meigen

EULALIA Meigen, 1800: 21. Suppressed by I.C.Z.N., 1963b: 339.

- ODONTOMYIA** Meigen, 1803: 265. Type species: *Musca hydroleon* Linnaeus, 1758, des. Westwood, 1840: 130.
- EUCEROMYS** Bigot, 1877c: 88. *Nomen nudum*.
- EUCEROMYS** Bigot, 1877d: 102 [1877h: lxxiv]. Type species: *Stratiomys nexura* Walker, 1858, mon.
- EUCERATOMYIA** Rye, 1879: 191 (unjust. emend. of *Euceromys*).
- EUCEROMYIA**, error for *Euceromys*.
- aequalis** Walker, 1861d: 271 (*Stratiomys*). Indonesia (Maluku).
- amyris** Walker, 1849: 535. "New Holland"; Australia (NSW, Tas, Vic).
- angusta** Walker, 1854: 57. NZ (NZ).
- annulipes** Macquart, 1850: 356 (52). Australia (Tas).
- atraria** Walker, 1865a: 106 (*Stratiomys*). "New Guinea" [= Indonesia (Irian Jaya)].
- atrovirens** Bigot, 1879e: 214. NZ (NZ).
- aurata** de Meijere, 1911b: 268. Indonesia (Java) & Indonesia (Irian Jaya).
- aureovestis** James, 1948: 191 (*Eulalia*). Solomon Is.
- ssp. **aureovestis** s. str. Solomon Is.
- ssp. **subaurea** James, 1948: 192 (*Eulalia*). Solomon Is.
- australensis** Schiner, 1868: 59. NZ (NZ).
- bifascia** Walker, 1861b: 232 (*Stratiomys*). Indonesia (Irian Jaya).
- boharti** James, 1948: 193 (*Eulalia*). Solomon Is.
- carinata** Macquart, 1846: 180(52). Australia (Tas).
- carinifacies** Macquart, 1850: 355(51). Australia (Tas); Australia (Vic).
- chathamensis** Hutton, 1901: 8. NZ (Chatham Is).
- chloris** Walker, 1854: 57 (*Stratiomys*). NZ (NZ).
- hypochlora** Nowicki, 1875: 15. NZ (NZ).
- chrysaner** James, 1948: 194 (*Eulalia*). Solomon Is.
- cinctilinea** Walker, 1861e: 4 (*Stratiomys*). Indonesia (Maluku).
- cohaerens** Brunetti, 1923a: 131. Indonesia (Irian Jaya).
- collina** Hutton, 1901: 8. NZ (NZ).
- confertissima** Walker, 1858b: 79 (*Stratiomys*). Indonesia (Maluku).
- decipiens** Guérin-Méneville, 1838: 291 (*Oxyicerca*). Australia (NSW).
- exigua** Lindner, 1937: 379 (*Eulalia*). Indonesia (Maluku).
- fascipes** Brunetti, 1923a: 129. Sri Lanka; Indonesia (Irian Jaya).
- ssp. **novaeguineensis** Lindner, 1957: 192 (*Eulalia fascipes* var.). Indonesia (Irian Jaya). N. stat.
- fulminans** Bezzi, 1928: 28. Fiji.
- fulviceps** Walker, 1854: 56 (*Stratiomys*). NZ (NZ).
- gagathina** Bezzi, 1928: 25. Fiji.
- grandimaculata** Hardy, 1920e: 56 (*carinifacies* var.). Australia (Tas).
- heterogastra** Bezzi, 1928: 25. Fiji; ?Indonesia (Irian Jaya).
- hunteri** Macleay, 1826: 467 (*Stratiomys*). "Australia."
- ialemus** Walker, 1849: 533. Australia (Tas).
- kirchneri** Jaennicke, 1867: 323. "Australia."
- kerchneri**, error for *kirchneri*.
- lateremaculata** Macquart, 1850: 353(49). "Nouvelle-Hollande"; Australia (Tas).
- laterimaculata**, error for *lateremaculata*.
- lineata** de Meijere, 1913b: 317. Indonesia (Irian Jaya).
- maculata** de Meijere, 1907: 229. Indonesia (Irian Jaya); Solomon Is.
- marginella** Macquart, 1850: 356(52). Australia (Tas).
- minima** Hardy, 1920e: 55 (*carinifacies* var.). Australia (Tas).
- mutica** Wulp, 1885b: 62. Indonesia (Maluku).
- neodorsalis** Miller, 1950: 74 (*Eulalia*; n. n. for *dorsalis* Walker). NZ (NZ).
- dorsalis** Walker, 1849: 536. NZ (NZ). [Preocc. Fabricius, 1805.]
- nexura** Walker, 1858b: 80 (*Stratiomys*). Indonesia (Maluku).
- nitidissima** James, 1950b: 250 (*Eulalia*). Vanuatu.

- novaecaledoniae** Lindner, 1937: 378 (*Eulalia*). New Caledonia (New Caledonia).
- obscura** Hill, 1919: 457. Australia (NT).
- ochropus** Thomson, 1869: 456. Philippines; Hawaiian Is [introduced].
- opertanea** White, 1916a: 93. Australia (Vic); Australia (NSW, Tas).
- pallida** Hill, 1919: 456. Australia (NT).
- parallela** Walker, 1865a: 107 (*Stratiomys*). "New Guinea" [= Indonesia (Irian Jaya)].
- parallelina** Bezzi, 1928: 26. Fiji.
- ssp. **aegrota** Bezzi, 1928: 27 (*parallelina* var.). Fiji. N. stat.
 - ssp. **pavida** Bezzi, 1928: 27 (*parallelina* var.). Fiji. N. stat.
 - ssp. **parallelina** s. str. Fiji.
 - ssp. **pura** Bezzi, 1928: 27 (*parallelina* var.). Fiji. N. stat.
- pectoralis** Thomson, 1869: 455. Australia (NSW).
- picea** Walker, 1851a: 78. Australia (Tas).
- proba** Lindner, 1957: 193 (*Eulalia*). Indonesia (Irian Jaya).
- regisgeorgii** Macquart, 1838a: 190(186). "Port du roi Georges" [= Australia (WA)].
- restricta** Walker, 1864: 203 (*Stratiomys*). Indonesia (Irian Jaya).
- rufifacies** Macquart, 1850: 355(51). Australia (Tas); Australia (NSW).
- scutellata** Macquart, 1846: 180(52). Australia (Tas); Australia (NSW, Vic).
- sidneyensis** Schiner, 1868: 60. Australia (NSW).
- sydneyensis*, error for *sidneyensis*.
- stricta** Erichson, 1842: 272. Australia (Tas).
- stylata** Macquart, 1847a: 30 [1847b: 46]. "Nouvelle-Hollande."
- subdentata** Macquart, 1850: 353(49). "Nouvelle-Hollande."
- subobscura** James, 1948: 195 (*Eulalia*). Solomon Is.
- toxopeusi** Lindner, 1957: 193 (*Eulalia*). Indonesia (Irian Jaya).

Genus PINALEUS Bezzi

- PINALEUS** Bezzi, 1928: 28. Type species: *Pinaleus bivittatus* Bezzi, 1928, orig. des.
- bivittatus** Bezzi, 1928: 29. Fiji.
- conformis** Bezzi, 1928: 31. Fiji.
- rostrifer** Bezzi, 1928: 31. Fiji.

Subfamily NEMOTELINAE

Genus BRACHYCARA Thomson

- BRACHYCARA** Thomson, 1869: 460. Type species: *Brachycara ventralis* Thomson, 1869, mon.
- grandis** James, 1962: 88. Micronesia.
- latifrons** James, 1960: 312. Hawaiian Is.
- thomsoni** Bezzi, 1928: 23. Fiji.
- ventralis** Thomson, 1869: 461. Cocos (Keeling) Is; Belau, Guam, Indonesia (Irian Jaya), Kiribati (Gilbert Is), Marshall Is, Micronesia, Northern Marianas, PNG (PNG); Andaman Is, Philippines.

Unplaced species of Stratiomyidae

- analis** Fabricius, 1805: 83 (*Stratiomys*). "Oceani pacifici Insulis."