

CHECK LIST OF HAWAIIAN LAND AND FRESH WATER MOLLUSCA

BY

EDWARD L. CAUM

BERNICE P. BISHOP MUSEUM

BULLETIN 56

HONOLULU, HAWAII
PUBLISHED BY THE MUSEUM
1928

KRAUS REPRINT CO.
Millwood, New York
1974

Reprinted with the permission of the Bishop Museum Press
KRAUS REPRINT CO.
A U.S. Division of Kraus-Thomson Organization Limited

Printed in U.S.A.

Check List of Hawaiian Land and Fresh Water Mollusca

By EDWARD L. CAUM

INTRODUCTION

The molluscan fauna of Hawaii has been studied by numerous investigators of various nationalities over a period of many years. As a natural corollary, the literature dealing with this group is very scattered.

It has long been thought that a catalog of the molluscan species described or reported from Hawaii would be of value to students of these animals, and at the suggestion of Dr. Paul Bartsch, Curator of Mollusks at the United States National Museum, this list was begun in 1915 by a search for references to Hawaiian mollusks in the conchological literature of the National Museum and the Library of Congress. With the encouragement and help of Dr. Spencer Trotter of Swarthmore College, and of Dr. C. Montague Cooke, Jr. and Miss Marie C. Neal of Bernice P. Bishop Museum, the catalog has been continued to the present time.

The list is entirely a compilation from the literature, except for names (particularly in *Helicinidae*) which Dr. Cooke has revised. While adjudged to be fairly complete, there is always the chance that records may have escaped the eye of the compiler. Also, there is the possibility that immigrant species, or species of cosmopolitan distribution, have been taken in Hawaii, of which no records were made other than the labels in the collections of their captors. In spite of any such omissions, it is hoped that the list will prove useful to students of Hawaiian conchology, and thus justify the opinions of those who aided and encouraged its preparation.

In this check list, the systematic arrangement of the orders, sub-orders, and families is that given in volume 3 of the Cambridge Natural History, with the exception of the families of the sub-order Stylommatophora of the order Pulmonata, which follow the system used by Pilsbry in his paper "On the zoological position of *Partula* and *Achatinella*" (Acad. Nat. Sci., Philadelphia, Proc., 1900, p. 564). The arrangement of the genera is that of the Manual of Conchology; the species in each genus are listed alphabetically. Each specific name is followed by the name of the author, in parentheses if the species was placed by him in a genus other than that to which it is now assigned. References to the original description in the literature take this

form; title of the publication, indicated by a number corresponding to a number given in the list of references cited (p. 67); series number; volume number, page numbers, plates, and figures; date of publication. Proceedings of societies, which have no publication date noted, are listed according to the year covered, the date being placed immediately following the number which represents the series. Thus, "52, 1871, p. 461" refers to Zoological Society of London, Proceedings for 1871, page 461. As the time of publication of "*Voyage autour du monde . . .*" (34) is uncertain, no date is listed.

As far as possible, a second citation has been given to the Manual of Conchology, as this monumental work is more likely to be accessible than the widely scattered publications in which the species were originally described. This citation is lacking for species which were described subsequent to the publication of the appropriate part of the Manual, and for families not yet discussed in the Manual. For these items a second reference to another standard work, when available, is cited.

The island or islands from which the mollusk is recorded is noted, a more definite locality designation not being thought necessary. Most species listed simply "Hawaiian islands" have a rather general distribution throughout the group. This is true in particular of the immigrant pulmonates. Most of the native forms so listed are uncertain and obscure species, which have not been identified with certainty by later workers, and to which the describers gave no more definite locality. The citation is ended by listing the more important synonyms.

To make the check list more readily available for use, an index of species is appended. (See pp. 68-78.)

Order PROSOBRANCHIATA

Sub-order DIOTOCARDIA

NERITIDAE

Neritina bryanae Pilsbry: 1, p. 330, 1917 (Oahu).

Neritina cariosa (Gray): 48, fig. 11; 26, 1st ser., vol. 10, p. 75, pl. 22, figs. 79-81, 1888 (Hawaiian islands).

Synonyms: *Nerita cariosa* Gray, *Nerita convexa* Nuttall, *Nerita solidissima* Sowerby, *Nerita lugubris* Philippi, *Nerita nuttalli* Recluz, *Nerita perstriata* Mousson, *Nerita tristis* Philippi, *Nerita affinis* Recluz.

Neritina granosa Sowerby: 43, Appen., p. 11; 26, 1st ser., vol. 10, p. 63, pl. 21, figs. 51, 52, 1888 (Hawaiian islands).

Synonyms: *Neritina papillosa* Jay, *Neripteron gigas* Lesson.

Neritina neglecta Pease: 52, 1860, p. 435; 26, 1st ser., vol. 10, p. 77, 1888 (Hawaiian islands).

Neritina spinosa (Budgin): 43, p. 45; 26, 1st ser., vol. 10, p. 63, pl. 23, figs. 6, 7, 1888 (Hawaiian islands).

Synonym: *Nerita spinosa* Budgin.

Neritina tahitensis (Lesson): 21, vol. 2, p. 385, 1829; 26, 1st ser., vol. 10, p. 73, pl. 21, figs. 66, 67, 1888 (Hawaiian islands).

Synonyms: *Nerita tahitensis* Lesson, *Neritina auriculata* Sowerby, *Neritina lamarckii* Deshayes, *Neritina marginata* Hombron and Jacquinot, *Neritina sandwichensis* Reeve, *Neritina vespertina* Nuttall.

HYDROCENIDAE

Georissa cookei Pilsbry: 5, pp. 3, 4, fig. 1, a (Kauai).

Georissa kauaiensis Pilsbry: 5, p. 4, fig. 1, c (Kauai).

Georissa neali Pilsbry: 5, p. 4, fig. 1, b (Kauai).

HELICINIDAE

Sturanya laciniosa (Mighels): 7, 1845, vol. 2, p. 19; 6, vol. 3, p. 200, 1908 (Hawaiian islands).

Synonyms: *Helicina laciniosa* Mighels, *Helicina sandwicensis* Souleyet.

Sturanya laciniosa alpha (Pilsbry and Cooke): 6, vol. 3, p. 203, fig. 5, 1908 (Oahu).

Synonym: *Helicina laciniosa alpha* Pilsbry and Cooke.

Sturanya laciniosa beta (Pilsbry and Cooke): 6, vol. 3, p. 202, fig. 4, 1908 (Oahu).

Synonym: *Helicina laciniosa beta* Pilsbry and Cooke.

Sturanya laciniosa bronniana (Philippi): 49, vol. 4, p. 124, 1847; 6, vol. 3, p. 201, 1908 (Hawaiian islands).

Synonyms: *Helicina bronniana* Philippi, *Helicina rotelloidea* Pfeiffer.

Sturanya laciniosa delta (Pilsbry and Cooke): 6, vol. 3, p. 201, fig. 2, 1908 (Kauai).

Synonym: *Helicina laciniosa delta* Pilsbry and Cooke.

Sturanya laciniosa gamma (Pilsbry and Cooke): 6, vol. 3, p. 202, fig. 3, 1908 (Oahu).

Synonyms: *Helicina laciniosa gamma* Pilsbry and Cooke.

Sturanya rotelloidea (Mighels): 7, 1845, vol. 2, p. 19; 6, vol. 3, p. 206, fig. 9, 1908 (Oahu).

Synonym: *Helicina rotelloidea* Mighels.

Aphanoconia dissotropis (Ancey): 24, 1904, vol. 6, p. 127, pl. 7, figs. 22, 23; 6, vol. 3, p. 201, 1908 (Oahu).

Synonym: *Helicina dissotropis* Ancey.

Aphanoconia fulgora (Gould): 7, vol. 2, 1847, p. 201 (erroneously reported to occur in the Hawaiian islands).

Aphanoconia hawaiiensis (Pilsbry and Cooke): 6, vol. 3, p. 204, fig. 6, 1908 (Oahu).

Synonym: *Helicina hawaiiensis* Pilsbry and Cooke.

Aphanoconia kauaiensis (Pilsbry and Cooke): 6, vol. 3, p. 205, fig. 8, 1908 (Kauai).

Synonym: *Helicina kauaiensis* Pilsbry and Cooke.

Aphanoconia knudseni (Pilsbry and Cooke): 6, vol. 3, p. 204, fig. 7, 1908 (Kauai).

Synonym: *Helicina knudseni* Pilsbry and Cooke.

Aphanoconia nuuanuensis (Pilsbry and Cooke): 6, vol. 3, p. 206, fig. 10, 1908 (Oahu).

Synonym: *Helicina nuuanuensis* Pilsbry and Cooke.

Aphanoconia oahuensis (Pilsbry and Cooke): 6, vol. 3, p. 199, fig. 1, 1908 (Oahu).

Synonym: *Helicina oahuensis* Pilsbry and Cooke.

Aphanoconia sulculosa (Ancey): 24, 1904, vol. 6, p. 127, pl. 7, fig. 25; 6, vol. 3, p. 204, 1908 (Hawaii).

Synonym: *Helicina sulculosa* Ancey.

Orobophana (?) baldwini (Ancey): 24, 1904, vol. 6, p. 126, pl. 7, fig. 24; 6, vol. 3, p. 209, 1908 (Kauai).

Synonym: *Helicina baldwini* Ancey.

Orobophana (?) berniceia (Pilsbry and Cooke): 6, vol. 3, p. 207, fig. 11, 1908 (Kauai, fossil).

Synonym: *Helicina berniceia* Pilsbry and Cooke.

Orobophana constricta (Pfeiffer): 52, 1848, p. 100; 28, vol. 1, pt. 18, N. F., p. 236, pl. 46, figs. 13, 14, 1911 (erroneously reported to occur in the Hawaiian islands).

Orobophana (?) judii (Pilsbry and Cooke): 6, vol. 3, p. 208, fig. 13, 1908 (Kauai, fossil).

Synonym: *Helicina judii* Pilsbry and Cooke.

Orobophana (?) lymaniana (Pilsbry and Cooke): 6, vol. 3, p. 208, fig. 12, 1908 (Oahu).

Synonym: *Helicina lymaniana* Pilsbry and Cooke.

Orobophana uberta (Gould): 7, 1847, vol. 2, p. 202; 6, vol. 3, p. 209, 1908 (Hawaiian islands).

Synonym: *Helicina uberta* Gould.

Orobophana uberta magdalena (Ancey): 40, vol. 7, p. 342, 1890; 6, vol. 3, p. 209, fig. 14, 1908 (Oahu).

Synonym: *Helicina magdalena* Ancey.

Helicina crassilabris Philippi: 49, p. 125, 1847 (erroneously reported from the Hawaiian islands).

Helicina pisum Philippi: 49, p. 124, 1847 (erroneously reported from the Hawaiian islands).

Sub-order MONOTOCARDIA

VIVIPARIDAE

Paludestrina porrecta (Mighels): 7, 1845, vol. 2, p. 22; 28, vol. 1, pt. 21, p. 34, pl. 17, figs. 25, 26, 1852 (Oahu).

Synonym: *Paludina porrecta* Mighels.

Vivipara chinensis (Gray): 15, Moll., pl. 1, fig. 5; 28, vol. 1, pt. 21 N. F., p. 111, pl. 18, fig. 7; pl. 23, fig. 1, 1909 (Oahu, Maui).

Synonym: *Paludina chinensis* Gray.

MELANIIDAE

Melania baldwini Ancey: 24, 1899, vol. 3, p. 273, pl. 12, fig. 6 (Maui).

Melania indefinata Lea: 52, 1850, p. 187 (Maui, Molokai).

Synonyms: *Melania newcombi* Lea (not Pease), *Melania paulla* Dunker, *Melania oahuensis* Pease, *Melania contigua* Pease.

Melania kauaiensis Pease: 2, vol. 6, p. 7, pl. 3, fig. 6, 1870 (Kauai).

Synonym: *Melania newcombi* Pease (not Lea).

Melania mauiensis Lea: 1, 1856, p. 145 (Maui, Molokai).

Synonyms: *Melania granifera* Lamarck, *Melania tahitensis* Pease.

Melania verreauiiana Lea: 1, 1856, vol. 6, p. 144 (Hawaiian islands).

Order PULMONATA

Sub-order BASOMMATOPHORA

AURICULIDAE

Auricula fusca (Philippi): 28, vol. 1, pt. 16, p. 38, pl. 5, figs. 18-20, 1844 (Hawaiian islands).

Synonym: *Conovolus fuscus* Philippi.

Auricula owaihiensis (Chamisso): 19, vol. 14, p. 639, t. 36, fig. 1, 1829; 28, vol. 1, pt. 16, p. 26, pl. 13, figs. 14-16, 1844 (Oahu).

Synonym: *Tornatellina owaihiensis* Chamisso.

Auricula sandwichensis Souleyet: 42, vol. 2, p. 524, t. 29, figs. 29-32, 1852; 31, p. 50, 1856 (Hawaiian islands).

Synonym: *Auricula browni* Philippi.

Auricula semiplicata (H. and A. Adams): 52, 1854, p. 8; 31, p. 139 (Hawaiian islands).

Synonym: *Ellobium semiplicatum* Adams.

Auriculastra elongata (Parreyss): 28, vol. 1, pt. 16, p. 53, pl. 8, figs. 6-8, 1844 (Hawaiian islands).

Synonym: *Auricula elongata* Parreyss.

Plectrotrema clausum Adams: 52, 1853, p. 121; 31, p. 103 (Hawaiian islands).

Synonym: *Pedipes octanfracta* Pfeiffer.

Plectrotrema striatum (Philippi): 49, p. 98, 1846; 31, p. 104 (Hawaiian islands).

Synonyms: *Auricula striata* Philippi, *Laemodonta striata* Nuttall, *Pedipes inaequalis* Adams, *Plectrotrema labrellum* Adams, *Lirator multisulcatus* Beck.

Blauneria gracilis Pease: 52, 1860, p. 145; 28, vol. 1, pt. 16, p. 262, pl. 31, fig. 23, 1901 (Hawaiian islands).

Melampus bronnii (Philippi): 49, p. 98, 1846; 31, p. 49 (Hawaiian islands).

Synonyms: *Auricula bronnii* Philippi, *Laemodonta conica* Pease, *Melampus sandwichensis* Pfeiffer.

Melampus castaneus (Muhlfeld): 14, vol. 7, p. 4, t. 1, fig. 2, 1818; 31, p. 30 (Hawaiian islands).

Synonym: *Voluta castanea* Muhlfeld.

Melampus lucidus Pease: 2, vol. 5, p. 75, 1869 (Oahu)

Melampus parvulus (Nuttall): 31, p. 24 (Oahu).

LIMNAEIDAE

Physa hartmanni Clessin: 28, vol. 1, pt. 17, p. 371, pl. 54, fig. 9, 1886 (Hawaiian islands).

Physa moreletiana Clessin: 28, vol. 1, pt. 17, p. 341, pl. 48, fig. 3, 1886 (Hawaiian islands).

Physa naticoides Clessin: 28, vol. 1, pt. 17, p. 341, pl. 48, fig. 5, 1886 (Hawaiian islands).

Physa peasei Clessin: 28, vol. 1, pt. 17, p. 339, pl. 47, fig. 8, 1886 (Hawaiian islands).

Physa reticulata Gould: 7, 1847, vol. 2, p. 214; 28, vol. 1, pt. 17, p. 330, pl. 46, fig. 4, 1886 (Kauai).

Limnaea aulacospira Ancey: 20, 2d ser., vol. 11, p. 290, 1889 (Maui).

Limnaea binominis Sykes: 44, vol. 2, p. 391, 1900 (Oahu).

Synonym: *Physa sandwichensis* Clessin, not *Limnaea sandwichensis* Philippi.

Limnaea compacta Pease: 2, vol. 6, p. 6, pl. 3, fig. 4, 5, 1870; 44, vol. 2, p. 391, 1900 (Oahu, Kauai).

Synonyms: *Limnaea ambigua* Pease, *Physa flava* Clessin.

Limnaea hawaiensis Pilsbry: 1, 1903, p. 790 (Hawaii).

Limnaea oahuensis Souleyet: 42, vol. 2, p. 527, pl. 29, figs. 38-41, 1852; 2, vol. 6, p. 5, 1870 (Hawaiian islands).

Synonyms: *Limnaea voluntata* Gould, *Limnaea sandwichensis* Philippi, *Limnaea affinis* Souleyet (not Beck).

Limnaea producta (Mighels): 7, vol. 2, p. 21, 1845 (Hawaiian islands).

This species, together with *L. (Physa) umbilicata* Mighels, probably must be abandoned, as the types were lost and authentic specimens unknown (cf. 2, 1870, vol. 6, p. 5).

Limnaea rubella Lea: 3, vol. 4, p. 12, 1843; 2, vol. 6, p. 5, pl. 3, figs. 1, 2, 1870 (Kauai, Oahu).

Limnaea turgidula Pease: 2, vol. 6, p. 5, pl. 3, fig. 3, 1870 (Oahu).

Erinna newcombi A. Adams: 52, 1855, p. 120; 44, vol. 2, p. 393, 1900 (Kauai).

Ancylus sharpi Sykes: 44, vol. 2, p. 394, pl. 12, figs. 14, 14a, 1900 (Oahu).

Sub-order STYLOMMATOPHORA

PARTULIDAE

Partula gibba (Ferussac): 12, p. 66, 1821 (erroneously recorded from Hawaii).

Partula inflata (Reeve): 52, 1842, p. 197 (erroneously recorded from Hawaii).

PUPILLIDAE

Gastrocopta lyonsiana (Ancey): 41, vol. 5, p. 713, 1892; 26, 2d ser., vol. 24, p. 141, 1916-1918 (Oahu).

Synonym: *Pupa lyonsiana* Ancey.

Gastrocopta pediculus nacca (Gould): 7, 1861, vol. 8, p. 280; 26, 2d ser., vol. 24, p. 149, 1916-1918 (Hawaiian islands).

Synonym: *Vertigo nacca* Gould.

Lyropupa anceyana Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 253, pl. 26, figs. 3, 6, 1918-1920 (Hawaii).

Lyropupa antiqua Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 250, pl. 21, figs. 8, 9, 11, 1918-1920 (Oahu, fossil).

Lyropupa clathrata Ancey: 24, 1904, vol. 6, p. 125, pl. 7, fig. 19; 26, 2d ser., vol. 25, p. 245, pl. 21, fig. 1, 1918-1920 (Hawaii).

Lyropupa costata (Pease): 52, 1871, p. 461; 26, 2d ser., vol. 25, p. 272, 1918-1920; 26, vol. 27, p. 223, pl. 28, figs. 6-8, 1918-1920 (Hawaiian islands).

Synonym: *Vertigo costata* Pease.

Lyropupa cubana (Dall): 47, 1890, vol. 13, pl. 1, figs. 1, 2; 26, 2d ser., vol. 25, p. 268, pl. 25, figs. 13, 16, 17, 1918-1920 (Hawaiian islands).

Synonym: *Vertigo cubana* Dall.

Lyropupa cyrta Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 268, pl. 23, figs. 9, 10, 1918-1920 (Hawaii, fossil).

Lyropupa hawaiensis Ancey: 18, vol. 11, p. 68, pl. 5, fig. 19, 1904; 26, 2d ser., vol. 25, p. 251, pl. 22, figs. 12, 14, 1918-1920 (Oahu).

Synonym: *Lyropupa mirabilis hawaiensis* Ancey.

Lyropupa kahoolavensis Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 256, pl. 22, figs. 1-4, 8, 9, 1918-1920 (Hawaiian islands).

Lyropupa kahoolavensis puukolekolensis Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 258, pl. 26, figs. 9, 12, 1918-1920 (Kahoolawe).

Lyropupa lyrata (Gould): 7, 1843, vol. 1, p. 139; 26, 2d ser., vol. 25, p. 233, pl. 19, figs. 1-6, 1918-1920 (Oahu, Hawaii).

Synonyms: *Pupa lyrata* Gould, *Pupa magdalena* Ancey, *Lyropupa carbonaria* Ancey.

Lyropupa lyrata fossilis Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 236, pl. 19, figs. 7, 11, 1918-1920 (Oahu, fossil).

Lyropupa lyrata uncifera Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 236, pl. 19, figs. 12, 13, 1918-1920 (Oahu, fossil).

Lyropupa micra Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 263, pl. 23, fig. 7; pl. 25, figs. 5-7, 1918-1920 (Oahu, subfossil).

Lyropupa micra maunaloae Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 264, pl. 25, figs. 8, 9, 1918-1920 (Molokai, fossil).

- Lyropupa micra percostata*** Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 264, pl. 25, figs. 11, 12, 1918-1920 (Oahu, fossil).
- Lyropupa microthauma*** Ancey: 24, 1904, vol. 6, p. 126, pl. 7, fig. 20; 26, 2d ser., vol. 25, p. 238, pl. 21, figs. 2, 3, 1918-1920 (Oahu).
- Lyropupa mirabilis*** (Ancey): 40, vol. 7, p. 339, 1890; 26, 2d ser., vol. 25, p. 249, pl. 21, figs. 5-7, 1918-1920 (Oahu, Hawaii, subfossil).
Synonym: *Pupa mirabilis* Ancey.
- Lyropupa ovatula*** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 265, pl. 23, fig. 11; pl. 24, figs. 1-5, 1918-1920 (Oahu, fossil).
- Lyropupa ovatula kona*** Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 266, pl. 26, figs. 10, 11, 14, 15, 1918-1920 (Hawaii, Molokai, fossil).
- Lyropupa ovatula moomomiensis*** Pilsbry and Cooke: 26, 2d ser., vol. 27, p. 225, pl. 28, figs. 3-5, 1918-1920 (Molokai, fossil).
- Lyropupa perlonga*** (Pease): 52, 1871, p. 462; 26, 2d ser., vol. 25, p. 258, pl. 23, figs. 1-6, 13, 14, 1918-1920 (Oahu, subfossil).
Synonym: *Vertigo perlonga* Pease.
- Lyropupa perlonga interrupta*** Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 261, pl. 22, fig. 5; pl. 25, figs. 1-4, 10, 1918-1920 (Oahu, fossil).
- Lyropupa plagiptyx*** Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 267, pl. 24, figs. 8, 11, 12, 1918-1920 (Oahu).
- Lyropupa prisca*** Ancey: 18, vol. 11, p. 68, pl. 5, fig. 19, 1904; 26, 2d ser., vol. 25, p. 243, pl. 20, figs. 9-11, 1918-1920 (Hawaii, fossil).
Synonym: *Lyropupa magdalenae prisca* Ancey.
- Lyropupa rhabdota*** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 239, pl. 20, fig. 2, 1918-1920 (Molokai).
- Lyropupa rhabdota baldwiniana*** Cooke: 26, 2d ser., vol. 25, p. 241, pl. 20, figs. 7, 8, 1918-1920 (Maui).
- Lyropupa rhabdota lanaiensis*** Cooke: 26, 2d ser., vol. 25, p. 241, pl. 20, fig. 6, 1918-1920 (Lanai).
- Lyropupa rhabdota pluris*** Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 240, pl. 20, figs. 3-5, 1918-1920 (Molokai).
- Lyropupa scabra*** Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 254, pl. 26, figs. 1, 2, 1918-1920 (Maui).
- Lyropupa spaldingi*** Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 248, pl. 21, figs. 10, 12, 13, 1918-1920 (Oahu).
- Lyropupa sparna*** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 252, pl. 22, figs. 6, 7, 10, 11, 1918-1920 (Molokai).
- Lyropupa sparna sinulifera*** Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 253, pl. 22, fig. 13, 1918-1920 (Molokai).
- Lyropupa striatula*** (Pease): 52, 1871, p. 461; 26, 2d ser., vol. 25, p. 246, 1918-1920; vol. 27, p. 223, pl. 28, figs. 1, 2, 1922-1926 (Hawaii).
Synonym: *Vertigo striatula* Pease.

- Lyropupa thaanumi** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 242, pl. 20, figs. 12, 13, 1918-1920 (Maui).
- Lyropupa thaumasia** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 270, pl. 24, figs. 13-15; pl. 25, fig. 14, 1918-1920 (Kauai, subfossil).
- Lyropupa truncata** Cooke: 6, vol. 3, p. 211, 1908; 26, 2d ser., vol. 25, p. 247, pl. 21, fig. 4, 1918-1920 (Hawaii).
- Nesopupa alloia** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 321, pl. 19, fig. 10, 1918-1920 (Kauai).
- Nesopupa anceyana** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 293, pl. 28, figs. 2, 3, 1918-1920 (Hawaii).
- Nesopupa bacca** (Pease): 52, 1871, p. 462; 26, 2d ser., vol. 25, p. 279, 1918-1920 (Hawaii).
- Synonym: *Pupa bacca* Pease.
- Nesopupa baldwini** Ancey: 24, 1904, vol. 6, p. 122, pl. 7, fig. 13; 26, 2d ser., vol. 25, p. 287, pl. 27, figs. 9, 10, 1918-1920 (Hawaiian islands).
- Nesopupa baldwini centralis** Ancey: 24, 1904, vol. 6, p. 122; 26, 2d ser., vol. 25, p. 288, 1918-1920 (Hawaii).
- Nesopupa baldwini lanaiensis** Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 289, pl. 27, figs. 13-15, 1918-1920 (Lanai).
- Nesopupa baldwini subcostata** Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 288, pl. 27, figs. 11, 12, 1918-1920 (Molokai).
- Nesopupa bishopi** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 296, pl. 28, fig. 4, 1918-1920 (Maui).
- Nesopupa dispersa** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 284, pl. 27, figs. 7, 8, 1918-1920 (Hawaiian islands).
- Nesopupa dubitabilis** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 291, pl. 28, fig. 9, 1918-1920 (Molokai).
- Nesopupa dubitabilis kaalaensis** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 292, pl. 28, fig. 13, 1918-1920 (Oahu).
- Nesopupa forbesi** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 297, pl. 28, fig. 5, 1918-1920 (Hawaii).
- Nesopupa infrequens** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 298, pl. 28, fig. 7, 1918-1920 (Kauai).
- Nesopupa kauaiensis** Ancey: 24, 1904, vol. 6, p. 124, pl. 7, fig. 17; 26, 2d ser., vol. 25, p. 318, pl. 29, figs. 5, 6; p. 309, figs. 9, 10, 1918-1920 (Kauai).
- Nesopupa limatula** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 290, pl. 28, figs. 6, 10, 1918-1920 (Maui).
- Nesopupa littoralis** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 283, pl. 28, fig. 1, 1918-1920 (Oahu, fossil).

- Nesopupa newcombi** (Pfeiffer): 52, 1852, p. 69; 26, 2d ser., vol. 25, p. 307; p. 309, fig. 1, 1918-1920 (Oahu, Hawaii, Kauai).
Synonyms: Pupa newcombi Pfeiffer, Vertigo costulosa Pease.
- Nesopupa newcombi angusta** Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 315; p. 309, fig. 4, 1918-1920 (Kauai).
- Nesopupa newcombi gnampta** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 317; p. 309, figs. 14, 15, 1918-1920 (Oahu).
- Nesopupa newcombi interrupta** Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 315; p. 309, figs. 4a-6a, 1918-1920 (Hawaii, Maui, Oahu, subfossil).
- Nesopupa newcombi interrupta disjuncta** Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 317; p. 309, fig. 13, 1918-1920 (Oahu).
- Nesopupa newcombi multidentata** Pilsbry and Cooke: 26, 2d ser., vol. 25, p. 315; p. 309, figs. 3, 3a, 1918-1920 (Oahu).
- Nesopupa newcombi seminulum** (Boettger): 27, vol. 1, p. 58, pl. 12, fig. 14, 1880; 26, 2d ser., vol. 25, p. 314; p. 309, fig. 2, 1918-1920 (Hawaiian islands).
Synonym: Pupa newcombi seminulum Boettger (not Lowe).
- Nesopupa oahuensis** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 317, pl. 29, figs. 11, 12, 1918-1920 (Oahu).
- Nesopupa plicifera** Ancey: 24, 1904, vol. 6, p. 122, pl. 7, fig. 14; 26, 2d ser., vol. 25, p. 280, pl. 27, figs. 1-3, 1918-1920 (Oahu).
- Nesopupa singularis** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 320, pl. 29, fig. 8, 1918-1920 (Maui).
- Nesopupa subcentralis** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 294, pl. 28, fig. 8, 1918-1920 (Hawaii).
- Nesopupa thaanumi** Ancey: 24, 1904, vol. 6, p. 123; 26, 2d ser., vol. 25, p. 304, pl. 28, figs. 11, 12, 1918-1920 (Hawaii).
- Nesopupa waianaensis** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 281, pl. 27, figs. 4-6, 1918-1920 (Oahu).
- Nesopupa wesleyana** Ancey: 24, 1904, vol. 6, p. 123, pl. 7, fig. 16; 26, 2d ser., vol. 25, p. 299, pl. 29, figs. 1, 2, 1918-1920 (Kahoolawe, Hawaii, Maui, Oahu).
- Nesopupa wesleyana gouveiae** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 301, pl. 29, fig. 4, 1918-1920 (Hawaii).
- Nesopupa wesleyana rhadina** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 301, pl. 29, fig. 13, 1918-1920 (Hawaiian islands).
- Nesopupa wesleyana tryphera** Cooke and Pilsbry: 26, 2d ser., vol. 25, p. 301, pl. 29, fig. 3, 1918-1920 (Kauai, Oahu, Molokai).
- Pronesopupa acanthinula** (Ancey): 41, vol. 5, p. 709, 1892; 26, 2d ser., vol. 26, p. 5, pl. 1, fig. 7, 1920-1921 (Oahu, Maui, Molokai, Hawaii).
Synonym: Pupa acanthinula Ancey.

- Pronesopupa admodesta** (Mighels): 7, 1845, vol. 2, p. 19; 26, 2d ser., vol. 26, p. 11, pl. 1, fig. 13, 1920-1921 (Kauai, Oahu, Molokai, Hawaii).
 Synonym: Pupa admodesta Mighels (not Boettger).
- Pronesopupa boettgeri** Pilsbry and Cooke: 26, 2d ser., vol. 26, p. 8, pl. 1, fig. 17, 1920-1921 (Hawaiian islands).
 Synonym: Pupa admodesta Boettger.
- Pronesopupa boettgeri spinigera** Pilsbry and Cooke: 26, 2d ser., vol. 26, p. 10, pl. 1, fig. 11, 1920-1921 (Hawaiian islands).
- Pronesopupa frondicola** Pilsbry and Cooke: 26, 2d ser., vol. 26, p. 13, pl. 1, fig. 4, 1920-1921 (Maui).
- Pronesopupa frondicola corticicola** Pilsbry and Cooke: 26, 2d ser., vol. 26, p. 14, pl. 1, fig. 3, 1920-1921 (Maui).
- Pronesopupa hystricella** Pilsbry and Cooke: 26, 2d ser., vol. 26, p. 7, pl. 1, fig. 12, 1920-1921 (Hawaiian islands).
- Pronesopupa incerta** Pilsbry and Cooke: 26, 2d ser., vol. 26, p. 16, pl. 1, fig. 6, 1920-1921 (Kauai).
- Pronesopupa lymaniana** Pilsbry and Cooke: 26, 2d ser., vol. 26, p. 18, pl. 1, fig. 2, 1920-1921 (Hawaii).
- Pronesopupa molokaiensis** Pilsbry and Cooke: 26, 2d ser., vol. 26, p. 15, pl. 1, fig. 5, 1920-1921 (Molokai).
- Pronesopupa orycta** Pilsbry and Cooke: 26, 2d ser., vol. 26, p. 18, pl. 1, fig. 10, 1920-1921 (Hawaii, fossil).
- Pronesopupa sericata** Pilsbry and Cooke: 26, 2d ser., vol. 26, p. 17, pl. 1, fig. 1, 1920-1921 (Hawaii).
- Pupoidopsis hawaiensis** Pilsbry and Cooke: 26, 2d ser., vol. 26, p. 107, pl. 17, fig. 2, 1920-1921 (Oahu; Molokai; Maui, fossil).
- Punctum horneri** Ancey: 18, vol. 11, p. 66, pl. 5, figs. 11, 12, 1904 (Hawaii, subfossil; Oahu).
- Columella alexanderi** (Pilsbry and Cooke): 1, 1906, p. 216, fig. 3; 26, 2d ser., vol. 27, p. 248, fig. 16, 1922-1926 (Maui).
 Synonym: Sphyradium alexanderi Pilsbry and Cooke.
- Columella olaaensis** Pilsbry: 26, 2d ser., vol. 27, p. 248, pl. 30, fig. 7, 1922-1926 (Hawaii).
- Columella sharpi** (Pilsbry and Cooke): 1, 1906, p. 215, figs. 1, 2; 26, 2d ser., vol. 27, p. 247, pl. 30, figs. 14, 15, 1922-1926 (Maui).
 Synonym: Sphyradium sharpi Pilsbry and Cooke.

ACHATINELLIDAE

- Newcombia canaliculata** (Baldwin): 1, 1905, p. 226, pl. 10, figs. 28, 29; 26, 2d ser., vol. 22, p. 6, pl. 2, figs. 5-7, 1912-1914 (Molokai).
 Synonym: Achatinella canaliculata Baldwin.

- Newcombia canaliculata wailauensis** Pilsbry: 26, 2d ser., vol. 22, p. 7, pl. 14, fig. 5, 1912-1914 (Molokai).
- Newcombia carinella** Baldwin: 45, vol. 19, p. 136, 1906; 26, 2d ser., vol. 22, p. 7, pl. 2, figs. 1-3, 1912-1914 (Maui).
- Newcombia cinnamomea** (Pfeiffer): 25, vol. 4, p. 230, 1857; 26, 2d ser., vol. 22, p. 10, pl. 3, figs. 7-11; pl. 14, figs. 1-4, 1912-1914 (Molokai).
Synonym: *Achatinella cinnamomea* Pfeiffer.
- Newcombia cinnamomea ualapuensis** Pilsbry: 26, 2d ser., vol. 22, pp. 12, 355, pl. 2, figs. 11, 12, 1912-1914 (Molokai).
- Newcombia cumingi** (Newcomb): 22, vol. 6, p. 25, 1853; 26, 2d ser., vol. 22, p. 10, pl. 3, figs. 1-6, 1912-1914 (Maui).
Synonym: *Achatinella cumingi* Newcomb.
- Newcombia perkinsi** Sykes: 24, 1896, vol. 2, p. 130; 26, 2d ser., vol. 22, p. 8, pl. 7, figs. 18-19, 1912-1914 (Molokai).
- Newcombia pfeifferi** (Newcomb): 22, vol. 6, p. 25, 1853; 26, 2d ser., vol. 22, p. 13, pl. 2, figs. 4, 8, 14, 1912-1914 (Molokai).
Synonym: *Achatinella pfeifferi* Newcomb.
- Newcombia philippiana** (Pfeiffer): 25, vol. 4, p. 89, 1857; 26, 2d ser., vol. 22, p. 8, 1912-1914 (Hawaiian islands).
Synonym: *Achatinella philippiana* Pfeiffer. (This species, known only from the type specimen, may be merely a young form of *N. perkinsi*.)
- Newcombia plicata** (Mighels): 32, vol. 2, p. 235; 26, 2d ser., vol. 22, p. 2, pl. 1, figs. 1-3, 6, 1912-1914 (Molokai).
Synonym: *Achatinella plicata* Mighels.
- Newcombia plicata gemma** (Pfeiffer): 25, vol. 4, p. 230, 1857; 26, 2d ser., vol. 22, p. 3, pl. 1, figs. 7, 8, 10, 11, 1912-1914 (Molokai).
Synonym: *Achatinella gemma* Pfeiffer.
- Newcombia sulcata** (Pfeiffer): 25, vol. 4, p. 231, 1857; 26, 2d ser., vol. 22, p. 5, pl. 2, figs. 9, 10; pl. 14, figs. 9-11, 1912-1914 (Molokai).
Synonym: *Achatinella sulcata* Pfeiffer.
- Partulina anceyana** Baldwin: 1, 1895, p. 223, pl. 10, fig. 16; 26, 2d ser., vol. 22, p. 75, pl. 20, figs. 12-14, 1912-1914 (Maui).
Synonym: *Achatinella anceyana* Baldwin.
- Partulina aptycha** (Pfeiffer): 52, 1855, p. 1, pl. 30, fig. 1; 26, 2d ser., vol. 22, p. 54, pl. 18, fig. 5, 1912-1914 (Hawaiian islands).
Synonym: *Achatinella aptycha* Pfeiffer. (A lost species, unknown to present day collectors.)
- Partulina carinella** Baldwin: 45, vol. 19, p. 136, 1906; 26, 2d ser., vol. 22, pp. 7, 358, pl. 14, fig. 5, 1912-1914 (Maui).
- Partulina carnicolor** Baldwin: 45, vol. 19, p. 112, 1906; 26, 2d ser., vol. 22, p. 58, pl. 12, figs. 13, 14, 1912-1914 (Maui).

- Partulina confusa** (Sykes): 44, vol. 2, p. 312, 1900; 26, 2d ser., vol. 22, p. 105, pl. 16, figs. 1-12, 1912-1914 (Hawaii).
 Synonyms: *Achatinella confusa* Sykes; *Achatinella physa procera* Ancey.
- Partulina crassa** (Newcomb): 52, 1853, p. 155, pl. 24, fig. 71; 26, 2d ser., vol. 22, p. 40, pl. 18, figs. 1, 2, 1912-1914 (Lanai).
 Synonym: *Achatinella crassa* Newcomb.
- Partulina crocea** (Gulick): 22, vol. 6, p. 210, pl. 7, fig. 36, 1856; 26, 2d ser., vol. 22, p. 65, pl. 13, figs. 14, 15, 1912-1914 (Maui).
 Synonym: *Achatinella crocea* Gulick.
- Partulina dolei** (Baldwin): 1, 1895, p. 221, pl. 10, figs. 17, 18; 26, 2d ser., vol. 22, p. 60, pl. 12, figs. 15-18, 1912-1914 (Maui).
 Synonym: *Achatinella dolei* Baldwin.
- Partulina dubia** (Newcomb): 22, vol. 6, p. 23, 1853; 26, 2d ser., vol. 22, p. 113, pl. 26, figs. 7-12, 1912-1914 (Oahu).
 Synonym: *Achatinella dubia* Newcomb.
- Partulina dwightii** (Newcomb): 22, vol. 6, p. 145, 1855; 26, 2d ser., vol. 22, p. 35, pl. 8, figs. 1-5, 1912-1914 (Molokai).
 Synonym: *Achatinella dwightii* Newcomb.
- Partulina dwightii compta** Pease: 17, vol. 17, p. 175, 1869; 26, 2d ser., vol. 22, p. 36, pl. 8, figs. 6-8, 1912-1914 (Molokai).
 Synonym: *Partulina compta* Pease.
- Partulina dwightii concomitans** Hyatt: 26, 2d ser., vol. 22, p. 37, pl. 8, figs. 9-13, 1912-1914 (Molokai).
 Synonym: *Partulina grisea* Newcomb.
- Partulina dwightii occidentalis** Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 361, pl. 26, fig. 6, 1912-1914 (Molokai, fossil).
- Partulina fulgurans** (Sykes): 44, vol. 2, p. 329, pl. 11, fig. 5, 1900; 26, 2d ser., vol. 22, p. 21, pl. 5, figs. 1-4, 7, 1912-1914 (Maui).
 Synonym: *Perdicella fulgurans* Sykes.
- Partulina fusoidea** (Newcomb): 22, vol. 6, p. 144, 1856; 26, 2d ser., vol. 22, p. 64, pl. 15, figs. 10, 11, 1912-1914 (Maui).
 Synonym: *Achatinella fusoidea* Newcomb.
- Partulina germana** (Newcomb): 52, 1853, p. 151, pl. 24, fig. 61; 26, 2d ser., vol. 22, p. 76, pl. 20, fig. 15, 1912-1914 (Maui).
 Synonym: *Achatinella germana* Newcomb.
- Partulina gouldii** (Newcomb): 22, vol. 6, p. 21, 1853; 26, 2d ser., vol. 22, p. 52, pl. 11, figs. 14-16, 1912-1914 (Maui).
 Synonyms: *Achatinella gouldii* Newcomb; *Achatinella talpina* Gulick.
- Partulina gouldii perfecta** Pilsbry: 26, 2d ser., vol. 22, p. 54, pl. 11, figs. 18-21, 1912-1914 (Maui).

- Partulina grisea** (Newcomb): 52, 1853, p. 153, pl. 24, fig. 66; 26, 2d ser., vol. 22, p. 111, pl. 18, figs. 8, 9, 1912-1914 (Maui).
 Synonym: Achatinella grisea Newcomb.
- Partulina helena** (Newcomb): 22, vol. 6, p. 27, 1853; 26, 2d ser., vol. 22, p. 16, pl. 4, figs. 1-7, 1912-1914 (Molokai).
 Synonym: Achatinella helena Newcomb.
- Partulina horneri** (Baldwin): 1, 1895, p. 224, pl. 10, figs. 20-22; 26, 2d ser., vol. 22, p. 107, pl. 17, figs. 1-5, 1912-1914 (Hawaii, fossil).
 Synonym: Achatinella horneri Baldwin.
- Partulina horneri kapuana** J. and A. Gouveia: 6, vol. 7, p. 53, pl. 15, 1920 (Hawaii).
- Partulina induta** (Gulick): 22, vol. 6, p. 207, pl. 7, figs. 34a, e, 1856; 26, 2d ser., vol. 22, p. 48, pl. 13, fig. 7, 1912-1914 (Maui).
 Synonym: Achatinella induta Gulick.
- Partulina kaaeana** Baldwin: 45, vol. 19, p. 113, 1906; 26, 2d ser., vol. 22, p. 41, pl. 10, figs. 5-7, 1912-1914 (Maui).
- Partulina kuhnsi** Pilsbry: 26, 2d ser., vol. 22, p. 22, pl. 14, figs. 12-15, 1912-1914 (Maui).
- Partulina lemmoni** Baldwin: 45, vol. 19, p. 112, 1906; 26, 2d ser., vol. 22, p. 61, pl. 12, figs. 19, 20, 1912-1914 (Maui).
- Partulina marmorata** (Gould): 7, 1847, vol. 2, p. 200; 26, 2d ser., vol. 22, p. 42, pl. 10, figs. 1-4, 1912-1914 (Maui).
 Synonym: Achatinella marmorata Gould.
- Partulina mauiensis** (Pfeiffer): 52, 1855, p. 207; 26, 2d ser., vol. 22, p. 20, pl. 4, figs. 11-14, 1912-1914 (Maui).
 Synonym: Achatinella mauiensis Pfeiffer.
- Partulina mighelsiana** (Pfeiffer): 52, 1847, p. 231; 26, 2d ser., vol. 22, p. 77, pl. 18, figs. 10-17, 1912-1914 (Molokai).
 Synonym: Achatinella mighelsiana Pfeiffer.
- Partulina mighelsiana bella** (Reeve): 35, vol. 6, pl. 3, sp. 17, 1850; 26, 2d ser., vol. 22, p. 79, pl. 23, figs. 2-12; pl. 26, figs. 13-15e, 1912-1914 (Molokai).
 Synonym: Achatinella bella Reeve.
- Partulina mighelsiana polita** (Newcomb): 22, vol. 6, p. 24, 1853; 26, 2d ser., vol. 22, p. 80, pl. 24, figs. 1-6, 1912-1914 (Molokai).
 Synonym: Achatinella polita Newcomb.
- Partulina montagui** Pilsbry: 45, vol. 27, p. 40, 1913; 26, 2d ser., vol. 22, p. 66, pl. 24, figs. 7, 8, 1912-1914 (Oahu, fossil).
- Partulina mucida** (Baldwin): 1, 1895, p. 222, pl. 10, fig. 23; 26, 2d ser., vol. 22, p. 34, pl. 9, fig. 17, 1912-1914 (Molokai).
 Synonym: Achatinella mucida Baldwin.

- Partulina mucida macrodon** Borcherding: 30, p. 56, 1901; 26, 2d ser., vol. 22, p. 35, pl. 9, figs. 18-20, 1912-1914 (Molokai).
Synonym: *Partulina macrodon* Borcherding.
- Partulina mutabilis** Baldwin: 45, vol. 22, p. 68, 1908; 26, 2d ser., vol. 22, p. 68, pl. 20, figs. 1-7, 1912-1914 (Maui).
- Partulina nattii** (Baldwin and Hartman): 1, 1888, p. 34, pl. 1, fig. 3; 26, 2d ser., vol. 22, p. 73, pl. 20, fig. 8-11, 1912-1914 (Maui).
Synonym: *Achatinella nattii* Baldwin and Hartman.
- Partulina nivea** (Baldwin): 1, 1895, p. 222, pl. 10, fig. 19; 26, 2d ser., vol. 22, p. 59, pl. 12, fig. 8, 1912-1914 (Maui).
Synonym: *Achatinella nivea* Baldwin.
- Partulina nivea kaupakaluana** Pilsbry: 26, 2d ser., vol. 22, p. 60, pl. 13, fig. 16, 1912-1914 (Maui).
- Partulina ornata** (Newcomb): 52, 1853, p. 149, pl. 24, fig. 55; 26, 2d ser., vol. 22, p. 18, pl. 4, figs. 8-10, 1912-1914 (Maui).
Synonym: *Achatinella ornata* Newcomb.
- Partulina perdix** (Reeve): 35, vol. 6, pl. 6, figs. 43a, b, 1850; 26, 2d ser., vol. 22, pp. 45, 363, pl. 10, figs. 14-16; pl. 13, figs. 10-13, 1912-1914 (Maui).
Synonyms: *Achatinella perdix* Reeve; *Achatinella undosa* Gulick; *Achatinella pyramidalis* Gulick.
- Partulina physa** (Newcomb): 52, 1853, p. 152, pl. 24, fig. 64; 26, 2d ser., vol. 22, p. 109, pl. 17, figs. 6-13, 1912-1914 (Hawaii).
Synonyms: *Achatinella physa* Newcomb; *Achatinella hawaiensis* Newcomb.
- Partulina physa errans** Pilsbry: 26, 2d ser., vol. 22, p. 111, pl. 17, figs. 14-16, 1912-1914 (Hawaii).
- Partulina physa konana** Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 365, pl. 54, figs. 5, 5a, 1912-1914 (Hawaii).
- Partulina plumbea** (Gulick): 22, vol. 4, p. 213, pl. 7, fig. 39, 1856; 26, 2d ser., vol. 22, p. 43, pl. 10, figs. 8-12, 1912-1914 (Maui).
Synonym: *Achatinella plumbea* Gulick.
- Partulina porcellana** (Newcomb): 52, 1853, p. 146, pl. 23, fig. 47; 26, 2d ser., vol. 22, p. 69, pl. 19, figs. 1-4, 1912-1914 (Maui).
Synonym: *Achatinella porcellana* Newcomb.
- Partulina porcellana flemingi** Baldwin: 45, vol. 19, p. 111, 1906; 26, 2d ser., vol. 22, p. 71, pl. 19, figs. 5-11, 1912-1914 (Maui).
Synonym: *Partulina flemingi* Baldwin.
- Partulina porcellana fulvicans** Baldwin: 45, vol. 19, p. 135, 1906; 26, 2d ser., vol. 22, p. 73, pl. 19, figs. 15, 16, 1912-1914 (Maui).
Synonym: *Partulina fulvicans* Baldwin.

- Partulina porcellana wailuaensis** (Sykes): 44, vol. 2, p. 328, pl. 11, figs. 19, 20, 1900; 26, 2d ser., vol. 22, p. 72, pl. 19, figs. 12-14, 1912-1914 (Maui).
 Synonyms: Achatinella wailuaensis Sykes; Partulina cooperi Baldwin.
- Partulina proxima** (Pease): 52, 1862, p. 6; 26, 2d ser., vol. 22, p. 32, pl. 9, figs. 1-9, 1912-1914 (Molokai).
 Synonym: Helicter proximus Pease.
- Partulina proxima schauinslandi** Borcherding: 50, vol. 19, p. 63, 1906; 26, 2d ser., vol. 22, p. 33, pl. 9, figs. 10-11, 1912-1914 (Molokai).
 Synonym: Partulina schauinslandi Borcherding.
- Partulina radiata** (Gould): 7, 1845, vol. 2, p. 27; 26, 2d ser., vol. 22, p. 49, pl. 13, figs. 8, 9, 1912-1914 (Hawaiian islands).
 Synonyms: Achatinella radiata Gould; Bulimus gouldi Pfeiffer (?); Partula densilineata Reeve (?).
- Partulina redfieldii** (Newcomb): 22, vol. 6, p. 22, 1853; 26, 2d ser., vol. 22, p. 38, pl. 7, figs. 12, 16, 17; pl. 8, figs. 14-20, 1912-1914 (Molokai).
 Synonym: Achatinella redfieldii Newcomb.
- Partulina redfieldii kamaloensis** Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 362, pl. 26, figs. 4, 4a, 1912-1914 (Molokai).
- Partulina rufa** (Newcomb): 22, vol. 6, p. 21, 1853; 26, 2d ser., vol. 22, p. 29, pl. 7, figs. 3-11, 1912-1914 (Molokai).
 Synonym: Achatinella rufa Newcomb.
- Partulina semicarinata** (Newcomb): 52, 1853, p. 156, pl. 24, fig. 76; 26, 2d ser., vol. 22, p. 86, pl. 21, figs. 1-4, 13, 15, 1912-1914 (Lanai).
 Synonym: Achatinella semicarinata Newcomb.
- Partulina semicarinata hayseldeni** Baldwin: 45, vol. 10, p. 31, 1896; 26, 2d ser., vol. 22, p. 88, pl. 21, figs. 5-12, 1912-1914 (Lanai).
 Synonym: Partulina hayseldeni Baldwin.
- Partulina splendida** (Newcomb): 22, vol. 6, p. 20, 1853; 26, 2d ser., vol. 22, p. 51, pl. 11, figs. 1-10, 1912-1914 (Maui).
 Synonym: Achatinella splendida Newcomb.
- Partulina splendida baileyana** (Gulick): 22, p. 202, pl. 7, figs. 31a, b, 1856; 26, 2d ser., vol. 22, p. 52, pl. 11, figs. 11-13, 1912-1914 (Maui).
 Synonym: Achatinella baileyana Gulick.
- Partulina subpolita** Hyatt and Pilsbry: 26, 2d ser., vol. 22, p. 359, pl. 23, fig. 1, 1912-1914 (Molokai).
- Partulina tappaniana** (C. B. Adams): 22, vol. 5, p. 42, 1851; 26, 2d ser., vol. 22, p. 54, pl. 12, figs. 1-3, 1912-1914 (Maui).
 Synonym: Achatinella tappaniana Adams.
- Partulina tappaniana ampulla** (Gulick): 22, vol. 6, p. 200, pl. 7, fig. 29, 1856; 26, 2d ser., vol. 22, p. 57, pl. 12, fig. 4, 1912-1914 (Maui).
 Synonym: Achatinella ampulla Gulick.

- Partulina tappaniana eburnea** (Gulick): 22, vol. 6, p. 199, pl. 6, figs. 28a, b, 1856; 26, 2d ser., vol. 22, p. 57, pl. 12, figs. 9-12, 1912-1914 (Maui).
Synonym: *Achatinella eburnea* Gulick.
- Partulina tappaniana fasciata** (Gulick): 22, vol. 6, p. 201, pl. 7, fig. 30, 1856; 26, 2d ser., vol. 22, p. 56, pl. 12, figs. 5-7, 1912-1914 (Maui).
Synonym: *Achatinella fasciata* Gulick.
- Partulina terebra** (Newcomb): 52, 1853, p. 144, pl. 23, fig. 40; 26, 2d ser., vol. 22, p. 61, pl. 15, figs. 1-9, 1912-1914 (Maui).
Synonym: *Achatinella terebra* Newcomb.
- Partulina terebra attenuata** (Pfeiffer): 52, 1855, p. 4, pl. 30, fig. 12; 26, 2d ser., vol. 22, p. 63, pl. 15, fig. 3, 1912-1914 (Maui).
Synonym: *Achatinella attenuata* Pfeiffer.
- Partulina terebra attenuata longior** Pilsbry: 26, 2d ser., vol. 22, p. 63, pl. 15, fig. 12, 1912-1914 (Maui).
- Partulina terebra lignaria** (Gulick): 22, vol. 6, p. 209, pl. 7, fig. 35, 1856; 26, 2d ser., vol. 22, p. 63, pl. 15, figs. 13-17, 1912-1914 (Maui).
Synonym: *Achatinella lignaria* Gulick.
- Partulina tessellata** (Newcomb): 22, vol. 6, p. 19, 1853; 26, 2d ser., vol. 22, p. 28, pl. 6, figs. 12-21, 1912-1914 (Molokai).
Synonym: *Achatinella tessellata* Newcomb.
- Partulina tessellata meyeri** Borcherding: 30, p. 55, 1901; 26, 2d ser., vol. 22, p. 29, pl. 7, figs. 1, 2, 1912-1914 (Molokai).
Synonym: *Partulina meyeri* Borcherding.
- Partulina thaanumiana** Pilsbry: 26, 2d ser., vol. 22, p. 112, pl. 18, figs. 6, 7, 1912-1914 (Maui).
- Partulina theodorei** (Baldwin): 1, 1895, p. 226, pl. 10, fig. 27; 26, 2d ser., vol. 22, p. 33, pl. 9, figs. 14, 15, 1912-1914 (Molokai).
Synonym: *Achatinella theodorei* Baldwin.
- Partulina theodorei multistrigata** Pilsbry: 26, 2d ser., vol. 22, p. 34, pl. 9, figs. 12, 13, 16, 1912-1914 (Molokai).
- Partulina thwingii** Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 357, pl. 54, figs. 6, 6a, 6b, 1912-1914 (Maui).
- Partulina ustulata** (Gulick): 22, vol. 6, p. 211, pl. 7, fig. 37, 1856; 26, 2d ser., vol. 22, p. 47, pl. 13, figs. 5, 6, 1912-1914 (Maui).
Synonym: *Achatinella ustulata* Gulick.
- Partulina variabilis** (Newcomb): 52, 1853, p. 154, pl. 24, fig. 70; 26, 2d ser., vol. 22, p. 83, pl. 21, fig. 14; pl. 22, figs. 1-12, 1912-1914 (Lanai).
Synonym: *Achatinella variabilis* Newcomb.
- Partulina variabilis lactea** (Gulick): 22, vol. 6, p. 198, 1856; 26, 2d ser., vol. 22, p. 86, pl. 22, figs. 15, 16, 1912-1914 (Lanai).
Synonyms: *Achatinella lactea* Gulick; *Achatinella saccata* Pfeiffer.

Partulina virgulata (Mighels): 7, 1845, vol. 2, p. 20; 26, 2d ser., vol. 22, p. 25, pl. 6, figs. 1-6, 9, 10, 1912-1914 (Molokai).

Synonym: *Partula virgulata* Mighels.

Partulina virgulata halawaensis (Baldwin): In coll. cf. 50, vol. 19, p. 52, pl. 1, figs. 13-16, 1906; 26, 2d ser., vol. 22, p. 27, pl. 6, figs. 7, 8, 11, 1912-1914 (Molokai).

Synonym: *Achatinella virgulata halawaensis* Baldwin.

Partulina virgulata kaluaahacola Pilsbry: 26, 2d ser., vol. 22, p. 359, pl. 26, figs. 3, 3a, 1912-1914 (Molokai).

Partulina winniei Baldwin: 45, vol. 22, p. 67, 1908; 26, 2d ser., vol. 22, p. 44, pl. 13, figs. 1-3, 1912-1914 (Maui).

Partulina zebra (Newcomb): 22, vol. 6, p. 142, 1855; 26, 2d ser., vol. 22, p. 19, 1912-1914 (Maui).

Synonym: *Achatinella zebra* Newcomb.

Partulina zebrina (Pfeiffer): 52, 1855, p. 202; 26, 2d ser., vol. 22, p. 20, pl. 5, figs. 5, 8-12, 1912-1914 (Maui).

Synonym: *Achatinella zebrina* Pfeiffer.

Achatinella abbreviata Reeve: 35, vol. 6, pl. 3, fig. 19, 1850; 26, 2d ser., vol. 22, p. 123, pl. 31, figs. 1-5a, 1899 (Oahu).

Synonyms: *Achatinella bacca* Reeve; *Achatinella nivosa* Newcomb; *Achatinella clementina* Pfeiffer.

Achatinella apexfulva (Dixon): 9, p. 354; 26, 2d ser., vol. 22, p. 317, pl. 50, fig. 15; pl. 60, figs. 1-1c, 1912-1914 (Oahu).

Synonyms: *Helix apex fulva* Dixon; *Turbo lugubris* Chemnitz; *Mondonta seminigra* Lamarck; *Achatinella pica* Swainson.

Achatinella apexfulva alba Sykes: 44, vol. 2, p. 299, 1900; 26, 2d ser., vol. 22, p. 324, 1912-1914 (Oahu).

Synonym: *Achatinella apicata alba* Sykes (not *Achatinella alba* Nuttall).

Achatinella apexfulva aloha Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 330, pl. 60, figs. 15, 16, 1912-1914 (Oahu).

Achatinella apexfulva apicata Newcomb: 52, 1855, p. 210; 26, 2d ser., vol. 22, p. 324, pl. 60, figs. 4-7b, 1912-1914 (Oahu).

Synonyms: *Achatinella apicata* Newcomb; *Achatinella swiftii* var. Newcomb; *Apex gulickii* Smith; *Apex lilaceus* Gulick.

Achatinella apexfulva beata Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 329, pl. 60, figs. 17-17c; pl. 55, fig. 5, 1912-1914 (Oahu).

Achatinella apexfulva vespertina Baldwin: 1, 1895, p. 219, pl. 10, fig. 14; 26, 2d ser., vol. 22, p. 322, pl. 60, figs. 2, 3, 1912-1914 (Oahu).

Synonym: *Achatinella vespertina* Baldwin.

Achatinella apexfulva vespertina duplocincta Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 323, pl. 55, figs. 6-8, 1912-1914 (Oahu).

Achatinella bellula Smith: 52, 1873, p. 77, pl. 9, fig. 8; 26, 2d ser., vol. 22, p. 230, pl. 41, figs. 10-10d; pl. 48, figs. 1-18, 1912-1914 (Oahu).

Synonym: *Achatinella multizonata* Baldwin.

Achatinella buddii Newcomb: 52, 1853, p. 155, pl. 24, fig. 73; 26, 2d ser., vol. 22, p. 187, pl. 36, figs. 7-8a, 1912-1914 (Oahu).

Synonym: *Achatinella fuscozona* Smith.

Achatinella bulimoides Swainson: 36, p. 86, 1828; 26, 2d ser., vol. 22, p. 154, pl. 33, figs. 1-1j, 3-4, 1912-1914 (Oahu).

Achatinella bulimoides glabra Newcomb: 52, 1853, p. 139, pl. 22, fig. 25; 26, 2d ser., vol. 22, p. 164, pl. 29, fig. 25; pl. 33, figs. 8-11, 1912-1914 (Oahu).

Synonym: *Achatinella glabra* Newcomb.

Achatinella bulimoides mistura Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 156, pl. 33, figs. 5-5c, 6-7, 1912-1914 (Oahu).

Achatinella bulimoides obliqua Gulick: 22, vol. 6, p. 245, pl. 8, fig. 63, 1858; 26, 2d ser., vol. 22, p. 158, pl. 28, fig. 8-9a, 1912-1914 (Oahu).

Synonyms: *Achatinella obliqua* Gulick; *Achatinella oomorpha* Gulick.

Achatinella bulimoides ovata Newcomb: 22, vol. 6, p. 22, 1853; 26, 2d ser., vol. 22, p. 160, pl. 28, figs. 1-1d, 2; pl. 29, figs. 2, 2a; pl. 33, fig. 2, 1912-1914 (Oahu).

Synonyms: *Achatinella ovata* Newcomb; *Achatinella candida* Pfeiffer; *Achatinella vidua* Pfeiffer; *Achatinella wheatleyi* Newcomb.

Achatinella bulimoides rotunda Gulick: 22, vol. 6, p. 248, pl. 8, fig. 67, 1858; 26, 2d ser., vol. 22, p. 163, pl. 28, figs. 3-6, 1912-1914 (Oahu).

Synonym: *Achatinella rotunda* Gulick.

Achatinella bulimoides spadicea Gulick: 22, vol. 6, p. 247, 1858; 26, 2d ser., vol. 22, p. 157, pl. 33, figs. 13, 13a, 1912-1914 (Oahu).

Synonym: *Achatinella spadicea* Gulick.

Achatinella byronii (Wood): 48, p. 22, pl. 7, fig. 30, 1828; 26, 2d ser., vol. 22, p. 133, pl. 27, figs. 1-1e, 3 (Oahu).

Synonyms: *Helix byronii* Wood; *Achatinella melanostoma* Newcomb; *Achatinella limbata* Gulick.

Achatinella byronii nigricans Pilsbry: 26, 2d ser., vol. 22, p. 138, pl. 31, figs. 10-12, 1912-1914 (Oahu).

Achatinella byronii rugosa Newcomb: 52, 1853, p. 138, pl. 22, figs. 22, 22a; 26, 2d ser., vol. 22, p. 135, pl. 27, figs. 8-10a; pl. 29, figs. 22, 22a, 1912-1914 (Oahu).

Synonym: *Achatinella rugosa* Newcomb.

Achatinella byronii rugosa capax Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 137, pl. 31, figs. 7-7b, 1912-1914 (Oahu).

Achatinella byronii rugosa waimanoensis Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 137, pl. 31, figs. 9-9d, 1912-1914 (Oahu).

Achatinella caesia Gulick: 22, vol. 6, p. 234, pl. 8, fig. 53, 1858; 26, 2d ser., vol. 22, p. 263, pl. 44, figs. 13-16, 1912-1914 (Oahu).

Synonyms: *Achatinella concidens* Gulick; *Achatinella formosa* Gulick; *Achatinella cognata* Gulick; *Achatinella scitula* Gulick; *Achatinella cervina* Gulick; *Achatinella caesia littoralis* Pilsbry and Cooke (fossil).

Achatinella casta Newcomb: 52, 1853, p. 134, pl. 22, fig. 12; 26, 2d ser., vol. 22, p. 235, pl. 41, figs. 12-16; pl. 49, figs. 1-16, 1912-1914 (Oahu).

Synonyms: *Achatinella cuneus* Pfeiffer; *Achatinella concolor* Smith; *Achatinella pygmaea* Smith; *Achatinella ligata* Smith.

Achatinella casta margaretae Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 240, pl. 42, figs. 9, 10, 1912-1914 (Oahu).

Achatinella cestus Newcomb: 52, 1853, p. 132, pl. 22, fig. 8; 26, 2d ser., vol. 22, p. 286, pl. 29, fig. 8; pl. 52, figs. 12-14a; pl. 55, fig. 1, 1912-1914 (Oahu).

Synonym: *Achatinella forbesiana* Pfeiffer.

Achatinella concavospira Pfeiffer: 52, 1859, p. 30; 26, 2d ser., vol. 22, p. 351, pl. 52, fig. 16; pl. 61, figs. 12-12d; pl. 62, figs. 24, 25, 1912-1914 (Oahu).

Achatinella concavospira griseizona Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 353, pl. 61, figs. 10-10b, 1912-1914 (Oahu).

Achatinella concavospira turbiniformis (Gulick): 52, 1873, p. 81, pl. 10, fig. 7; 26, 2d ser., vol. 22, p. 353, pl. 62, figs. 22, 23, 1912-1914 (Oahu).
Synonym: *Apex turbiniformis* Gulick.

Achatinella curta Newcomb: 52, 1853, p. 144, pl. 23, fig. 43; 26, 2d ser., vol. 22, p. 252, pls. 45, 46, 1912-1914 (Oahu).

Synonyms: *Achatinella rhodoraphe* Smith; *Achatinella undulata* Newcomb; *Achatinella delta* Gulick.

Achatinella decipiens Newcomb: 52, 1853, p. 153, pl. 24, fig. 68; 26, 2d ser., vol. 22, p. 145, pl. 32, figs. 2-6c, 1912-1914 (Oahu).

Synonyms: *Achatinella corrugata* Gulick; *Achatinella torrida* Gulick.

Achatinella decipiens kaliwaaensis Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 150, pl. 32, figs. 1-1b, 1912-1914 (Oahu).

Achatinella decipiens swainsoni Pfeiffer: 52, 1855, p. 4, pl. 30, fig. 13; 26, 2d ser., vol. 22, p. 150, pl. 30, fig. 13, 1912-1914 (Oahu).

Synonym: *Achatinella swainsoni* Pfeiffer.

Achatinella decora (Ferussac): 13, p. 56, no. 430, 1821; 26, 2d ser., vol. 22, p. 331, pl. 61, figs. 1-6, 1912-1914 (Oahu).

Synonyms: *Helix decora* Ferussac; *Turbo lugubris sinistrorsus* Chemnitz; *Achatinella perversa* Swainson; *Achatinella quernea* Frick; *Apex tumefaciens* Gulick; (not *Achatinella decora* Reeve).

Achatinella dimorpha Gulick: 22, vol. 6, p. 236, pl. 8, fig. 56, 1858; 26, 2d ser., vol. 22, p. 258, pl. 42, figs. 15-20, pl. 47, 1912-1914 (Oahu).

Synonyms: *Achatinella albescens* Gulick; *Achatinella zonata* Gulick; *Achatinella contracta* Gulick.

Achatinella elegans Newcomb: 52, 1853, p. 149, pl. 24, fig. 57; 26, 2d ser., vol. 22, p. 166, pl. 28, figs. 12-13d; pl. 32, fig. 15, 1912-1914 (Oahu).

Achatinella elegans wheatleyana Pilsbry: 26, 2d ser., vol. 22, p. 168, pl. 28, figs. 11-11b, 1912-1914 (Oahu).

Achatinella fulgens Newcomb: 52, 1853, p. 77, pl. 9, fig. 15; 26, 2d ser., vol. 22, p. 190, pl. 36, figs. 1-6e; pl. 37, figs. 1-9; pl. 43, figs. 2-4c, 1912-1914 (Oahu).

Synonyms: *Achatinella liliacea* Pfeiffer; *Achatinella crassidentata* Pfeiffer; *Achatinella augusta* Smith; *Achatinella trilineata* Gulick; *Achatinella plumata* Gulick; *Achatinella diversa* Gulick; *Achatinella varia* Gulick.

Achatinella fulgens ampla Newcomb: 52, 1853, p. 137, pl. 22, fig. 19; 26, 2d ser., vol. 22, p. 198, pl. 29, fig. 19; pl. 54, figs. 7-7e, 1912-1914 (Oahu).

Synonym: *Achatinella ampla* Newcomb.

Achatinella fulgens versipellis Gulick: 22, vol. 6, p. 224, pl. 7, fig. 44, 1856; 26, 2d ser., vol. 22, p. 196, pl. 43, figs. 5-7d, 1912-1914 (Oahu).

Synonyms: *Achatinella versipellis* Gulick; *Achatinella fuscolineata* Smith.

Achatinella fuscobasis (Smith): 52, 1873, p. 77, pl. 9, fig. 15; 26, 2d ser., vol. 22, p. 170, pl. 35, figs. 1-4, 1912-1914 (Oahu).

Synonyms: *Bulimella fuscobasis* Smith; *Achatinella luteostoma* Baldwin.

Achatinella fuscobasis lyonsiana Baldwin: 1, 1895, p. 218, pl. 10, figs. 9-11; 26, 2d ser., vol. 22, p. 172, pl. 35, figs. 5-7, 1912-1914 (Oahu).

Synonym: *Achatinella lyonsiana* Baldwin.

Achatinella fuscobasis wilderi Pilsbry: 26, 2d ser., vol. 22, p. 173, pl. 41, figs. 1-3a, 1912-1914 (Oahu).

Achatinella juddii Baldwin: 1, 1895, p. 216, pl. 10, figs. 3, 4; 26, 2d ser., vol. 22, p. 244, pl. 49, figs. 17-22, 1912-1914 (Oahu).

Achatinella juncea Gulick: 22, vol. 6, p. 230, pl. 7, fig. 49, 1856; 26, 2d ser., vol. 22, p. 241, pl. 42, figs. 11-14, 1912-1914 (Oahu).

Achatinella lehuiensis Smith: 52, 1873, p. 76, pl. 9, fig. 4; 26, 2d ser., vol. 22, p. 271, pl. 41, fig. 11, 1912-1914 (Oahu).

Achatinella lehuiensis gulickiana Pilsbry: 26, 2d ser., vol. 22, p. 273, pl. 42, fig. 5, 1912-1914 (Oahu).

Achatinella lehuiensis meinickei Pilsbry and Cooke: 45, vol. 34, p. 109, 1921 (Oahu).

- Achatinella leucorraphe** (Gulick): 52, 1873, p. 79, pl. 10, fig. 2; 26, 2d ser., vol. 22, p. 301, pl. 59, fig. 8, 1912-1914 (Oahu).
 Synonym: *Apex leucorraphe* Gulick.
- Achatinella leucorraphe irwini** Pilsbry: 26, 2d ser., vol. 22, p. 302, pl. 59, figs. 9-15a, 1912-1914 (Oahu).
- Achatinella lila** Pilsbry: 26, 2d ser., vol. 22, p. 139, pl. 31, figs. 15-15d, 1912-1914 (Oahu).
- Achatinella livida** Swainson: 36, p. 85, 1828; 26, 2d ser., vol. 22, p. 246, pl. 53, figs. 1-9, 1912-1914 (Oahu).
- Achatinella livida emersoni** Newcomb: 52, 1853, p. 156, pl. 24, fig. 74; 26, 2d ser., vol. 22, p. 247, pl. 53, figs. 10-12, 1912-1914 (Oahu).
 Synonym: *Achatinella emersoni* Newcomb.
- Achatinella livida herbacea** Gulick: 22, vol. 6, p. 233, pl. 8, fig. 52, 1858; 26, 2d ser., vol. 22, p. 251, pl. 44, figs. 1-4, 1912-1914 (Oahu).
 Synonym: *Achatinella herbacea* Gulick.
- Achatinella livida recta** Newcomb: 52, 1853, p. 145, pl. 23, fig. 45; 26, 2d ser., vol. 22, p. 248, pl. 30, fig. 45; pl. 53, figs. 13-21, 1912-1914 (Oahu).
 Synonyms: *Achatinella recta* Newcomb; *Achatinella glauca* Gulick.
- Achatinella lorata** (Ferussac): 34, p. 479, pl. 68, figs. 8-12, 1824; 26, 2d ser., vol. 22, p. 278, pl. 51, pl. 52, figs. 1-7, 1912-1914 (Oahu).
 Synonyms: *Helix lorata* Ferussac; *Achatinella hanleyana* Pfeiffer; *Achatinella ventrosa* Pfeiffer; *Achatinella alba* Nuttall; *Achatinella pallida* Nuttall.
- Achatinella lorata nobilis** Pfeiffer: 52, 1855, p. 202; 26, 2d ser., vol. 22, p. 283, pl. 50, figs. 1-5, 1912-1914 (Oahu).
 Synonym: *Achatinella nobilis* Pfeiffer.
- Achatinella lorata pulchella** Pfeiffer: 52, 1855, p. 6, pl. 30, fig. 2; 26, 2d ser., vol. 22, p. 284, pl. 30, fig. 2; pl. 50, figs. 9-14, 1912-1914 (Oahu).
 Synonym: *Achatinella pulchella* Pfeiffer.
- Achatinella mustelina** Mighels: 7, 1845, vol. 2, p. 20; 26, 2d ser., vol. 22, p. 342, pl. 62, figs. 1, 2; pl. 63, 1912-1914 (Oahu).
 Synonyms: *Achatinella vestita* Mighels; *Achatinella multilineata* Newcomb; *Achatinella monacha* Pfeiffer.
- Achatinella mustelina lymaniana** Baldwin: 1, 1895, p. 219, pl. 10, figs. 12, 13; 26, 2d ser., vol. 22, p. 350, pl. 61, figs. 8-9b, 11, 1912-1914 (Oahu).
 Synonym: *Achatinella lymaniana* Baldwin.
- Achatinella mustelina makahaensis** Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 345, pl. 62, figs. 3, 4, 1912-1914 (Oahu).
- Achatinella mustelina sordida** Newcomb: 52, 1853, p. 139, pl. 23, fig. 27; 26, 2d ser., vol. 22, p. 349, pl. 30, fig. 27; pl. 62, figs. 5-11, 1912-1914 (Oahu).

Synonyms: *Achatinella sordida* Newcomb; *Achatinella napus* Pfeiffer.

Achatinella papyracea Gulick: 22, vol. 6, p. 229, pl. 7, fig. 48, 1856; 26, 2d ser., vol. 22, p. 243, pl. 42, figs. 7, 8; pl. 54, figs. 8-10, 14, 14a, 1912-1914 (Oahu).

Achatinella phaeozona Gulick: 22, vol. 6, p. 214, pl. 7, fig. 40, 1856; 26, 2d ser., vol. 22, p. 184, pl. 24, figs. 10-13; pl. 36, figs. 10, 10a; pl. 43, figs. 1-1d, 1912-1914 (Oahu).

Achatinella pulcherrima Swainson: 36, p. 86, 1828; 26, 2d ser., vol. 22, p. 140, pl. 27, figs. 5-5g, 6; pl. 31, figs. 13, 14, 1912-1914 (Oahu).

Synonym: *Achatinella mahogani* Gulick.

Achatinella pulcherrima nympha Gulick: 22, vol. 6, p. 251, pl. 8, fig. 69, 1858; 26, 2d ser., vol. 22, p. 144, pl. 27, figs. 7-7b; pl. 32, figs. 13, 14, 1912-1914 (Oahu).

Synonym: *Achatinella nympha* Gulick.

Achatinella pupukanioe Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 174, pl. 35, figs. 14-17, 1912-1914 (Oahu).

Achatinella rosea Swainson: 36, p. 85, 1828; 26, 2d ser., vol. 22, p. 151, pl. 34, figs. 1-8b, 1912-1914 (Oahu).

Synonym: *Achatinella bulimoides rosea* Swainson.

Achatinella solitaria Newcomb: 52, 1853, p. 150, pl. 24, fig. 60; 26, 2d ser., vol. 22, p. 204, pl. 43, fig. 9, 1912-1914 (Oahu).

Achatinella sowerbyana Pfeiffer: 52, 1855, p. 4, pl. 30, fig. 14; 26, 2d ser., vol. 22, p. 175, pl. 30, figs. 14, 14a; pl. 34, figs. 9, 10, 1912-1914 (Oahu).

Synonym: *Achatinella oviformis* Newcomb.

Achatinella sowerbyana dextroversa Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 179, pl. 35, figs. 8-13, 1912-1914 (Oahu).

Achatinella sowerbyana laiensis Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 178, pl. 34, figs. 15, 15a, 1912-1914 (Oahu).

Achatinella sowerbyana roseoplica Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 180, pl. 34, fig. 12, 1912-1914 (Oahu).

Achatinella sowerbyana thurstoni Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 177, pl. 34, figs. 13-14b, 1912-1914 (Oahu).

Achatinella spaldingi Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 271, pl. 42, figs. 1-3, 1912-1914 (Oahu).

Achatinella stewartii (Green): 23, pt. 2, p. 47, pl. 4, figs. 1-4, 1827; 26, 2d ser., vol. 22, p. 204, pl. 38, figs. 1-6a, 14, 16, 21, 1912-1914 (Oahu).
Synonyms: *Achatina stewartii* Green; *Achatinella fuscozona* Gulick; *Achatinella pulcherrima* Reeve; *Achatinella venulata* var. Newcomb; *Achatinella byronii* Gray; *Achatinella johnsoni* Newcomb; *Achatinella aplustre* Newcomb.

Achatinella stewartii producta Reeve: 35, vol. 6, sp. 13, 1850; 26, 2d ser., vol. 22, p. 207, pl. 38, figs. 7-13; pl. 43, figs. 10-10b, 1912-1914 (Oahu).

Synonyms: *Achatinella bilineata* Reeve; *Achatinella venulata* Newcomb; *Achatinella hybrida* Newcomb; *Achatinella dunkeri* (Cuming) Pfeiffer.

Achatinella swiftii Newcomb: 52, 1853, p. 133, pl. 22, figs. 9, 9a; 26, 2d ser., vol. 22, p. 306, pl. 58; pl. 59, figs. 1-4e, 6, 7, 1912-1914 (Oahu).

Synonyms: *Apex albospira* Smith; *Apex innotabilis* Smith; *Apex neglectus* Smith; *Apex versicolor* Gulick; *Apex flavidus* Gulick; *Apex coniformis* Gulick; *Apex tuberans* Gulick; *Apex polymorpha* Gulick.

Achatinella swiftii chromatacme Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 316, pl. 59, figs. 5-5b, 1912-1914 (Oahu).

Achatinella (swiftii ?) dolium Pfeiffer: 52, 1855, p. 5, pl. 30, fig. 15; 26, 2d ser., vol. 22, p. 316, pl. 30, fig. 15, 1912-1914 (habitat, given as Molokai, is undoubtedly an error).

Synonym: *Achatinella dolium* Pfeiffer.

Achatinella taeniolata Pfeiffer: 52, 1846, p. 38; 26, 2d ser., vol. 22, p. 130, pl. 24, figs. 14-19; pl. 25, figs. 13-13c, 1912-1914 (Oahu).

Synonym: *Achatinella rubiginosa* Newcomb.

Achatinella thaanumi Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 273, pl. 42, figs. 5, 6, 1912-1914 (Oahu).

Achatinella turgida Newcomb: 52, 1853, p. 134, pl. 22, figs. 10, 10a; 26, 2d ser., vol. 22, p. 294, pl. 29, figs. 10, 10a; pl. 56, figs. 1-4, 1912-1914 (Oahu).

Achatinella turgida cookei Baldwin: 1, 1895, p. 220, pl. 10, fig. 15; 26, 2d ser., vol. 22, p. 300, pl. 57, figs. 15-17, 1912-1914 (Oahu).

Synonym: *Achatinella cookei* Baldwin.

Achatinella turgida ovum Pfeiffer: 52, 1856, p. 334; 26, 2d ser., vol. 22, p. 297, pl. 56, figs. 6-12; pl. 59, fig. 17, 1912-1914 (Oahu).

Synonym: *Achatinella ovum* Pfeiffer.

Achatinella turgida perplexa Pilsbry: 26, 2d ser., vol. 22, p. 296, pl. 56, figs. 5-5f, 1912-1914 (Oahu).

Achatinella turgida simulacrum Pilsbry: 26, 2d ser., vol. 22, p. 299, pl. 56, figs. 13-14d, 1912-1914 (Oahu).

Achatinella valida Pfeiffer: 52, 1855, p. 6, pl. 30, fig. 24; 26, 2d ser., vol. 22, p. 334, pl. 30, fig. 24; pl. 52, figs. 15-15e, 1912-1914 (Oahu).

Achatinella valida cinerosa Pfeiffer: 52, 1855, p. 2, pl. 30, fig. 5; 26, 2d ser., vol. 22, p. 336, pl. 30, fig. 5; pl. 55, figs. 9-18, 1912-1914 (Oahu).

Synonym: *Apex leucozonous* Gulick.

Achatinella valida kahukuensis Pilsbry and Cooke: 26, 2d ser., vol. 22, p. 338, pl. 52, figs. 17, 17a, 1912-1914 (Oahu).

Achatinella valida leucophaea (Gulick): 52, 1873, p. 82, pl. 9, fig. 16; 26, 2d ser., vol. 22, p. 336, pl. 55, figs. 19-22, 1912-1914 (Oahu).

Synonym: *Apex leucophaeus* Gulick.

Achatinella viridans Mighels: 7, 1845, vol. 2, p. 20; 26, 2d ser., vol. 22, p. 125, pl. 25, figs. 1-4; pl. 31, figs. 6, 6a, 1912-1914 (Oahu).

Synonyms: *Achatinella radiata* Pfeiffer; *Achatinella subvirens* Newcomb; *Achatinella rutila* Newcomb; *Achatinella macrostoma* Pfeiffer.

Achatinella vittata Reeve: 35, vol. 6, pl. 2, fig. 9, 1850; 26, 2d ser., vol. 22, p. 289, pl. 57, figs. 1-5b, 1912-1914 (Oahu).

Synonyms: *Helix decora* Ferussac; *Achatinella globosa* Pfeiffer.

Achatinella vittata cinerea Sykes: 44, vol. 2, p. 305, 1900; 26, 2d ser., vol. 22, p. 291, pl. 57, figs. 6-6b, 7, 1912-1914 (Oahu).

Achatinella vittata simulans Reeve: 35, vol. 6, pl. 2, fig. 15, 1850; 26, 2d ser., vol. 22, p. 292, pl. 57, figs. 8-14c, 1912-1914 (Oahu).

Synonyms: *Achatinella simulans* Reeve; *Apex albofasciata* Smith.

Achatinella vulpina (Ferussac): 34, p. 477, pl. 68, figs. 13, 14; 26, 2nd ser., vol. 22, p. 212, pls. 39-40, pl. 41, figs. 5-7, 1912-1914 (Oahu).

Synonyms: *Helix vulpina* Ferussac; *Achatinella castanea* Reeve; *Achatinella adusta* Reeve; *Achatinella ernestina* Baldwin; *Achatinella olivacea* Reeve; *Achatinella prasinus* Reeve; *Achatinella virens* Gulick; *Achatinella cucumis* Gulick; *Achatinella analoga* Gulick; *Achatinella colorata* Gulick; *Achatinella longispira* Smith.

Achatinella vulpina colorata Reeve: 35, vol. 6, pl. 3, fig. 18, 1850; 26, 2d ser., vol. 22, p. 224, pl. 41, figs. 8-8e, 1912-1914 (Oahu).

Synonyms: *Achatinella consanguinea* Smith; *Achatinella ustulata* Newcomb.

Achatinella vulpina tricolor Smith: 52, 1873, p. 76, pl. 9, fig. 6; 26, 2d ser., vol. 22, p. 226, pl. 37, figs. 10-11b, 1912-1914 (Oahu).

Synonym: *Achatinella tricolor* Smith.

AMASTRIDAE

Leptachatina accincta (Mighels): 7, 1845, vol. 2, p. 20; 26, 2d ser., vol. 21, p. 25, pl. 3, figs. 53, 56, 1911 (Oahu).

Synonyms: *Achatina accincta* Mighels; *Achatinella margarita* Pfeiffer; *Achatinella granifera* Gulick (not *Achatinella accincta* Gould).

Leptachatina acuminata (Gould): 7, 1848, vol. 2, p. 200; 26, 2d ser., vol. 21, p. 5, pl. 7, fig. 41, 1911 (Kauai).

Synonym: *Achatinella acuminata* Gould.

Leptachatina anceyana Cooke: 26, 2d ser., vol. 21, p. 39, pl. 1, figs. 18, 19, 1911 (Hawaii, fossil).

Leptachatina antiqua Pease: 52, 1869, p. 651; 26, 2d ser., vol. 21, p. 7, pl. 8, figs. 60-62, 1911 (Kauai, fossil).

Leptachatina approximans Ancey: 20, p. 222, 1897; 26, 2d ser., vol. 21, p. 52, pl. 3, fig. 46, 1911 (Oahu).

- Leptachatina arborea** Sykes: 44, vol. 2, p. 357, pl. 11, fig. 21, 1900; 26, 2d ser., vol. 21, p. 38, pl. 1, figs. 5-7, 1911 (Hawaii).
- Leptachatina artata** Cooke: 26, 2d ser., vol. 21, p. 80, pl. 13, figs. 1-4, 1911 (Oahu).
- Leptachatina attenuata** Cooke: 26, 2d ser., vol. 21, p. 69, pl. 7, figs. 45, 46, 1911 (Kauai).
- Leptachatina baldwini** Cooke: 26, 2d ser., vol. 21, p. 12, pl. 2, figs. 33, 41, 1911 (Maui).
- Leptachatina balteata** Pease: 52, 1869, p. 651; 26, 2d ser., vol. 21, p. 70, pl. 7, figs. 27, 28, 30, 31, 1911 (Kauai).
- Leptachatina brevicula** Pease: 17, vol. 17, p. 169, 1869; 26, 2d ser., vol. 21, p. 24, pl. 8, fig. 54, 1911 (Kauai).
- Leptachatina brevicula micra** Cooke: 26, 2d ser., vol. 21, p. 24, pl. 8, fig. 55, 1911 (Kauai).
- Leptachatina callosa** (Pfeiffer): 52, 1856, p. 334; 26, 2d ser., vol. 21, p. 78, 1911 (Oahu).
Synonym: Achatinella callosa Pfeiffer.
- Leptachatina captiosa** Cooke: 26, 2d ser., vol. 21, p. 29, pl. 11, fig. 12, 1911 (Oahu).
- Leptachatina cerealis** (Gould): 7, 1847, vol. 2, p. 201; 26, 2d ser., vol. 21, p. 13, pl. 11, fig. 7, 1911 (Oahu).
Synonym: Achatinella cerealis Gould.
- Leptachatina chrysallis** (Pfeiffer): 52, 1855, p. 99; 26, 2d ser., vol. 21, p. 82, pl. 4, figs. 77, 78, 1911 (Oahu).
Synonyms: Achatina chrysallis Pfeiffer; Leptachatina columna Ancey.
- Leptachatina cingula** (Mighels): 7, 1845, vol. 2, p. 21; 26, 2d ser., vol. 21, p. 52, pl. 5, figs. 85-88; pl. 12, fig. 5, 1911 (Oahu).
Synonyms: Achatinella cingula Mighels (not Pfeiffer); Achatinella fumosa Newcomb; Achatinella vitrea Newcomb.
- Leptachatina compacta** (Pease): 17, vol. 17, p. 172, 1869; 26, 2d ser., vol. 21, p. 44, pl. 2, fig. 25, 1911 (Maui).
Synonym: Labiella compacta Pease.
- Leptachatina concolor** Cooke: 26, 2d ser., vol. 21, p. 31, pl. 6, figs. 9, 10, 1911 (Molokai).
- Leptachatina conicoides** Sykes: 44, vol. 2, p. 359, pl. 11, fig. 26, 1900; 26, 2d ser., vol. 21, p. 32, pl. 6, figs. 11, 14, 15, 1911 (Molokai).
- Leptachatina conspicienda** Cooke: 26, 2d ser., vol. 21, p. 56, pl. 11, fig. 10, 1911 (Maui).
- Leptachatina convexiuscula** Sykes: 44, vol. 2, p. 360, pl. 11, fig. 11, 1900; 26, 2d ser., vol. 21, p. 19, pl. 9, figs. 1, 2, 5, 1911 (Oahu).
- Leptachatina cookei** Pilsbry: 45, vol. 28, p. 61, 1914 (Oahu, fossil).

- Leptachatina corneola** (Pfeiffer): 52, 1845, p. 90; 26, 2d ser., vol. 21, p. 58, 1911 (Oahu?).
Synonym: *Achatinella corneola* Pfeiffer.
- Leptachatina coruscans** Hartman: 1, 1888, p. 52, pl. 1, fig. 16; 26, 2d ser., vol. 21, p. 41, pl. 6, figs. 6, 7, 1911 (Molokai).
- Leptachatina coruscans dissimilis** Cooke: 26, 2d ser., vol. 21, p. 42, pl. 6, fig. 8, 1911 (Molokai).
- Leptachatina costulata** (Gulick): 22, vol. 6, p. 177, pl. 6, fig. 5, 1856; 26, 2d ser., vol. 21, p. 63, pl. 4, fig. 80, 1911 (Oahu).
Synonym: *Achatinella costulata* Gulick.
- Leptachatina costulosa** Pease: 52, 1869, p. 651; 26, 2d ser., vol. 21, p. 71, pl. 7, fig. 42; pl. 12, fig. 6, 1911 (Kauai).
- Leptachatina crystallina** (Gulick): 22, vol. 6, p. 186, pl. 6, fig. 14, 1856; 26, 2d ser., vol. 21, p. 26, pl. 3, fig. 50 (Oahu).
Synonym: *Achatinella crystallina* Gulick.
- Leptachatina cuneata** Cooke: 26, 2d ser., vol. 21, p. 6, pl. 10, figs. 1, 2 (Kauai).
- Leptachatina cylindrata** Pease: 17, vol. 17, p. 168, 1869; 26, 2d ser., vol. 21, p. 18, pl. 8, figs. 63, 64, 1911 (Kauai).
- Leptachatina defuncta** Cooke: 26, 2d ser., vol. 21, p. 39, pl. 1, fig. 16, 1911 (Hawaii, fossil).
- Leptachatina dimidiata** (Pfeiffer): 52, 1855, p. 205; 26, 2d ser., vol. 21, p. 47, pl. 5, figs. 93-96, 1911 (Oahu).
Synonyms: *Achatinella dimidiata* Pfeiffer; *Leptachatina singula* Hartman.
- Leptachatina dormitor** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 6, pl. 11, fig. 3, 1915-1916 (Molokai, fossil).
- Leptachatina dulcis** Cooke: 26, 2d ser., vol. 21, p. 85, pl. 13, figs. 8, 10, 1911 (Maui).
- Leptachatina emerita** Sykes: 44, vol. 2, p. 361, pl. 11, fig. 10, 1900; 26, 2d ser., vol. 21, p. 31, pl. 6, figs. 1-3, 1911 (Molokai).
- Leptachatina exilis** (Gulick): 22, vol. 6, p. 188, pl. 6, fig. 16, 1856; 26, 2d ser., vol. 21, p. 19, pl. 9, figs. 6, 10, 1911 (Oahu).
Synonym: *Achatinella exilis* Gulick.
- Leptachatina exoptabilis** Cooke: 26, 2d ser., vol. 21, p. 21, pl. 10, figs. 5, 6, 1911 (Oahu, fossil).
- Leptachatina extensa** Pease: 52, 1869, p. 651; 26, 2d ser., vol. 21, p. 71, pl. 8, fig. 67, 1911 (Kauai).
- Leptachatina fossilis** Cooke: 26, 2d ser., vol. 21, p. 61, pl. 8, figs. 58, 59, 1911 (Kauai, fossil).
- Leptachatina fraterna** Cooke: 26, 2d ser., vol. 21, p. 91, pl. 12, figs. 8, 11, 1911 (Kauai).

- Leptachatina fulgida** Cooke: 26, 2d ser., vol. 21, p. 12, pl. 2, figs. 39, 40, 1911 (Maui).
- Leptachatina fumida** (Gulick): 22, vol. 6, p. 181, pl. 6, fig. 9, 1856; 26, 2d ser., vol. 21, p. 40, pl. 3, fig. 58, 1911 (Oahu).
Synonym: Achatinella fumida Gulick.
- Leptachatina fusca** (Newcomb): 22, vol. 6, p. 28, 1853; 26, 2d ser., vol. 21, p. 89, pl. 4, figs. 65-69, 1911 (Oahu).
Synonyms: Achatinella fusca Newcomb; Achatinella irregularis Pfeiffer (cf. 26, 2d ser., vol. 21, p. 355, 1911).
- Leptachatina fusca striatella** (Gulick): 22, vol. 6, p. 178, pl. 6, fig. 6, 1856; 26, 2d ser., vol. 21, p. 91, pl. 4, figs. 70-72, 1911 (Oahu).
Synonym: Achatinella striatella Gulick.
- Leptachatina fuscula** (Gulick): 22, vol. 6, p. 180, pl. 6, fig. 8, 1856; 26, 2d ser., vol. 21, p. 84, pl. 3, fig. 51, 1911 (Oahu).
Synonym: Achatinella fuscula Gulick.
- Leptachatina gayi** Cooke: 26, 2d ser., vol. 21, p. 72, pl. 7, figs. 39, 40, 1911 (Kauai).
- Leptachatina glutinosa** (Pfeiffer): 52, 1855, p. 204; 26, 2d ser., vol. 21, p. 46, pl. 5, fig. 92, 1911 (Oahu).
Synonyms: Achatinella glutinosa Pfeiffer; Achatinella lacrima Gulick.
- Leptachatina gracilis** (Pfeiffer): 52, 1855, p. 6, pl. 30, fig. 22; 26, 2d ser., vol. 21, p. 16, pl. 3, figs. 47, 48, 1911 (Oahu).
Synonyms: Achatinella gracilis Pfeiffer; Achatinella elevata Newcomb.
- Leptachatina grana** (Newcomb): 22, vol. 6, p. 29, 1853; 26, 2d ser., vol. 21, p. 34, pl. 2, figs. 26, 27, 1911 (Maui).
Synonym: Achatinella grana Newcomb.
- Leptachatina gummea** (Gulick): 22, vol. 6, p. 182, pl. 6, fig. 10, 1856; 26, 2d ser., vol. 21, p. 26, pl. 3, fig. 54, 1911 (Oahu).
Synonyms: Achatinella gummea Gulick; Achatinella fragilis Gulick; Achatinella guttula Newcomb.
- Leptachatina guttula** (Gould): 7, 1845, vol. 2, p. 201; 26, 2d ser., vol. 21, p. 36, pl. 2, figs. 34-36, 1911 (Maui).
Synonym: Achatinella guttula Gould.
- Leptachatina henshawi** Sykes: 18, vol. 10, p. 2, text fig., 1903; 26, 2d ser., vol. 21, p. 86, pl. 1, figs. 15, 17, 1911 (Hawaii).
- Leptachatina hyperodon** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 12, pl. 11, figs. 6, 7, 1915-1916 (Maui).
- Leptachatina illimis** Cooke: 26, 2d ser., vol. 21, p. 10, pl. 10, fig. 3, 1911 (Oahu).
- Leptachatina imatatrix** Sykes: 44 vol. 2, p. 364, pl. 11, fig. 9, 1900; 26, 2d ser., vol. 21, p. 68, pl. 1, fig. 14, 1911 (Hawaii, fossil).

- Leptachatina impressa** Sykes: 24, 1896, vol. 2, p. 127; 26, 2d ser., vol. 21, p. 66, pl. 6, fig. 18, 1911 (Lanai).
- Leptachatina isthmica** Ancey: 24, 1899, vol. 3, p. 270, pl. 13, fig. 20; 26, 2d ser., vol. 21, p. 44, pl. 2, fig. below 30; pl. 12, figs. 9, 10, 1911 (Maui, subfossil).
- Leptachatina knudseni** Cooke: 26, 2d ser., vol. 21, p. 8, pl. 9, figs. 11, 12, 1911 (Kauai).
- Leptachatina konaensis** Sykes: 44, vol. 2, p. 364, pl. 11, fig. 13, 1900; 26, 2d ser., vol. 21, p. 45, pl. 1, figs. 1-3, 1911 (Hawaii).
- Leptachatina konaensis olaaensis** Cooke: 26, 2d ser., vol. 21, p. 45, pl. 1, fig. 4, 1911 (Hawaii).
- Leptachatina kuhnsi** Cooke: 26, 2d ser., vol. 21, p. 48, pl. 11, fig. 3, 1911 (Maui).
- Leptachatina labiata** (Newcomb): 22, vol. 6, p. 27, 1853; 26, 2d ser., vol. 21, p. 77, pl. 3, figs. 45, 49, 55, 1911 (Oahu).
Synonyms: Achatinella labiata Newcomb; Achatinella dentata Pfeiffer.
- Leptachatina laevigata** Cooke: 26, 2d ser., vol. 21, p. 11, pl. 6, figs. 4, 5, 1911 (Molokai).
- Leptachatina laevis** Pease: 52, 1869, p. 651; 26, 2d ser., vol. 21, p. 7, pl. 8, figs. 56, 57, 1911 (Kauai).
- Leptachatina lagena** (Gulick): 22, vol. 6, p. 175, pl. 6, fig. 3, 1856; 26, 2d ser., vol. 21, p. 78, pl. 5, figs. 83, 84, 89, 1911 (Oahu).
Synonym: Achatinella lagena Gulick.
- Leptachatina lanaiensis** Cooke: 26, 2d ser., vol. 21, p. 67, pl. 12, figs. 2, 3, 1911 (Lanai).
- Leptachatina lanceolata** Cooke: 26, 2d ser., vol. 21, p. 65, pl. 6, figs. 12, 13, 1911 (Molokai).
- Leptachatina leiahiensis** Cooke: 26, 2d ser., vol. 21, p. 22, pl. 10, figs. 9, 10, 1911 (Oahu, fossil).
- Leptachatina lenta** Cooke: 26, 2d ser., vol. 21, p. 79, pl. 2, figs. 23, 24, 1911 (Maui).
- Leptachatina lepida** Cooke: 26, 2d ser., vol. 21, p. 40, pl. 1, figs. 12, 13, 1911 (Hawaii).
- Leptachatina leucochila** (Gulick): 22, vol. 6, p. 173, pl. 6, fig. 1, 1856; 26, 2d ser., vol. 21, p. 73, pl. 7, figs. 33-38, 1911 (Kauai).
Synonyms: Achatinella leucochila Gulick; Achatinella pyramis Newcomb.
- Leptachatina longiuscula** Cooke: 26, 2d ser., vol. 21, p. 57, pl. 11, fig. 11, 1911 (Lanai).
- Leptachatina lucida** Pease: 52, 1869, p. 650; 26, 2d ser., vol. 21, p. 62, pl. 8, figs. 65, 66, 1911 (Kauai).

- Leptachatina marginata** (Gulick): 22, vol. 6, p. 179, pl. 6, fig. 7, 1856; 26, 2d ser., vol. 21, p. 58, pl. 11, fig. 8, 1911 (Oahu).
Synonym: Achatinella marginata Gulick.
- Leptachatina mauiensis** (Pfeiffer): 52, 1854, p. 126; 26, 2d ser., vol. 21, p. 355, 1911 (Maui).
Synonym: Achatina mauiensis Pfeiffer.
- Leptachatina mcgregori** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 8, pl. 11, fig. 8, 1915-1916 (Maui).
- Leptachatina microdon** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 10, pl. 9, fig. 3, 1915-1916 (Oahu).
- Leptachatina molokaiensis** Cooke: 26, 2d ser., vol. 21, p. 22, pl. 10, figs. 11, 12, 1911 (Molokai).
- Leptachatina morbida** Cooke: 26, 2d ser., vol. 21, p. 87, pl. 13, fig. 12, 1911 (Molokai).
- Leptachatina nitida** (Newcomb): 22, vol. 6, p. 29, 1853; 26, 2d ser., vol. 21, p. 42, pl. 2, figs. 20, 21, 1911 (Maui, Oahu ?, Molokai ?).
Synonym: Achatinella nitida Newcomb.
- Leptachatina nitida occidentalis** Cooke: 26, 2d ser., vol. 21, p. 43, pl. 2, fig. 22, 1911 (Maui).
- Leptachatina obsoleta** (Pfeiffer): 52, 1856, p. 335; 26, 2d ser., vol. 21, p. 23, pl. 2, figs. 31, 32, 1911 (Maui).
Synonym: Spiraxis obsoleta Pfeiffer.
- Leptachatina obtusa** (Newcomb): 52, 1855, p. 209; 26, 2d ser., vol. 21, p. 14, 1911 (Oahu).
Synonym: Achatinella obtusa Newcomb.
- Leptachatina octogyrata** (Gulick): 22, vol. 6, p. 190, pl. 6, fig. 18, 1856; 26, 2d ser., vol. 21, p. 63, pl. 9, fig. 13, 1911 (Oahu).
Synonyms: Achatinella octogyrata Gulick; Achatinella obclavata Newcomb.
- Leptachatina omphalooides** (Ancey): 24, 1899, vol. 3, p. 269, pl. 12, fig. 8; 26, 2d ser., vol. 21, p. 83, pl. 13, fig. 11, 1911 (Oahu).
Synonym: Thaanumia omphalooides Ancey.
- Leptachatina opipara** Cooke: 26, 2d ser., vol. 21, p. 30, pl. 12, fig. 1, 1911 (Oahu).
- Leptachatina opipara manana** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 7, 1915-1916 (Oahu).
- Leptachatina optabilis** Cooke: 26, 2d ser., vol. 21, p. 84, pl. 13, fig. 9, 1911 (Oahu).
- Leptachatina oryza** (Pfeiffer): 52, 1855, p. 206; 26, 2d ser., vol. 21, p. 28, pl. 3, fig. 59, 1911 (Oahu, subfossil).
Synonyms: Achatinella oryza Pfeiffer; Achatinella triticea Gulick.

- Leptachatina oryza avus** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 5, pl. 10, figs. 12-16, 1915-1916 (Molokai).
- Leptachatina oryza hesperia** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 5, pl. 10, figs. 10, 11, 1915-1916 (Oahu).
- Leptachatina oryza subcylindracea** Cooke: 26, 2d ser., vol. 21, p. 28, pl. 3, figs. 60, 61, 1911 (Oahu, fossil).
- Leptachatina ovata** Cooke: 26, 2d ser., vol. 21, p. 33, pl. 2, fig. 30, 1911 (Maui).
- Leptachatina pachystoma** (Pease): 17, vol. 17, p. 171, 1869; 26, 2d ser., vol. 21, p. 50, pl. 8, figs. 47, 48, 1911 (Kauai).
Synonym: *Labiella pachystoma* Pease.
- Leptachatina pachystoma brevis** Cooke: 26, 2d ser., vol. 21, p. 52, pl. 8, fig. 53, 1911 (Kauai).
- Leptachatina pachystoma cylindrella** Cooke: 26, 2d ser., vol. 21, p. 51, pl. 8, fig. 49, 1911 (Kauai).
- Leptachatina pachystoma turgidula** (Pease): 52, 1869, p. 651; 26, 2d ser., vol. 21, p. 51, pl. 8, figs. 50-52, 1911 (Kauai).
Synonym: *Labiella turgidula* Pease.
- Leptachatina perforata** Cooke: 26, 2d ser., vol. 21, p. 88, pl. 7, fig. 32, 1911 (Kauai).
- Leptachatina perkinsi** Sykes: 24, 1896, vol. 2, p. 128; 26, 2d ser., vol. 21, p. 56, pl. 6, fig. 23, 1911 (Lanai).
- Leptachatina persubtilis** Cooke: 26, 2d ser., vol. 21, p. 15, pl. 10, fig. 4, 1911 (Oahu).
- Leptachatina petila** (Gulick): 22, vol. 6, p. 189, pl. 6, fig. 17, 1856; 26, 2d ser., vol. 21, p. 92, pl. 4, fig. 61-64, 1911 (Oahu, subfossil).
Synonym: *Achatinella petila* Gulick.
- Leptachatina pilsbryi** Cooke: 26, 2d ser., vol. 21, p. 55, pl. 11, figs. 5, 6, 1911 (Oahu).
- Leptachatina popouwelensis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 1, pl. 9, fig. 4, 1915-1916 (Oahu).
- Leptachatina praestabilis** Cooke: 26, 2d ser., vol. 21, p. 43, pl. 2, figs. 37, 38, 1911 (Maui).
- Leptachatina pulchra** Cooke: 26, 2d ser., vol. 21, p. 29, pl. 10, figs. 7, 8, 1911 (Oahu).
- Leptachatina pupoidea** Cooke: 26, 2d ser., vol. 21, p. 74, pl. 7, figs. 43, 44, 1911 (Kauai).
- Leptachatina pyramis** (Pfeiffer): 52, 1845, p. 90; 26, 2d ser., vol. 21, p. 47, pl. 3, figs. 43, 44, 1911 (Oahu, Kauai ?).
Synonym: *Achatinella pyramis* Pfeiffer.

- Leptachatina resinula** (Gulick): 22, vol. 6, p. 174, pl. 6, fig. 2, 1856; 26, 2d ser., vol. 21, p. 59, pl. 3, fig. 43, 1911 (Oahu).
 Synonyms: Achatinella resinula Gulick; Achatinella succincta Pfeiffer.
- Leptachatina saccula** Hartman: 1, 1888, p. 55, pl. 1, fig. 15; 26, 2d ser., vol. 21, p. 61, pl. 4, fig. 79, 1911 (Oahu ?).
- Leptachatina sagittata** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 2, pl. 11, fig. 9, 1915-1916 (Molokai).
- Leptachatina sandwicensis** (Pfeiffer): 52, 1846, p. 32; 26, 2d ser., vol. 21, p. 9, pl. 9, figs. 7, 8, 1911 (Oahu, Molokai ?).
 Synonyms: Achatina sandwicensis Pfeiffer; Achatina accincta Reeve; Achatinella obclavata Pfeiffer; Achatinella octavula Paetel.
- Leptachatina saxatilis** (Gulick): 22, vol. 6, p. 187, pl. 6, fig. 15, 1856; 26, 2d ser., vol. 21, p. 20, pl. 4, fig. 76, 1911 (Oahu).
 Synonym: Achatinella saxatilis Gulick.
- Leptachatina sculpta** (Pfeiffer): 52, 1855, p. 21; 26, 2d ser., vol. 21, p. 64, pl. 4, figs. 73-75, 1911 (Oahu).
 Synonym: Achatinella sculpta Pfeiffer.
- Leptachatina scutillus** (Mighels): 7, 1845, vol. 2, p. 20; 26, 2d ser., vol. 21, p. 10, pl. 9, figs. 3, 4, 1911 (Oahu).
 Synonym: Bulimus scutillus Mighels.
- Leptachatina semicostata** (Pfeiffer): 52, 1855, p. 206; 26, 2d ser., vol. 21, p. 65, 1911 (Oahu ?).
 Synonym: Achatinella semicostata Pfeiffer.
- Leptachatina semipicta** Sykes: 24, 1896, vol. 2, p. 128; 26, 2d ser., vol. 21, p. 49, pl. 6, figs. 20-22, 1911 (Lanai).
- Leptachatina simplex** Pease: 17, vol. 17, p. 170, 1869; 26, 2d ser., vol. 21, p. 38, pl. 1, figs. 8, 9, 1911 (Hawaii).
- Leptachatina smithi** Sykes: 24, 1896, vol. 2, p. 128; 26, 2d ser., vol. 21, p. 49, pl. 6, fig. 24, 1911 (Lanai).
- Leptachatina somniator** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 7, pl. 11, figs. 4, 5, 1915-1916 (Molokai, fossil).
Leptachatina stiria (Gulick): 22, vol. 6, p. 194, pl. 6, fig. 22, 1856; 26, 2d ser., vol. 21, p. 9, pl. 9, fig. 9, 1911 (Oahu).
 Synonym: Achatinella stiria Gulick.
- Leptachatina striata** (Newcomb): 8, 1861, vol. 2, p. 93; 26, 2d ser., vol. 21, p. 62, 1911 (Kauai).
 Synonym: Tornatellina striata Newcomb.
- Leptachatina striatula** (Gould): 7, 1845, vol. 2, p. 28; 26, 2d ser., vol. 21, p. 74, pl. 12, figs. 4, 7, 1911 (Kauai).
 Synonyms: Achatinella striatula Gould; Achatinella clara Pfeiffer.
- Leptachatina subovata** Cooke: 26, 2d ser., vol. 21, p. 37, pl. 11, fig. 2, 1911 (Lanai).

Leptachatina subula (Gulick): 22, vol. 6, p. 191, pl. 6, fig. 19, 1856; 26, 2d ser., vol. 21, p. 17, pl. 9, fig. 14, 1911 (Oahu).

Synonyms: *Achatinella subula* Gulick; *Achatinella gracilis* Newcomb; *Achatinella elevata* Pfeiffer.

Leptachatina succincta (Newcomb): 7, 1855, vol. 5, p. 220; 26, 2d ser., vol. 21, p. 60, pl. 5, figs. 90, 91, 1911 (Oahu).

Synonym: *Achatinella succincta* Newcomb.

Leptachatina supracostata Sykes: 44, vol. 2, p. 370, pl. 11, fig. 22, 1900; 26, 2d ser., vol. 21, p. 66, pl. 6, fig. 19, 1911 (Lanai).

Leptachatina tantilla Cooke: 26, 2d ser., vol. 21, p. 81, pl. 13, figs. 5-7, 1911 (Oahu).

Leptachatina tenebrosa Pease: 52, 1869, p. 651; 26, 2d ser., vol. 21, p. 75, pl. 7, figs. 25, 26, 29, 1911 (Kauai).

Leptachatina tenuicostata Pease: 17, vol. 17, p. 170, 1869; 26, 2d ser., vol. 21, p. 68, pl. 1, figs. 10, 11, 1911 (Hawaii, fossil).

Leptachatina terebralis (Gulick): 22, vol. 6, p. 193, pl. 6, fig. 21, 1858; 26, 2d ser., vol. 21, p. 17, pl. 9, fig. 15, 1911 (Oahu).

Synonym: *Achatinella terebralis* Gulick.

Leptachatina teres (Pfeiffer): 52, 1855, p. 206; 26, 2d ser., vol. 21, p. 14, 1911 (Oahu ?).

Synonym: *Achatinella teres* Pfeiffer.

Leptachatina thaanumi Cooke: 26, 2d ser., vol. 21, p. 88, pl. 6, figs. 16, 17, 1911 (Molokai).

Leptachatina turrita (Gulick): 22, vol. 6, p. 192, pl. 6, fig. 20, 1856; 26, 2d ser., vol. 21, p. 15, pl. 9, fig. 16, 1911 (Oahu).

Synonym: *Achatinella turrita* Gulick.

Leptachatina vana Sykes: 44, vol. 2, p. 372, pl. 11, fig. 27, 1900; 26, 2d ser., vol. 21, p. 28, pl. 3, fig. 57, 1911 (Oahu).

Leptachatina varia Cooke: 26, 2d ser., vol. 21, p. 32, pl. 11, fig. 1, 1911 (Molokai).

Leptachatina ventulus (Ferussac): 34, p. 481; 26, 2d ser., vol. 21, p. 54, pl. 5, figs. 81, 82; pl. 11, fig. 4, 1911 (Oahu).

Synonyms: *Helix ventulus* Ferussac; *Achatinella melampoides* Pfeiffer; *Achatinella accincta* Gould (not *Achatinella ventulus* Reeve).

Leptachatina vitreola (Gulick): 22, vol. 6, p. 194, pl. 6, fig. 23, 1856; 26, 2d ser., vol. 21, p. 35, pl. 2, figs. 28, 29, 1911 (Maui).

Synonym: *Achatinella vitreola* Gulick.

Leptachatina vitreola parvula (Gulick): 22, vol. 6, p. 195, pl. 6, fig. 24, 1856; 26, 2d ser., vol. 21, p. 36, pl. 2, fig. below 28, 1911 (type locality unknown).

Synonym: *Achatinella parvula* Gulick.

- Carelia bicolor** (Jay): 16, p. 119, pl. 6, fig. 3, 1839; 26, 2d ser., vol. 21, p. 113, pl. 20, figs. 1-4, 7, 1911 (Kauai).
Synonym: *Achatina bicolor* Jay.
- Carelia bicolor adusta** (Gould): 7, 1845, vol. 2, p. 26; 26, 2d ser., vol. 21, p. 114, pl. 30, figs. 8-10, 1911 (Kauai).
Synonym: *Achatina adusta* Gould.
- Carelia bicolor angulata** Pease: 17, vol. 18, p. 403, 1870; 26, 2d ser., vol. 21, p. 116, pl. 20, fig. 16, 1911 (Kauai).
Synonym: *Carelia adusta angulata* Pease.
- Carelia bicolor fuliginea** (Pfeiffer): 52, 1852, p. 66; 26, 2d ser., vol. 21, p. 115, pl. 21, figs. 9, 10, 1911 (Kauai).
Synonym: *Achatina fuliginea* Pfeiffer.
- Carelia bicolor fuliginea minor** Borcherding: 37, p. 244, pl. 20, figs. 17, 18, 1910; 26, 2d ser., vol. 21, p. 116, pl. 20, figs. 13, 14, 1911 (Kauai).
Synonym: *Carelia adusta minor* Borcherding.
- Carelia bicolor fuliginea suturalis** Ancey: 24, 1904, vol. 6, p. 122; 26, 2d ser., vol. 21, p. 114, pl. 20, figs. 11, 12, 1911 (Kauai).
- Carelia bicolor fuliginea zonata** Borcherding: 37, p. 244, pl. 20, figs. 13-16, 1910; 26, 2d ser., vol. 21, p. 116, pl. 20, fig. 15, 1911 (Kauai).
Synonym: *Carelia adusta zonata* Borcherding.
- Carelia bicolor hyperleuca** Pilsbry: 26, 2d ser., vol. 21, p. 114, pl. 20, figs. 5, 6, 1911 (Kauai).
- Carelia cochlea** (Reeve): 35, vol. 5, pl. 1, fig. 5, 1849; 26, 2d ser., vol. 21, p. 108, pl. 18, figs. 5, 6, 8, 1911 (Kauai).
Synonym: *Achatina cochlea* Reeve.
- Carelia cumingiana** (Pfeiffer): 52, 1855, p. 106, pl. 32, fig. 1; 26, 2d ser., vol. 21, p. 112, pl. 21, figs. 3-5; pl. 18, figs. 7, 9, 1911 (Kauai).
Synonym: *Spiraxis cumingiana* Pfeiffer.
- Carelia dolei** Ancey: 41, vol. 6, p. 328, 1893; 26, 2d ser., vol. 21, p. 109, pl. 18, figs. 1-4; pl. 16, fig. 10, 1911 (Kauai, fossil).
Synonym: *Carelia cumingiana kobelti* Borcherding.
- Carelia hyattiana** Pilsbry: 26, 2d ser., vol. 21, p. 108, pl. 21, figs. 1, 2, 1911 (Kauai, fossil).
- Carelia olivacea** Pease: 2, vol. 2, p. 293, 1866; 26, 2d ser., vol. 21, p. 106, 1911 (Kauai).
- Carelia olivacea variabilis** Pease: 17, vol. 18, p. 402, 1870; 26, 2d ser., vol. 21, p. 107, 1911 (Kauai). (This shell occurs in a space of over 15 miles on the eastern part of the island, thereby occupying a larger area than any other species of the genus.)
- Carelia paradoxa** (Pfeiffer): 52, 1853, p. 128; 26, 2d ser., vol. 21, p. 105, pl. 19, fig. 3, 1911 (Kauai).
Synonym: *Spiraxis paradoxa* Pfeiffer.

- Carelia pilsbryi** Sykes: 24, 1909, vol. 8, p. 204, text fig.; 26, 2d ser., vol. 21, p. 105, pl. 18, fig. 10, 1911 (Kauai).
- Carelia rigida** Hyatt: 26, 2d ser., vol. 21, p. 111, pl. 21, figs. 8, 13, 1911 (Kauai, fossil).
- Carelia sinclairi** Ancey: 41, vol. 5, p. 720, 1892; 26, 2d ser., vol. 21, p. 117, pl. 16, fig. 8; pl. 21, figs. 6, 7, 1911 (Niihau, subfossil).
- Carelia turricula** (Mighels): 7, 1845, vol. 2, p. 20; 26, 2d ser., vol. 21, p. 103, pl. 19, fig. 1, 1911 (Kauai).
Synonyms: *Achatina turricula* Mighels; *Carelia turricula azona* Ancey; *Carelia cocklea* Gulick.
- Carelia turricula newcombi** (Pfeiffer): 52, 1851, p. 262; 26, 2d ser., vol. 21, p. 104, pl. 19, figs. 4-6, 1911 (Kauai).
Synonym: *Achatina newcombi* Pfeiffer.
- Carelia turricula obeliscus** (Reeve): 35, vol. 5, pl. 23, fig. 129, 1850; 26, 2d ser., vol. 21, p. 104, pl. 19, figs. 7, 8, 1911 (Kauai).
Synonym: *Achatina obeliscus* Reeve.
- Pterodiscus alatus** (Pfeiffer): 52, 1856, p. 33; 26, 2d ser., vol. 21, p. 121, pl. 22, figs. 1-3, 1911 (Lanai).
Synonym: *Helix alata* Pfeiffer.
- Pterodiscus alatus litus** Pilsbry: 26, 2d ser., vol. 21, p. 122, pl. 22, figs. 4-6, 1911 (Lanai).
- Pterodiscus cookei** Hyatt and Pilsbry: 26, 2d ser., vol. 21, p. 127, pl. 23, figs. 6-8, 1911 (Oahu).
- Pterodiscus discus** (Pilsbry and Vanatta): 1, 1905, p. 571, pl. 38, figs. 1-3; 26, 2d ser., vol. 21, p. 123, pl. 22, figs. 7, 8, 9, 1911 (Oahu).
Synonym: *Amastra discus* Pilsbry and Vanatta.
- Pterodiscus heliciformis** (Ancey): 40, vol. 7, p. 340, 1890; 26, 2d ser., vol. 21, p. 127, pl. 36, figs. 1-3, 1911 (Oahu).
Synonym: *Amastra heliciformis* Ancey.
- Pterodiscus rex** (Sykes): 4, 7th ser., vol. 14, p. 159, 1904; 26, 2d ser., vol. 21, p. 126, pl. 24, figs. 7, 8, 1911 (Oahu).
Synonym: *Amastra rex* Sykes.
- Pterodiscus thaanumi** Pilsbry: 26, 2d ser., vol. 21, p. 125, pl. 24, figs. 1, 2, 1911 (Oahu).
- Pterodiscus wesleyi** (Sykes): 24, 1896, vol. 2, p. 127; 26, 2d ser., vol. 21, p. 123, pl. 23, figs. 1-5, 9, 1911 (Oahu).
Synonyms: *Endodonta wesleyi* Sykes; *Endodonta alata* (Pfeiffer) Pilsbry.
- Pterodiscus wesleyi ewaensis** Pilsbry: 26, 2d ser., vol. 21, p. 125, pl. 23, fig. 10, 1911 (Oahu).

- Planamastra depressiformis** (Pease): 52, 1864, p. 670; 26, 2d ser., vol. 21, p. 131, 1911. (Described from a juvenile *Trochomorpha swainsoni*, which is not Hawaiian—cf. 45, vol. 36, p. 17, 1922.)
- Planamastra diginophora** (Ancey): 40, vol. 6, p. 171, 1889; 26, 2d ser., vol. 21, p. 130, pl. 24, figs. 9-11, 1911 (Oahu).
Synonym: *Patula diginophora* Ancey.
- Planamastra peaseana** Pilsbry: 26, 2d ser., vol. 21, p. 130, pl. 25, figs. 8-10, 1911 (This is *Trochomorpha swainsoni*, not a Hawaiian species).
- Planamastra prostrata** Pease: 52, 1864, p. 670; 26, 2d ser., vol. 21, p. 132, 1911. (This is *Planorbis opercularis*, which is not a Hawaiian species—cf. 45, vol. 36, p. 17, 1922.)
- Armsia petasus** (Ancey): 24, 1899, vol. 3, p. 268, pl. 12, fig. 4; 26, 2d ser., vol. 21, p. 113, pl. 24, figs. 3-6, 1911 (Oahu).
Synonym: *Pterodiscus petasus* Ancey.
- Amastra abavus** Pilsbry: 26, 2d ser., vol. 21, p. 255, pl. 42, figs. 4, 5, 1911 (Molokai, fossil).
- Amastra aemulator** Pilsbry: 26, 2d ser., vol. 21, p. 190, pl. 38, fig. 7, 1911 (Oahu).
- Amastra affinis** (Newcomb): 52, 1853, p. 142, pl. 23, fig. 35; 26, 2d ser., vol. 21, p. 297, pl. 44, figs. 1-4, 6, 1911 (Maui).
Synonyms: *Achatinella affinis* Newcomb; *Achatinella goniostoma* Pfeiffer; *Amastra rustica* Gulick.
- Amastra affinis bigener** Hyatt: 26, 2d ser., vol. 21, p. 300, pl. 44, fig. 7, 1911 (Maui).
- Amastra affinis cinderella** Hyatt: 26, 2d ser., vol. 21, p. 300, pl. 45, figs. 1, 2, 1911 (Maui).
- Amastra affinis kaupakaluana** Pilsbry: 26, 2d ser., vol. 21, p. 301, pl. 46, figs. 1-6, 1911 (Maui).
- Amastra affinis pupoidea** (Newcomb): 52, 1853, p. 144, pl. 23, fig. 42; 26, 2d ser., vol. 21, p. 299, pl. 44, figs. 5, 9-11, 1911 (Maui).
Synonym: *Achatinella pupoidea* Newcomb.
- Amastra affinis subpulla** Hyatt and Pilsbry: 26, 2d ser., vol. 21, p. 300, pl. 45, figs. 3, 4, 1911 (Maui).
- Amastra agglutinans** (Newcomb): 52, 1853, p. 143, pl. 23, fig. 39a; 26, 2d ser., vol. 21, p. 283, pl. 36, figs. 11, 12, 1911 (Maui).
Synonyms: *Achatinella obesa agglutinans* Newcomb; *Amastra carinata* Gulick.
- Amastra albocincta** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 40, pl. 3, figs. 11, 12, 1911 (Molokai).
- Amastra albolabris** (Newcomb): 52, 1853, p. 149, pl. 24, fig. 56; 26, 2d ser., vol. 21, p. 173, pl. 30, figs. 21-23, 1911 (Oahu).
Synonym: *Achatinella albo-labris* Newcomb.

- Amastra amicta** Smith: 52, 1873, p. 86, pl. 10, fig. 20; 26, 2d ser., vol. 21, p. 320, pl. 43, fig. 10, 1911 (Hawaiian islands).
- Amastra anthonii** (Newcomb): 8, 1861, vol. 2, p. 93; 26, 2d ser., vol. 21, p. 155, pl. 15, figs. 15, 18, 19, 1911 (Kauai).
Synonym: *Achatinella anthonii* Newcomb.
- Amastra antiqua** Baldwin: 1, 1895, p. 233, pl. 11, fig. 47; 26, 2d ser., vol. 21, p. 160, pl. 32, figs. 22, 23, 1911 (Oahu, fossil).
- Amastra antiqua kawaihapaiensis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 22, pl. 2, fig. 3, 1915-1916 (Oahu).
- Amastra assimilis** (Newcomb): 52, 1853, p. 148, pl. 23, fig. 53; 26, 2d ser., vol. 21, p. 305, pl. 27, fig. 17; pl. 46, figs. 9-14, 1911 (Maui).
Synonyms: *Achatinella assimilis* Newcomb; *Achatinella deshayesii* Morelet.
- Amastra aurostoma** Baldwin: 45, vol. 10, p. 31, 1896; 26, 2d ser., vol. 21, p. 240, pl. 26, figs. 13, 14, 1911 (Lanai).
- Amastra badia** Baldwin: 1, 1895, p. 230, pl. 11, fig. 40; 26, 2d ser., vol. 21, p. 185, pl. 29, figs. 15, 18, 19, 1911 (Oahu).
- Amastra baldwiniana** Pilsbry: 26, 2d ser., vol. 21, p. 292, pl. 43, figs. 4, 5, 1911 (Maui).
- Amastra biplicata** (Newcomb): 52, 1853, p. 156, pl. 24, fig. 75; 26, 2d ser., vol. 21, p. 243, pl. 17, figs. 1-6 (Lanai).
Synonym: *Achatinella biplicata* Newcomb.
- Amastra borcherdingii** Hyatt and Pilsbry: 26, 2d ser., vol. 21, p. 266, pl. 40, figs. 2-6; pl. 41, figs. 1-4, 1911 (Molokai).
Synonyms: *Amastra mucronata* Borcherding (not Newcomb); *Amastra mastersi* Borcherding.
- Amastra brevifata** Baldwin: 1, 1895, p. 231, pl. 11, figs. 41, 42; 26, 2d ser., vol. 21, p. 171, pl. 30, figs. 15, 17, 18, 1911 (Oahu).
- Amastra caputadamantis** Pilsbry: 26, 2d ser., vol. 21, p. 184, pl. 30, figs. 19, 20, 1911 (Oahu, fossil).
- Amastra conica** Baldwin: 45, vol. 19, p. 137, 1906; 26, 2d ser., vol. 21, p. 313, pl. 47, fig. 8, 1911 (Hawaii, fossil).
- Amastra conica gentilis** Cooke: 6, vol. 3, p. 233, pl. 5, fig. 1, 1908 (Hawaii).
- Amastra conica gyrans** Hyatt: 26, 2d ser., vol. 21, p. 314, pl. 47, figs. 3, 4, 1911 (Hawaii).
- Amastra conica kohalensis** Pilsbry: 26, 2d ser., vol. 21, p. 314, pl. 49, fig. 13, 1911 (Hawaii).
- Amastra conifera** Smith: 52, 1873, p. 85, pl. 10, fig. 11; 26, 2d ser., vol. 21, p. 303, pl. 45, figs. 10-13, 1911 (Maui).
- Amastra cookei** Pilsbry: 26, 2d ser., vol. 21, p. 182, pl. 38, figs. 4, 5, 1911 (Oahu).

- Amastra cornea** (Newcomb): 52, 1853, p. 141, pl. 23, fig. 32; 26, 2d ser., vol. 21, p. 187, pl. 31, figs. 9, 10, 12-14, 1914 (Oahu).
 Synonym: Achatinella cornea Newcomb.
- Amastra crassilabrum** (Newcomb): 52, 1853, p. 141, pl. 23, fig. 31; 26, 2d ser., vol. 21, p. 189, pl. 31, figs. 6-8, 1911 (Oahu).
 Synonym: Achatinella crassilabrum Newcomb.
- Amastra cyclostoma** Baldwin: 1, 1895, p. 234, pl. 11, fig. 53; 26, 2d ser., vol. 21, p. 147, pl. 15, figs. 1-3, 6, 1911 (Kauai).
- Amastra cylindrica** (Newcomb): 52, 1853, p. 134, pl. 22, fig. 11; 26, 2d ser., vol. 21, p. 227, pl. 34, figs. 13, 14, 16, 1911 (Oahu).
 Synonym: Achatinella cylindrica Newcomb.
- Amastra davisiana** Cooke: 6, vol. 3, p. 215, fig. 1, 1908; 26, 2d ser., vol. 21, p. 176, pl. 31, fig. 1, 1911 (Oahu).
- Amastra decorticata** Gulick: 52, 1873, p. 84, pl. 10, fig. 14; 26, 2d ser., vol. 21, p. 200, pl. 33, figs. 4-7, 1911 (Oahu).
- Amastra durandi** Ancey: 20, vol. 19, p. 178, 1897; 26, 2d ser., vol. 21, p. 245, pl. 39, figs. 7, 9, 10, 1911 (Lanai, Oahu).
- Amastra elegantula** Pilsbry: 26, 2d ser., vol. 21, p. 277, pl. 40, fig. 15, 1911 (Molokai).
- Amastra elephantina** Cooke: 6, vol. 3, p. 226, pl. 6, fig. 3, 1908 (Oahu).
- Amastra elliptica** Gulick: 52, 1873, p. 83, pl. 10, fig. 15; 26, 2d ser., vol. 21, p. 204, pl. 34, figs. 17-23, 1911 (Oahu).
- Amastra elongata** (Newcomb): 22, vol. 6, p. 26, 1853; 26, 2d ser., vol. 21, p. 230, 1911 (Oahu).
 Synonyms: Achatinella elongata Newcomb; Amastra elongata Sykes (not Borcherding); Achatinella acuta Newcomb (not Swainson).
- Amastra eos** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 26, pl. 2, figs. 14, 15, 1915-1916 (Oahu).
- Amastra erecta** (Pease): 17, vol. 17, p. 174, 1869; 26, 2d ser., vol. 21, p. 305, 1911 (Maui).
 Synonym: Laminella erecta Pease.
- Amastra extincta** (Pfeiffer): 52, 1855, p. 204; 26, 2d ser., vol. 21, p. 159, 1911 (Oahu, subfossil).
 Synonym: Achatinella extincta Pfeiffer.
- Amastra farcimen** (Pfeiffer): 52, 1856, p. 334; 26, 2d ser., vol. 21, p. 291, 1911 (Maui).
 Synonym: Achatinella farcimen Pfeiffer (not Amastra farcimen Pfeiffer, according to Hartman).
- Amastra flavescens** (Newcomb): 52, 1853, p. 151, pl. 24, fig. 62; 26, 2d ser., vol. 21, p. 315, pl. 47, figs. 12-14, 17, 1911 (Hawaii).
 Synonym: Achatinella flavescens Newcomb.

- Amastra flavescens emortua* Cooke: 6, vol. 3, p. 231, pl. 5, fig. 6, 1908 (Hawaii, fossil).
- Amastra flavescens henshawi* Baldwin: 45, vol. 17, p. 34, 1903; 26, 2d ser., vol. 21, p. 318, pl. 47, fig. 15, 1911 (Hawaii).
Synonym: *Amastra henshawi* Baldwin.
- Amastra flavescens saxicola* Baldwin: 45, vol. 17, p. 34, 1903; 26, 2d ser., vol. 21, p. 317, pl. 47, figs. 11, 16, 1911 (Hawaii).
Synonym: *Amastra saxicola* Baldwin.
- Amastra flemingi* Cooke: 6, vol. 3, p. 247, pl. 6, fig. 7, 1908 (Maui, fossil).
- Amastra forbesi* Cooke: 6, vol. 3, p. 242, pl. 6, fig. 8, 1908 (Oahu, fossil).
- Amastra fossilis* Baldwin: 45, vol. 17, p. 35, 1903; 26, 2d ser., vol. 21, p. 315, pl. 47, fig. 10, 1911 (Hawaii, fossil).
- Amastra fragilis* Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 24, pl. 2, figs. 11, 12, 1915-1916 (Molokai).
- Amastra fragosa* Cooke: 6, vol. 3, p. 236, pl. 5, fig. 4, 1908 (Hawaii, fossil).
- Amastra fraterna* Sykes: 24, 1896, vol. 2, pt. 3, p. 129; 26, 2d ser., vol. 21, p. 233, pl. 49, fig. 9; pl. 17, figs. 11, 14, 1911 (Lanai).
- Amastra frosti* Ancey: 41, vol. 5, p. 719, 1892; 26, 2d ser., vol. 21, p. 211, pl. 37, figs. 2, 3, 1911 (Oahu).
- Amastra goniops* Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 41, pl. 4, figs. 1-5, 1915-1916 (Maui).
- Amastra gouveii* Cooke: 6, vol. 3, p. 225, pl. 7, fig. 3, 1908 (Oahu).
- Amastra grayana* (Pfeiffer): 52, 1855, p. 204; 26, 2d ser., vol. 21, p. 241, pl. 39, figs. 2, 3, 1911 (Lanai).
Synonym: *Achatinella grayana* Pfeiffer.
- Amastra gulickiana* Pilsbry: 26, 2d ser., vol. 21, p. 168, pl. 38, fig. 8, 1911 (Oahu).
- Amastra hartmani* (Newcomb): 1, 1888, p. 54; 26, 2d ser., vol. 21, p. 160, pl. 38, fig. 11, 1911 (Oahu, fossil).
Synonym: *Leptachatina hartmani* Newcomb.
- Amastra hawaiiensis* Pilsbry: 26, 2d ser., vol. 21, p. 319, pl. 42, figs. 7, 8, 1911 (Hawaii).
- Amastra hitchcocki* Cooke: 6, vol. 3, p. 243, pl. 7, fig. 7, 1908 (Molokai, fossil).
- Amastra humilis* (Newcomb): 22, vol. 6, p. 143, 1855; 26, 2d ser., vol. 21, p. 255, pl. 40, figs. 7, 8, 1911 (Molokai).
Synonym: *Achatinella humilis* Newcomb.
- Amastra humilis moomomiensis* Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 38, pl. 7, fig. 9-14, 1915-1916 (Molokai, fossil).
- Amastra humilis sepulta* Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 39, pl. 7, figs. 15-17, 1915-1916 (Molokai).

- Amastra hutchinsonii** (Pease): 52, 1862, p. 7; 26, 2d ser., vol. 21, p. 289, pl. 49, figs. 1-4, 14, 1911 (Maui, Molokai).
Synonyms: *Helicter hutchinsonii* Pease; *Amastra villosa* Sykes; *Amastra elongata* Newcomb.
- Amastra inflata** (Pfeiffer): 52, 1855, p. 203; 26, 2d ser., vol. 21, p. 201, pl. 33, figs. 1-3, 1911 (Oahu).
Synonym: *Achatinella inflata* Pfeiffer.
- Amastra intermedia** (Newcomb): 52, 1853, p. 135, pl. 22, fig. 13; 26, 2d ser., vol. 21, p. 222, pl. 33, fig. 8; pl. 34, figs. 6-12, 1911 (Oahu).
Synonyms: *Achatinella intermedia* Newcomb; *Amastra conicospira* Smith.
- Amastra irwiniana** Cooke: 6, vol. 3, p. 213, fig. 3, 1908; 26, 2d ser., vol. 21, p. 172, pl. 30, fig. 16, 1911 (Oahu).
- Amastra johnsoni** Hyatt and Pilsbry: 26, 2d ser., vol. 21, p. 304, pl. 45, fig. 16, 1911 (Maui).
- Amastra juddii** Cooke: 6, vol. 3, p. 223, pl. 6, fig. 5, 1908 (Kauai).
- Amastra kalamaulensis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 37, pl. 3, figs. 4-7, 1915-1916 (Molokai).
- Amastra kauaiensis** (Newcomb): 22, vol. 7, p. 145, 1860; 26, 2d ser., vol. 21, p. 143, pl. 16, figs. 1-3, 1911 (Kauai).
Synonym: *Achatinella kauaiensis* Newcomb.
- Amastra kaunakakaiensis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 36, pl. 3, figs. 8-10, 1915-1916 (Molokai).
- Amastra knudseni** Baldwin: 1, 1895, p. 234, pl. 11, figs. 43, 44; 26, 2d ser., vol. 21, p. 146, pl. 16, figs. 4-6, 1911 (Kauai).
Synonym: *Achatinella knudseni* Newcomb.
- Amastra laeva** Baldwin: 45, vol. 19, p. 138, 1906; 26, 2d ser., vol. 21, p. 288, pl. 48, figs. 12-15, 1911 (Maui).
- Amastra lahainana** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 43, pl. 6, figs. 1-10, 1915-1916 (Maui).
- Amastra lineolata** (Newcomb): 22, vol. 6, p. 29, 1853; 26, 2d ser., vol. 21, p. 320, pl. 45, fig. 9, 1911 (Maui ?, Hawaii ?).
Synonym: *Achatinella lineolata* Newcomb.
- Amastra luctuosa** (Pfeiffer): 52, 1855, p. 204; 26, 2d ser., vol. 21, p. 198, pl. 33, figs. 12, 13, 1911 (Oahu).
Synonym: *Achatinella luctuosa* Pfeiffer.
- Amastra luctuosa sulphurea** Ancey: 24, 1904, vol. 6, p. 121, pl. 7, fig. 9; 26, 2d ser., vol. 21, p. 199, pl. 33, fig. 11, 1911 (Oahu).
- Amastra luteola** (Ferussac): 34, p. 480, 1824; 26, 2d ser., vol. 21, p. 321, pl. 35, fig. 6, 1911 (Hawaii ?, probably a species from the Marianas Islands).
Synonym: *Helix luteola* Ferussac.

- Amastra magna** (C. B. Adams): 22, vol. 5, p. 41, 1850; 26, 2d ser., vol. 21, p. 237, pl. 26, figs. 1-6; pl. 39, figs. 4, 8, 1911 (Lanai).
 Synonyms: *Achatinella magna* Adams; *Achatinella baldwinii* Newcomb; *Achatinella gigantea* Newcomb.
- Amastra makawaoensis** Pilsbry: 26, 2d ser., vol. 21, p. 294, pl. 43, figs. 7-9, 1911 (Maui).
- Amastra malleata** Smith: 52, 1873, p. 85, pl. 10, fig. 18; 26, 2d ser., vol. 21, p. 302, pl. 45, figs. 5, 6, 1911 (Maui).
- Amastra mastersi** (Newcomb): 52, 1853, p. 153, pl. 24, fig. 67; 26, 2d ser., vol. 21, p. 295, pl. 43, figs. 12-17, 1911 (Maui).
 Synonym: *Achatinella mastersi* Newcomb.
- Amastra melanosis** (Newcomb): 52, 1853, p. 144, pl. 23, fig. 41; 26, 2d ser., vol. 21, p. 312, pl. 47, figs. 1, 2, 6, 7, 9, 1911 (Hawaii).
 Synonym: *Achatinella melanosis* Newcomb.
- Amastra melanosis kauensis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 50, pl. 1, fig. 18, 1915-1916 (Hawaii).
- Amastra metamorpha** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 19, pl. 5, figs. 1-5, 1915-1916 (Maui).
- Amastra metamorpha debilis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 20, pl. 5, figs. 6, 7, 1915-1916 (Maui).
- Amastra micans** (Pfeiffer): 52, 1859, p. 31; 26, 2d ser., vol. 21, p. 210, pl. 37, figs. 5-7, 1911 (Oahu).
 Synonyms: *Achatinella micans* Pfeiffer; *Amastra frosti unicolor* Ancey.
- Amastra mirabilis** Cooke: 6, vol. 3, p. 245, pl. 6, fig. 9, 1908 (Maui).
- Amastra modesta** (C. B. Adams): 22, vol. 5, p. 44, 1852; 26, 2d ser., vol. 21, p. 275, 1911 (Molokai ?).
 Synonym: *Achatinella modesta* Adams.
- Amastra modesta dimissa** Pilsbry: 26, 2d ser., vol. 21, p. 276, pl. 40, figs. 11, 12, 1911 (Molokai).
- Amastra modicella** Cooke: 6, vol. 3, p. 227, pl. 5, fig. 7, 1908 (Hawaii).
- Amastra moesta** (Newcomb): 52, 1853, p. 157, pl. 24, fig. 77; 26, 2d ser., vol. 21, p. 246, pl. 17, figs. 7, 9; pl. 26, fig. 10, 1911 (Lanai).
 Synonym: *Achatinella moesta* Newcomb.
- Amastra moesta longa** Sykes: 24, 1896, vol. 2, p. 129; 26, 2d ser., vol. 21, p. 247, pl. 26, fig. 15, 1911 (Lanai, apparently extinct).
- Amastra moesta obscura** (Newcomb): 52, 1853, p. 157, pl. 24, fig. 78; 26, 2d ser., vol. 21, p. 247, pl. 17, figs. 10, 12, 1911 (Lanai).
 Synonym: *Achatinella obscura* Newcomb.
- Amastra montagui** Pilsbry: 45, vol. 27, p. 39, 1913; 26, 2d ser., vol. 23, p. 29, pl. 5, fig. 13, 1915-1916 (Oahu).

- Amastra montana** Baldwin: 45, vol. 19, p. 136, 1906; 26, 2d ser., vol. 21, p. 308, pl. 43, figs. 18, 19, 1911 (Maui).
- Amastra montivaga** Cooke: 6, vol. 3, p. 240, pl. 7, fig. 5, 1908 (Oahu).
- Amastra morticina** Pilsbry: 26, 2d ser., vol. 21, p. 280, pl. 36, figs. 8, 9, 1911 (Maui, fossil).
Synonym: *Leptachatina extincta* Pfeiffer.
- Amastra mucronata** (Newcomb): 22, vol. 6, p. 28, 1853; 26, 2d ser., vol. 21, p. 268, pl. 40, fig. 9, 1911 (Molokai).
Synonyms: *Achatinella mucronata* Newcomb; *Achatinella fusiformis* Pfeiffer; *Amastra simularis* Hartman; *Amastra simularis maura* Ancey.
- Amastra mucronata atroflava** Pilsbry: 26, 2d ser., vol. 21, p. 272, pl. 41, figs. 9-13; pl. 40, figs. 13, 14, 1911 (Molokai).
Synonym: *Amastra modesta* Borcherding.
- Amastra mucronata citrea** Sykes: 24, 1896, vol. 2, p. 129; 26, 2d ser., vol. 21, p. 271, pl. 28, figs. 7-10, 16, 1911 (Molokai).
Synonym: *Amastra citrea* Sykes.
- Amastra mucronata roseotincta** Sykes: 24, 1896, vol. 2, p. 130; 26, 2d ser., vol. 21, p. 270, pl. 28, figs. 11, 12, 15, 1911 (Molokai).
Synonym: *Amastra simularis roseotincta* Sykes.
- Amastra mucronata semicarnea** Ancey: 24, 1899, vol. 3, p. 269, pl. 13, fig. 8; 26, 2d ser., vol. 21, p. 272, pl. 28, fig. 13; pl. 39, fig. 16, 1911 (Molokai).
Synonym: *Amastra simularis semicarnea* Ancey (not Borcherding).
- Amastra nana** Baldwin: 1, 1895, p. 232, pl. 11, figs. 48, 49; 26, 2d ser., vol. 21, p. 301, pl. 43, figs. 11, 20, 21, 1911 (Maui).
- Amastra neglecta** Pilsbry: 26, 2d ser., vol. 23, p. 45, pl. 7, fig. 20, 1915-1916 (Maui ?).
- Amastra nigra** (Newcomb): 7, 1855, vol. 5, p. 219; 26, 2d ser., vol. 21, p. 292, pl. 43, figs. 1-3, 6, 1911 (Maui).
Synonyms: *Achatinella nigra* Newcomb; *Achatinella globosa* Gulick.
- Amastra nubifera** Pilsbry: 26, 2d ser., vol. 21, p. 274, pl. 41, figs. 6, 7, 1911 (Molokai).
- Amastra nubifera dissimiliceps** Pilsbry: 26, 2d ser., vol. 21, p. 275, pl. 28, figs. 19, 20, 1911 (Molokai).
- Amastra nubigena** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 48, pl. 5, figs. 11, 12; pl. 3, fig. 15, 1915-1916 (Maui).
- Amastra nubilosa** (Mighels): 7, 1845, vol. 2, p. 20; 26, 2d ser., vol. 21, p. 259, pl. 27, figs. 8-10, 13, 1911 (Molokai).
Synonym: *Achatinella nubilosa* Mighels.
- Amastra nubilosa georgii** Pilsbry: 26, 2d ser., vol. 23, p. 39, pl. 7, figs. 6-8, 1915-1916 (Molokai).

- Amastra nubilosa macerata** Pilsbry: 26, 2d ser., vol. 21, p. 260, pl. 27, figs. 5-7 (11, 12), 1911 (Molokai).
- Amastra nucleola** (Gould): 7, 1845, vol. 2, p. 28; 26, 2d ser., vol. 21, p. 153, pl. 15, figs. 16, 17, 1911 (Kauai).
Synonyms: Achatinella nucleola Gould; Achatinella brevis Pfeiffer.
- Amastra nucula** Smith: 52, 1873, p. 85, pl. 10, fig. 19; 26, 2d ser., vol. 21, p. 236, pl. 26, fig. 9; pl. 39, figs. 11, 12, 1911 (Lanai).
- Amastra obesa** (Newcomb): 22, vol. 6, p. 24, 1853; 26, 2d ser., vol. 21, p. 281, pl. 42, fig. 11, 1911 (Maui).
Synonyms: Achatinella obesa Newcomb; Amastra heliciformis Ancey.
- Amastra obesa aurora** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 18, pl. 4, figs. 9-12, 1915-1916 (Maui).
- Amastra pagodula** Cooke: 6, vol. 3, p. 237, pl. 6, fig. 4, 1908 (Hawaii, fossil).
- Amastra paulula** Cooke: 6, vol. 3, p. 240, pl. 6, fig. 6, 1908 (Oahu, fossil).
- Amastra peasei** Smith: 52, 1873, p. 86, pl. 10, fig. 13; 26, 2d ser., vol. 21, p. 322, pl. 49, fig. 11, 1911 (Lanai ?, Oahu ?).
- Amastra pellucida** Baldwin: 1, 1895, p. 321, pl. 11, figs. 45, 46; 26, 2d ser., vol. 21, p. 170, pl. 30, fig. 13, 1911 (Oahu).
- Amastra perversa** Pilsbry: 26, 2d ser., vol. 21, p. 278, pl. 49, fig. 5, 1911 (Molokai, fossil).
- Amastra petricola** (Newcomb): 22, vol. 6, p. 143, 1855; 26, 2d ser., vol. 21, p. 253, pl. 36, figs. 4, 5, 1911 (Molokai).
Synonyms: Achatinella petricola Newcomb; Amastra petricolor Baldwin.
- Amastra pilsbryi** Cooke: 45, vol. 27, p. 68, 1913; 26, 2d ser., vol. 23, p. 46, pl. 4, figs. 6-8, 1915-1916 (Maui).
- Amastra porcus** Pilsbry: 26, 2d ser., vol. 21, p. 207, pl. 38, fig. 3, 1911 (Oahu).
- Amastra porphyrea** (Newcomb): 52, 1853, p. 136, pl. 22, fig. 16; 26, 2d ser., vol. 21, p. 224, pl. 33, figs. 14-21, 1911 (Oahu).
Synonyms: Achatinella porphyrea Newcomb; Achatinella grossa Pfeiffer.
- Amastra porphyrostoma** Pease: 17, vol. 17, p. 172, 1869; 26, 2d ser., vol. 21, p. 226, pl. 37, figs. 8, 12, 13, 1911 (Oahu).
- Amastra praeopima** Cooke: 6, vol. 3, p. 241, pl. 7, fig. 8, 1908 (Oahu).
- Amastra pullata** Baldwin: 1, 1895, p. 228, pl. 11, figs. 31, 32; 26, 2d ser., vol. 21, p. 261, pl. 27, figs. 14-16, 1911 (Molokai).
- Amastra pullata subnigra** Pilsbry: 26, 2d ser., vol. 21, p. 263, pl. 27, figs. 19-21, 1911 (Molokai).

- Amastra pullata umbrosa** Baldwin: 1, 1895, p. 229, pl. 11, figs. 36, 37; 26, 2d ser., vol. 21, p. 263, pl. 37, figs. 14-16, 1911 (Molokai).
 Synonym: *Amastra umbrosa* Baldwin.
- Amastra pusilla** (Newcomb): 22, vol. 6, p. 144, 1855; 26, 2d ser., vol. 21, p. 234, pl. 17, figs. 8, 13, 15, 1911 (Lanai).
 Synonyms: *Achatinella pusilla* Newcomb; *Achatinella pulla* Newcomb.
- Amastra remota** Cooke: 6, vol. 3, p. 228, pl. 5, fig. 3, 1908 (Kauai, fossil).
- Amastra reticulata** (Newcomb): 52, 1853, p. 148, pl. 24, fig. 54; 26, 2d ser., vol. 21, p. 179, pl. 29, figs. 2-4, 1911 (Oahu).
 Synonym: *Achatinella reticulata* Newcomb.
- Amastra reticulata conspersa** (Pfeiffer): 52, 1855, p. 7, pl. 30, fig. 26; 26, 2d ser., vol. 21, p. 180, pl. 29, fig. 1, 1911 (Oahu ?).
 Synonym: *Achatinella conspersa* Pfeiffer.
- Amastra reticulata dispersa** Pilsbry: 26, 2d ser., vol. 21, p. 180, pl. 29, figs. 5-7, 1911 (Oahu).
- Amastra reticulata errans** Pilsbry: 26, 2d ser., vol. 21, p. 182, pl. 29, figs. 12, 13, 1911 (Oahu).
- Amastra reticulata orientalis** Hyatt and Pilsbry: 26, 2d ser., vol. 21, p. 181, pl. 29, figs. 8-11, 1911 (Oahu).
- Amastra reticulata vespertina** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 30, pl. 2, fig. 17, 1915-1916 (Oahu).
- Amastra ricei** Cooke: 6, vol. 3, p. 221, pl. 7, fig. 1, 1908 (Kauai).
- Amastra ricei armillata** Cooke: 6, vol. 3, p. 223, pl. 5, fig. 8, 1908 (Kauai, fossil ?).
- Amastra rubens** (Gould): 7, 1845, vol. 2, p. 27; 26, 2d ser., vol. 21, p. 192, pl. 32, figs. 16, 17, 19-21, 1911 (Oahu).
 Synonym: *Achatinella rubens* Gould.
- Amastra rubens castanea** Pilsbry: 26, 2d ser., vol. 21, p. 194, pl. 32, fig. 18, 1911 (Oahu).
- Amastra rubens corneiformis** Pilsbry: 26, 2d ser., vol. 21, p. 194, pl. 31, figs. 17, 18, 1911 (Oahu).
- Amastra rubens infelix** Pilsbry: 26, 2d ser., vol. 21, p. 195, pl. 31, fig. 15, 1911 (Oahu).
- Amastra rubens kahana** Pilsbry: 26, 2d ser., vol. 21, p. 195, pl. 31, fig. 16, 1911 (Oahu).
- Amastra rubida** Gulick: 52, 1873, p. 84, pl. 10, fig. 12; 26, 2d ser., vol. 21, p. 203, pl. 33, fig. 9, 1911 (Oahu).
- Amastra rubristoma** Baldwin: 45, vol. 19, p. 137, 1906; 26, 2d ser., vol. 21, p. 242, pl. 39, figs. 5, 6, 1911 (Lanai).
- Amastra rugulosa** (Pease): 17, vol. 18, p. 95, 1870; 26, 2d ser., vol. 21, p. 152, pl. 15, fig. 12, 1911 (Kauai).
 Synonym: *Achatinella rugulosa* Pease.

- Amastra rugulosa annosa* Cooke: 6, vol. 3, p. 230, pl. 5, fig. 9, 1908 (Kauai, fossil).
- Amastra rugulosa fastigata* Cooke: 6, vol. 3, p. 229, pl. 6, fig. 1, 1908 (Kauai, fossil).
- Amastra rugulosa normalis* Pilsbry: 26, 2d ser., vol. 21, p. 153, pl. 42, fig. 9; pl. 15, figs. 8, 10, 1911 (Kauai).
- Amastra seminigra* Pilsbry: 26, 2d ser., vol. 21, p. 195, pl. 32, figs. 8, 9, 11, 1911 (Oahu).
- Amastra seminuda* Baldwin: 45, vol. 19, p. 137, 1906; 26, 2d ser., vol. 21, p. 264, pl. 37, figs. 18-20, 1911 (Molokai).
- Amastra senilis* Baldwin: 45, vol. 17, p. 35, 1903; 26, 2d ser., vol. 21, p. 311, pl. 47, fig. 5, 1911 (Hawaii, fossil).
- Amastra sericea* (Pfeiffer): 52, 1859, p. 31; 26, 2d ser., vol. 21, p. 175, 1911 (Oahu?).
Synonym: *Achatinella sericea* Pfeiffer.
- Amastra sericea anaglypta* Cooke: 6, vol. 3, p. 239, pl. 7, fig. 9, 1908 (Oahu).
- Amastra similaris* Pease: 17, vol. 18, p. 96, 1870; 26, 2d ser., vol. 21, p. 150, pl. 15, figs. 7, 13, 14, 1911 (Kauai, fossil).
Synonym: *Amastra rugulosa similaris* Pease.
- Amastra sinistrorsa* Baldwin: 45, vol. 19, p. 138, 1906; 26, 2d ser., vol. 21, p. 310, pl. 49, figs. 6, 7, 1911 (Hawaii, fossil).
- Amastra sola* Pilsbry: 26, 2d ser., vol. 21, p. 158, pl. 38, figs. 6, 9, 10, 1911 (Oahu).
- Amastra solida* Pease: 17, vol. 17, p. 173, 1869; 26, 2d ser., vol. 21, p. 178, 1911 (Oahu).
- Amastra soror* (Newcomb): 52, 1853, p. 143, pl. 23, fig. 38; 26, 2d ser., vol. 21, p. 285, pl. 48, figs. 1-5, 1911 (Maui).
Synonym: *Achatinella soror* Newcomb.
- Amastra soror interjecta* Pilsbry: 26, 2d ser., vol. 21, p. 287, pl. 48, figs. 9-11, 1911 (Maui).
- Amastra soror laticeps* Pilsbry: 26, 2d ser., vol. 21, p. 287, pl. 48, fig. 8, 1911 (Maui).
- Amastra spaldingi* Cooke: 6, vol. 3, p. 214, fig. 2, 1908; 26, 2d ser., vol. 21, p. 169, pl. 30, fig. 14; pl. 38, fig. 13, 1911 (Oahu).
- Amastra sphaerica* (Pease): 17, vol. 18, p. 94, 1870; 26, 2d ser., vol. 21, p. 149, pl. 15, figs. 4, 5; pl. 42, fig. 12, 1911 (Kauai).
Synonym: *Achatinella sphaerica* Pease.
- Amastra spicula* Cooke: 6, vol. 3, p. 234, pl. 5, fig. 2, 1908 (Hawaii).
- Amastra spirizona* (Ferussac): 34, p. 480; 26, 2d ser., vol. 21, p. 215, pl. 35, figs. 16-18, 1911 (Oahu).

Synonyms: *Helix spirizona* Ferussac; *Achatinella acuta* Swainson; *Achatinella baetica* Mighels.

Amastra spirizona chlorotica (Pfeiffer): 52, 1855, pp. 5, 203; 26, 2d ser., vol. 21, p. 220, pl. 35, figs. 19, 20, 1911 (Oahu).

Synonyms: *Achatinella chlorotica* Pfeiffer; *Achatinella rudis* var. B Pfeiffer; *Achatinella albida* Pfeiffer.

Amastra spirizona nigrolabris Smith: 52, 1873, p. 85, pl. 10, fig. 9; 26, 2d ser., vol. 21, p. 217, pl. 35, figs. 10-15, 1911 (Oahu).

Synonym: *Amastra nigrolabris* Smith.

Amastra spirizona rudis (Pfeiffer): 52, 1855, p. 5, pl. 30, fig. 17; 26, 2d ser., vol. 21, p. 219, pl. 33, fig. 10, 1911 (Oahu ?).

Synonym: *Achatinella rudis* Pfeiffer.

Amastra subcornea Hyatt and Pilsbry: 26, 2d ser., vol. 21, p. 189, pl. 31, fig. 11, 1911 (Oahu, fossil).

Amastra subcrassilabris Pilsbry: 26, 2d ser., vol. 21, p. 293, pl. 45, figs. 14, 15, 1911 (Maui).

Amastra subobscura Hyatt and Pilsbry: 26, 2d ser., vol. 21, p. 276, pl. 42, fig. 6, 1911 (Molokai).

Amastra subrostrata (Pfeiffer): 52, 1859, p. 31; 26, 2d ser., vol. 21, p. 174, 1911 (Oahu).

Synonym: *Achatinella subrostrata* Pfeiffer.

Amastra subsoror Hyatt and Pilsbry: 26, 2d ser., vol. 21, p. 287, pl. 48, figs. 6, 7, 1911 (Maui).

Amastra subsoror auwahiensis Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 48, pl. 5, figs. 8-10, 1915-1916 (Maui).

Amastra sykesi Pilsbry: 26, 2d ser., vol. 21, p. 273, pl. 42, figs. 2, 3, 1911 (Molokai).

Amastra tenuilabris Gulick: 52, 1873, p. 83, pl. 10, fig. 16; 26, 2d ser., vol. 21, p. 196, pl. 31, fig. 19, 1911 (Oahu).

Amastra tenuilabris rubicunda Baldwin: 1, 1895, p. 229, pl. 11, fig. 38; 26, 2d ser., vol. 21, p. 197, pl. 32, figs. 12, 14, 15, 1911 (Oahu).

Synonym: *Amastra rubicunda* Baldwin.

Amastra tenuispira Baldwin: 1, 1895, p. 232, pl. 11, fig. 51; 26, 2d ser., vol. 21, p. 212, pl. 37, fig. 1, 1911 (Oahu).

Amastra textilis (Ferussac): 34, p. 482; 26, 2d ser., vol. 21, p. 164, pl. 30, figs. 1-7, 1911 (Oahu).

Synonyms: *Helix textilis* Ferussac; *Achatinella textilis* Newcomb; *Achatinella microstoma* Gould; *Achatinella ventulus* Ferussac; *Achatinella ellipsoidea* Gould.

Amastra textilis kaipapauensis Pilsbry: 26, 2d ser., vol. 21, p. 168, pl. 38, fig. 12, 1911 (Oahu).

- Amastra textilis media** Hyatt and Pilsbry: 26, 2d ser., vol. 21, p. 167, pl. 30, figs. 11-12, 1911 (Oahu).
- Amastra thaanumi** Pilsbry: 26, 2d ser., vol. 21, p. 177, pl. 38, figs. 1, 2, 1911 (Oahu).
- Amastra thurstoni** Cooke: 6, vol. 3, p. 224, pl. 6, fig. 2, 1908 (Oahu, fossil).
- Amastra transversalis** (Pfeiffer): 52, 1855, p. 204; 26, 2d ser., vol. 21, p. 183, pl. 31, figs. 2-5, 1911 (Oahu).
Synonym: *Achatinella transversalis* Pfeiffer.
- Amastra transversalis bryani** Pilsbry: 26, 2d ser., vol. 23, p. 26, pl. 2, fig. 16, 1915-1916 (Oahu).
- Amastra tricincta** Pilsbry: 26, 2d ser., vol. 21, p. 277, pl. 39, fig. 15, 1911 (Molokai).
- Amastra tristis** (Ferussac): 34, p. 482, pl. 68, figs. 6, 7; 26, 2d ser., vol. 21, p. 205, pl. 32, figs. 1-7, 10, 13, 1911 (Oahu).
Synonyms: *Helix tristis* Ferussac; *Achatinella fuliginosa* Gould.
- Amastra turritella** (Ferussac): 34, p. 481; 26, 2d ser., vol. 21, p. 213, pl. 35, figs. 1-4, 1911 (Oahu).
Synonyms: *Helix turritella* Ferussac; *Achatina oahuensis* Green; *Achatinella inornata* Mighels.
- Amastra turritella aiae** Pilsbry: 26, 2d ser., vol. 21, p. 215, pl. 35, figs. 5, 9, 1911 (Oahu).
- Amastra turritella waiawa** Pilsbry: 26, 2d ser., vol. 21, p. 215; pl. 35, figs. 7, 8, 1911 (Oahu).
- Amastra ultima** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 25, pl. 2, figs. 9, 10, 1915-1916 (Hawaii).
- Amastra umbilicata** (Pfeiffer): 52, 1855, p. 205; 26, 2d ser., vol. 21, p. 251, pl. 36, figs. 6, 7, 1911 (Molokai).
Synonyms: *Achatinella umbilicata* Pfeiffer; *Achatinella petricola* var. Newcomb.
- Amastra umbilicata arenarum** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 23, pl. 2, figs. 1-4, 1915-1916 (Molokai, fossil).
- Amastra umbilicata pluscula** Cooke: 6, vol. 3, p. 228, pl. 7, fig. 2, 1908 (Hawaii).
- Amastra undata** Baldwin: 1, 1895, p. 230, pl. 11, fig. 39; 26, 2d ser., vol. 21, p. 185, pl. 29, fig. 14, 1911 (Oahu).
- Amastra uniplicata** Hartman: 1, 1888, p. 50, pl. 1, fig. 7; 26, 2d ser., vol. 21, p. 265, pl. 28, figs. 17, 18, 21, 22; pl. 49, fig. 12, 1911 (Molokai).
- Amastra uniplicata vetuscula** Cooke: 6, vol. 3, p. 244, pl. 5, fig. 5, 1908 (Molokai, fossil).
- Amastra variegata** (Pfeiffer): 49, p. 90, 1849; 26, 2d ser., vol. 21, p. 229, pl. 34, figs. 1-5, 1911 (Oahu).

Synonyms: *Achatinella variegata* Pfeiffer; *Achatinella rubens* Reeve; *Achatinella decepta* Adams.

Amastra vetusta Baldwin: 1, 1895, p. 233, pl. 11, fig. 150; 26, 2d ser., vol. 21, p. 178, pl. 29, figs. 16, 17, 1911 (Oahu, fossil).

Amastra violacea (Newcomb): 22, vol. 6, p. 18, 1853; 26, 2d ser., vol. 21, p. 257, pl. 27, figs. 3, 4, 1911 (Molokai).

Synonym: *Achatinella violacea* Newcomb.

Amastra violacea wailauensis Pilsbry: 26, 2d ser., vol. 21, p. 258, pl. 39, figs. 13, 14; pl. 27, figs. 1, 2, 1911 (Molokai).

Amastra viriosa Cooke: 6, vol. 3, p. 235, pl. 7, fig. 6, 1908 (Hawaii).

Amastra whitei Cooke: 6, vol. 3, p. 232, pl. 7, fig. 4, 1908 (Hawaii).

Laminella alexandri (Newcomb): 8, 1865, vol. 3, p. 182; 26, 2d ser., vol. 21, p. 341, pl. 52, figs. 1, 2, 9, 1911 (Maui).

Synonym: *Achatinella alexandri* Newcomb.

Laminella alexandri picta Baldwin: 1, 1895, p. 228, pl. 11, figs. 33-35; 26, 2d ser., vol. 21, p. 345, pl. 52, figs. 6-8, 10, 13-16, 1911 (Molokai).

Synonym: *Laminella picta* Baldwin.

Laminella alexandri duoplicata Baldwin: 45, vol. 22, p. 68, 1908; 26, 2d ser., vol. 21, p. 342, pl. 52, figs. 3-5, 1911 (Maui).

Synonym: *Laminella duoplicata* Baldwin.

Laminella aspera Baldwin: 45, vol. 22, p. 68, 1908; 26, 2d ser., vol. 21, p. 344, pl. 53, figs. 10-12, 1911 (Maui).

Laminella bulbosa (Gulick): 22, vol. 6, p. 253, 1858; 26, 2d ser., vol. 21, p. 340, pl. 53, figs. 13-15, 1911 (Maui).

Synonym: *Achatinella bulbosa* Gulick.

Laminella citrina (Mighels): 32, vol. 2, p. 234, 1848; 26, 2d ser., vol. 21, p. 350, pl. 50, figs. 1-5, 8, 1911 (Molokai).

Synonym: *Achatinella citrina* Mighels.

Laminella citrina helvina Baldwin: 1, 1895, p. 227, pl. 11, fig. 30; 26, 2d ser., vol. 21, p. 352, pl. 50, figs. 12-15, 1911 (Molokai).

Synonym: *Laminella helvina* Baldwin.

Laminella citrina semiventula Borcherding: 50, vol. 19, p. 92, pl. 8, figs. 23, 24, 1906; 26, 2d ser., vol. 21, p. 353, pl. 50, figs. 6, 7, 9-11, 1911 (Molokai).

Synonym: *Laminella semiventula* Borcherding.

Laminella concinna (Newcomb): 52, 1853, p. 157, pl. 24, fig. 79; 26, 2d ser., vol. 21, p. 336, pl. 54, figs. 10, 11, 1911 (Lanai).

Synonym: *Achatinella concinna* Newcomb.

Laminella concinna circumcincta Dall: 26, 2d ser., vol. 21, p. 337, pl. 54, figs. 12, 13, 1911 (Lanai).

Laminella gravida (Ferussac): 34, p. 478, pl. 68, figs. 4, 5; 26, 2d ser., vol. 21, p. 327, pl. 55, figs. 1-4, 1911 (Oahu).

Synonyms: *Helix gravida* Ferussac; *Achatinella gravida* Pfeiffer; *Bulimus gravida* Pfeiffer; *Achatinella suffusa* Reeve; *Achatinella dimondi* Adams.

Laminella gravida aurantium Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 54, pl. 1, figs. 3-5, 1915-1916 (Oahu).

Laminella gravida kahihensis Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 54, pl. 1, fig. 6, 1915-1916 (Oahu).

Laminella gravida waianaensis Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 54, pl. 1, figs. 7, 8, 1915-1916 (Oahu).

Laminella kuhnsi (Cooke): 6, vol. 3, p. 217, 1908; 26, 2d ser., vol. 21, p. 343, pl. 49, fig. 15; pl. 52, figs. 11, 12, 1911 (Maui).

Synonym: *Amastra kuhnsi* Cooke.

Laminella picta (Mighels): 7, 1845, vol. 2, p. 21; 26, 2d ser., vol. 21, p. 338, pl. 53, figs. 1-9, 1911 (Maui).

Synonym: *Achatinella picta* Mighels.

Laminella remyi (Newcomb): 22, vol. 6, p. 146, 1855; 26, 2d ser., vol. 21, p. 335, pl. 54, fig. 9, 1911 (Lanai).

Synonym: *Achatinella remyi* Newcomb.

Laminella sanguinea (Newcomb): 52, 1853, p. 135, pl. 22, fig. 15; 26, 2d ser., vol. 21, p. 330, pl. 55, figs. 9, 12-16, 1911 (Oahu).

Synonyms: *Achatinella sanguinea* Newcomb; *Achatinella ferussaci* Pfeiffer.

Laminella straminea (Reeve): 35, vol. 6, pl. 5, sp. 38, 1850; 26, 2d ser., vol. 21, p. 329, pl. 55, figs. 10, 11, 1911 (Oahu).

Synonym: *Achatinella straminea* Reeve.

Laminella tetrao (Newcomb): 7, 1855, vol. 5, p. 219; 26, 2d ser., vol. 21, p. 333, pl. 54, figs. 1-7, 1911 (Lanai).

Synonym: *Achatinella tetrao* Newcomb.

Laminella tetrao gracilior Pilsbry: 26, 2d ser., vol. 21, p. 335, pl. 54, fig. 8, 1911 (Lanai).

Laminella venusta (Mighels): 7, 1845, vol. 2, p. 21; 26, 2d ser., vol. 21, p. 347, pl. 51, figs. 1-10, 12, 1911 (Molokai).

Synonym: *Achatinella venusta* Mighels.

Laminella venusta muscaria Pilsbry: 26, 2d ser., vol. 21, p. 349, pl. 51, figs. 13-16, 1911 (Molokai).

Laminella venusta orientalis Pilsbry: 26, 2d ser., vol. 21, p. 350, pl. 51, fig. 11, 1911 (Molokai).

Laminella venusta semivestita Hyatt and Pilsbry: 26, 2d ser., vol. 21, p. 349, pl. 51, figs. 6-10, 12, 1911 (Molokai).

TORNATELLINIDAE

- Auriculella ambusta** Pease: 17, vol. 16, p. 345, 1868; 26, 2d ser., vol. 23, p. 86, pl. 23, figs. 1, 2, 1915-1916 (Oahu).
- Auriculella ambusta obliqua** Ancey: 26, 2d ser., vol. 23, p. 88, pl. 23, figs. 3, 4, 1915-1916 (Oahu).
- Auriculella amoena** (Pfeiffer): 52, 1855, p. 2, pl. 30, fig. 3; 26, 2d ser., vol. 23, p. 81, 1915-1916; vol. 22, pl. 30, fig. 3, 1912-1914 (Oahu).
Synonyms: Achatinella amoena Pfeiffer; Frickella amoena Pfeiffer.
- Auriculella auricula** (Ferussac): 12, p. 66, no. 6, 1821; 26, 2d ser., vol. 23, p. 78, pl. 24, figs. 1-10, 1915-1916 (Oahu).
Synonyms: Partula auricula Ferussac; Partula dumartroyi Souleyet; Auricula owaihiensis Chamisso; Auricula sinistrorsa Chamisso; Bulimus armatus Mighels; Auriculella perkinsi Sykes; Auriculella tripli-cata Pease.
- Auriculella brunnea** Smith: 52, 1873, p. 88, pl. 10, fig. 23; 26, 2d ser., vol. 23, p. 105, pl. 26, figs. 10-15, 1915-1916 (Molokai).
- Auriculella canalifera** Ancey: 24, 1904, vol. 6, p. 121, pl. 7, fig. 11; 26, 2d ser., vol. 23, p. 106, pl. 19, figs. 1, 2, 1915-1916 (Molokai).
- Auriculella castanea** (Pfeiffer): 32, vol. 3, p. 524, 1853; 26, 2d ser., vol. 23, p. 94, pl. 25, figs. 10-12, 1915-1916 (Oahu).
Synonyms: Tornatellina castanea Pfeiffer; Achatinella lurida Pfeiffer.
- Auriculella cerea** (Pfeiffer): 52, 1855, p. 2, pl. 30, fig. 21; 26, 2d ser., vol. 23, p. 103, pl. 26, figs. 1-7, 1915-1916 (Molokai).
Synonym: Achatinella cerea Pfeiffer.
- Auriculella crassula** Smith: 52, 1873, p. 88, pl. 10, fig. 22; 26, 2d ser., vol. 23, p. 109, pl. 18, figs. 1-5, 1915-1916 (Maui).
- Auriculella diaphana** Smith: 52, 1873, p. 87, pl. 10, fig. 25; 26, 2d ser., vol. 23, p. 76, pl. 27, figs. 1-6, 1915-1916 (Oahu).
- Auriculella diaphana cacuminis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 77, pl. 24, figs. 11, 12, 1915-1916 (Oahu).
- Auriculella expansa** Pease: 17, vol. 16, p. 343, pl. 14, fig. 8, 1868; 26, 2d ser., vol. 23, p. 109, pl. 19, figs. 3-6, 1915-1916 (Maui).
- Auriculella flava** Cooke: 26, 2d ser., vol. 23, p. 103, pl. 26, figs. 8, 9, 1915-1916 (Molokai).
- Auriculella kuesteri** (Pfeiffer): 52, 1854, p. 295; 26, 2d ser., vol. 23, p. 100, 1915-1916 (Oahu?).
Synonym: Tornatellina kuesteri Pfeiffer.
- Auriculella lanaiensis** Cooke: 26, 2d ser., vol. 23, p. 107, pl. 19, figs. 12-16, 1915-1916 (Lanai).
- Auriculella malleata** Ancey: 24, 1904, vol. 4, p. 120, pl. 7, fig. 12; 26, 2d ser., vol. 23, p. 88, pl. 27, figs. 12-14, 1915-1916 (Oahu).

- Auriculella minuta** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 90, pl. 25, figs. 5-9, 1915-1916 (Oahu).
- Auriculella montana** Cooke: 26, 2d ser., vol. 23, p. 82, pl. 27, fig. 9, 1915-1916 (Oahu).
- Auriculella newcombi** (Pfeiffer): 52, 1853, p. 67; 26, 2d ser., vol. 23, p. 102, pl. 28, figs. 1-4, 1915-1916 (Molokai).
Synonym: *Balea newcombi* Pfeiffer.
- Auriculella olivacea** Cooke: 26, 2d ser., vol. 23, p. 81, pl. 27, figs. 10, 11, 1915-1916 (Oahu).
- Auriculella perpusilla** Smith: 52, 1873, p. 87, pl. 10, fig. 26; 26, 2d ser., vol. 23, p. 91, pl. 25, figs. 1, 2, 1915-1916 (Oahu).
- Auriculella perversa** Cooke: 26, 2d ser., vol. 23, p. 90, pl. 25, figs. 3, 4, 1915-1916 (Oahu).
- Auriculella petitiana** (Pfeiffer): 49, p. 149, 1847; 26, 2d ser., vol. 23, p. 95, pl. 28, fig. 8, 1915-1916 (Oahu?).
Synonym: *Tornatellina petitiana* Pfeiffer.
- Auriculella pulchra** Pease: 17, vol. 16, p. 346, pl. 14, fig. 6, 1868; 26, 2d ser., vol. 23, p. 83, pl. 23, figs. 5-20, 1915-1916 (Oahu).
- Auriculella serrula** Cooke: 26, 2d ser., vol. 23, p. 93, pl. 25, figs. 13, 14, 1915-1916 (Oahu).
- Auriculella straminea** Cooke: 26, 2d ser., vol. 23, p. 77, pl. 24, fig. 13, 1915-1916 (Oahu).
- Auriculella tantalus** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 97, pl. 24, figs. 15, 16, 1915-1916 (Oahu).
- Auriculella tenella** Ancey: 40, p. 232, 1889; 26, 2d ser., vol. 23, p. 99, pl. 19, figs. 7, 8, 1915-1916 (Oahu).
- Auriculella tenuis** Smith: 52, 1873, p. 87, pl. 10, fig. 27; 26, 2d ser., vol. 23, p. 98, pl. 25, fig. 16, 1915-1916 (Oahu).
- Auriculella turritella** Cooke: 26, 2d ser., vol. 23, p. 92, pl. 25, fig. 15, 1915-1916 (Oahu).
- Auriculella uniplicata** Pease: 17, vol. 16, p. 344, 1868; 26, 2d ser., vol. 23, p. 108, pl. 18, figs. 8-16, 1915-1916 (Maui).
- Auriculella westerlundiana** Ancey: 40, vol. 6, p. 218, 1889; 26, 2d ser., vol. 23, p. 111, pl. 19, figs. 9-11, 1915-1916 (Hawaii).
- Gulickia alexandri** Cooke: 26, 2d ser., vol. 23, p. 112, pl. 28, fig. 7, 1915-1916 (Hawaii).
- Elasmias anceyanum** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 118, pl. 31, figs. 7, 8, 1915-1916 (Maui).
Synonym: *Tornatellina fusca* Ancey.
- Elasmias fuscum** (Ancey): 17, vol. 51, pp. 306, 307, pl. 12, figs. 23, 24, 1903; 26, 2d ser., vol. 23, p. 115, pl. 29, figs. 1-6, 1915-1916 (Maui, Molokai, Oahu, Hawaii).

- Elasmias luakahaense** Pilsbry: 17, vol. 51, p. 295, 1903; 26, 2d ser., vol. 23, p. 117, pl. 29, figs. 7-10, 1915-1916 (Kauai, Oahu).
 Synonym: *Tornatellina aperta* Ancey (not Pease).
- Tornatellina baldwini** Ancey: 40, vol. 6, p. 238, 1889; 26, 2d ser., vol. 23, p. 142, pl. 35, figs. 3, 4; pl. 40, fig. 13; pl. 42, figs. 1, 2, 1915-1916 (Hawaii, Maui, Kauai, Oahu).
- Tornatellina baldwini subrugosa** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 143, pl. 35, figs. 7, 10, 1915-1916 (Hawaiian islands).
- Tornatellina cylindrica** Sykes: 44, vol. 2, p. 381, pl. 9, fig. 28, 1900; 26, 2d ser., vol. 23, p. 153, pl. 43, figs. 1-3; pl. 40, figs. 1, 2, 1915-1916 (Kauai, Oahu, Maui).
- Tornatellina cylindrica kilohanana** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 154, pl. 40, figs. 3, 6, 1915-1916 (Molokai).
- Tornatellina gayi** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 172, pl. 42, fig. 3, 1915-1916 (Kauai).
- Tornatellina gracilis** Pease: 52, 1871, p. 460; 26, 2d ser., vol. 23, p. 159, pl. 42, fig. 11; pl. 43, figs. 7-9, 1915-1916 (Hawaiian islands).
 Synonym: *Tornatellina extincta* Ancey.
- Tornatellina lanceolata** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 158, pl. 43, figs. 4-6, 1915-1916 (Oahu).
- Tornatellina mcgregori** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 144, pl. 35, figs. 14, 15, 1915-1916 (Hawaii).
- Tornatellina oblonga** Pease: 52, 1864, p. 673; 26, 2d ser., vol. 23, p. 160, pl. 41, figs. 6, 9; pl. 42, figs. 7-10; p. 163, pl. 36, figs. 5, 6, 8-11, 1915-1916 (Hawaiian islands).
 Synonym: *Tornatellina dentata* Pease.
- Tornatellina peponum** (Gould): 7, 1847, vol. 2, p. 197; 26, 2d ser., vol. 23, p. 156, pl. 35, figs. 1, 2, 5, 6; pl. 42, figs. 4-6, 1915-1916 (Hawaiian islands).
 Synonym: *Pupa peponum* Gould.
- Tornatellina polygnampta** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 155, pl. 41, figs. 1-5, 7, 8, 1915-1916 (Maui).
- Tornatellina polygnampta kamaloensis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 156, pl. 40, figs. 4, 5, 1915-1916 (Molokai).
- Tornatellina tantalus** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 172, pl. 40, figs. 8-10, 1915-1916 (Oahu).
- Tornatellides attenuatus** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 219, pl. 48, figs. 3, 4, 1915-1916 (Oahu, fossil).
- Tornatellides bellus** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 241, pl. 53, figs. 4, 5, 1915-1916 (Maui).
- Tornatellides brunneus** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 238, pl. 51, figs. 5, 6, 1915-1916 (Oahu).

- Tornatellides bryani** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 210, pl. 53, figs. 9, 10, 1915-1916 (Laysan).
- Tornatellides comes** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 225, pl. 49, figs. 7, 8, 1915-1916 (Molokai).
- Tornatellides compactus** (Sykes): 44, vol. 2, p. 380, pl. 11, fig. 1, 1900; 26, 2d ser., vol. 23, p. 204, pl. 45, figs. 1-3, 1915-1916 (Hawaii).
Synonym: *Tornatellina compacta* Sykes.
- Tornatellides confusus** (Sykes): 44, vol. 2, pp. 380, 382, 1900; 26, 2d ser., vol. 23, p. 209, pl. 46, figs. 1, 2, 1915-1916 (Hawaii).
Synonym: *Tornatellina confusa* Sykes.
- Tornatellides cyphostyla** (Ancey): 18, vol. 11, p. 70, pl. 5, figs. 22, 23, 1904; 26, 2d ser., vol. 23, p. 218, pl. 48, figs. 1, 2, 1915-1916 (Hawaii, fossil).
Synonym: *Tornatellina cyphostyla* Ancey.
- Tornatellides diptyx** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 217, pl. 47, figs. 8, 9, 1915-1916 (Molokai).
- Tornatellides drepanophora** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 249, pl. 52, figs. 11-13, 1915-1916 (Kauai).
- Tornatellides euryomphala** (Ancey): 40, vol. 6, p. 239, 1889; 26, 2d ser., vol. 23, p. 232, pl. 50, figs. 1-3, 1915-1916 (Maui).
Synonym: *Tornatellina euryomphala* Ancey.
- Tornatellides forbesii** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 247, pl. 52, figs. 8, 9, 1915-1916 (Maui).
- Tornatellides forbesii nanus** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 248, pl. 52, figs. 5, 10, 1915-1916 (Hawaii).
- Tornatellides frit** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 226, pl. 49, fig. 6, 1915-1916 (Molokai).
- Tornatellides idae** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 216, pl. 47, figs. 3, 5, 6, 1915-1916 (Oahu).
- Tornatellides inornatus** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 214, pl. 46, fig. 13, 1915-1916 (Molokai).
- Tornatellides insignis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 220, pl. 48, figs. 10-13, 1915-1916 (Oahu, fossil).
- Tornatellides irregularis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 234, pl. 50, figs. 4-6, 1915-1916 (Maui).
- Tornatellides kahoolavensis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 211, pl. 46, figs. 3, 4, 7, 1915-1916 (Kahoolawe).
- Tornatellides kahukuensis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 208, pl. 46, figs. 11, 12, 1915-1916 (Oahu).
- Tornatellides kamaloensis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 207, pl. 45, figs. 10, 11, 1915-1916 (Molokai).

- Tornatellides kilauea** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 208, pl. 45, figs. 12, 13, 1915-1916 (Hawaii).
- Tornatellides konaensis** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 212, pl. 46, figs. 5, 6, 1915-1916 (Hawaii).
- Tornatellides leptospira** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 243, pl. 51, figs. 11-13, 1915-1916 (Oahu).
- Tornatellides macromphala** (Ancey): 17, vol. 51, p. 296, pl. 12, figs. 3, 4, 1903; 26, 2d ser., vol. 23, p. 227, pl. 49, figs. 14-16, 1915-1916 (Maui, Oahu).
Synonym: *Tornatellina macromphala* Ancey.
- Tornatellides macroptychia** (Ancey): 17, vol. 51, p. 305, pl. 12, figs. 21, 22, 1903; 26, 2d ser., vol. 23, p. 239, pl. 51, figs. 8, 9, 1915-1916 (Maui).
Synonym: *Tornatellina macroptychia* Ancey.
- Tornatellides micromphala** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 229, pl. 49, figs. 12, 13, 1915-1916 (Molokai).
- Tornatellides momomiensis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 222, pl. 48, figs. 14, 15, 1915-1916 (Molokai, fossil).
- Tornatellides oahuensis** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 222, pl. 48, figs. 8, 9, 1915-1916 (Oahu).
- Tornatellides oncospira** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 214, pl. 46, fig. 8, 1915-1916 (Hawaii).
- Tornatellides perkinsi** (Sykes): 44, vol. 2, p. 382, pl. 2, fig. 14, 1900; 26, 2d ser., vol. 23, p. 224, pl. 49, figs. 1, 2, 5, 1915-1916 (Kauai).
Synonym: *Tornatellina perkinsi* Sykes.
- Tornatellides perkinsi acicula** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 225, pl. 49, figs. 3, 4, 1915-1916 (Oahu).
- Tornatellides pilsbryi** Cooke: 45, vol. 28, p. 79, 1914; 26, 2d ser., vol. 23, p. 221, pl. 48, figs. 5-7, 1915-1916 (Oahu).
- Tornatellides plagiptyx** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 242, pl. 53, figs. 1-3, 1915-1916 (Molokai).
- Tornatellides popouelensis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 235, pl. 50, figs. 9-12, 1915-1916 (Oahu).
- Tornatellides prionptychia** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 246, pl. 52, figs. 3, 4, 1915-1916 (Oahu).
- Tornatellides procerulus** (Ancey): 17, vol. 51, p. 302, pl. 12, figs. 13, 14, 1903; 26, 2d ser., vol. 23, p. 205, pl. 45, figs. 4-6, 1915-1916 (Maui).
Synonym: *Tornatellina procerula* Ancey.
- Tornatellides procerulus kailuanus** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 207, pl. 45, fig. 9, 1915-1916 (Oahu).
- Tornatellides procerulus puukolekolensis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 207, pl. 45, figs. 7, 8, 1915-1916 (Molokai).

- Tornatellides producta** (Ancey): 17, vol. 51, p. 297, 1903; 26, 2d ser., vol. 23, p. 226, pl. 49, figs. 9-11, 1915-1916 (Kauai).
Synonym: *Tornatellina macromphala producta* Ancey.
- Tornatellides pyramidatus** (Ancey): 17, vol. 51, p. 304, pl. 12, figs. 19, 20, 1903; 26, 2d ser., vol. 23, p. 236, pl. 51, figs. 1, 2, 1915-1916 (Hawaii).
Synonym: *Tornatellina pyramidata* Ancey.
- Tornatellides ronaldi** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 234, pl. 50, figs. 7, 8, 1915-1916 (Oahu).
- Tornatellides rudicostatus** (Ancey): 18, vol. 11, p. 70, pl. 5, figs. 20, 21, 1904; 26, 2d ser. vol. 23, p. 250, pl. 47, figs. 10-12, 1915-1916 (Hawaii, fossil).
Synonym: *Tornatellina rudicostata* Ancey.
- Tornatellides serrarius** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 247, pl. 52, figs. 6, 7, 1915-1916 (Oahu).
- Tornatellides spaldingii** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 230, pl. 53, figs. 6-8, 1915-1916 (Oahu).
- Tornatellides subangulatus** (Ancey): 17, vol. 51, p. 303, pl. 12, figs. 15, 16, 1903; 26, 2d ser., vol. 23, p. 213, pl. 46, figs. 9, 10, 1915-1916 (Maui).
Synonym: *Tornatellina subangulata* Ancey.
- Tornatellides terebra** (Ancey): 17, vol. 51, p. 303, pl. 12, figs. 17, 18, 1903; 26, 2d ser., vol. 23, p. 244, pl. 52, figs. 1, 2, 1915-1916 (Maui).
Synonym: *Tornatellina terebra* Ancey.
- Tornatellides thaanumi** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 215, pl. 47, figs. 1, 2, 4, 1915-1916 (Molokai).
- Tornatellides virgula** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 241, pl. 51, figs. 10, 14, 1915-1916 (Maui).
- Tornatellides waianaensis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 237, pl. 51, figs. 3, 4, 1915-1916 (Oahu).
- Tornatellaria abbreviata** (Ancey): 17, vol. 51, p. 298, pl. 12, figs. 7, 8, 1903; 26, 2d ser., vol. 23, p. 267, pl. 55, figs. 12, 13, 1915-1916 (Maui).
Synonym: *Tornatellina abbreviata* Ancey.
- Tornatellaria abbreviata hawaiensis** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 269, pl. 55, fig. 14, 1915-1916 (Hawaii).
- Tornatellaria adelinae** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 256, pl. 54, figs. 3, 4, 1915-1916 (Oahu).
- Tornatellaria anceyana** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 263, pl. 55, fig. 4, 1915-1916 (Maui).
- Tornatellaria baldwiniana** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 270, pl. 55, fig. 5, 1915-1916 (Maui).

- Tornatellaria cincta** (Ancey): 17, vol. 51, p. 297, pl. 12, figs. 5, 6, 1903; 26, 2d ser., vol. 23, p. 262, pl. 55, figs. 1, 2, 1915-1916 (Hawaiian islands).
 Synonym: *Tornatellina cincta* Ancey.
- Tornatellaria convexior** Pilsbry and Cooke: 26, 2d ser., vol. 23, p. 267, pl. 55, fig. 8, 1915-1916 (Hawaii).
- Tornatellaria henshawi** (Ancey): 17, vol. 51, p. 299, pl. 12, figs. 9, 10, 1903; 26, 2d ser., vol. 23, p. 264, pl. 55, fig. 3, 1915-1916 (Hawaii).
 Synonym: *Tornatellina henshawi* Ancey.
- Tornatellaria lilae** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 256, pl. 54, figs. 1, 2, 1915-1916 (Oahu).
- Tornatellaria newcombi** (Pfeiffer): 52, 1856, p. 335; 26, 2d ser., vol. 23, p. 258, pl. 54, figs. 9, 10, 1915-1916 (Kauai, Oahu).
 Synonym: *Tornatellina newcombi* Pfeiffer.
- Tornatellaria occidentalis** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 257, pl. 54, figs. 5, 6, 1915-1916 (Oahu).
- Tornatellaria sharpi** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 270, pl. 55, fig. 10, 1915-1916 (Hawaii).
- Tornatellaria smithi** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 269, pl. 55, fig. 11, 1915-1916 (Hawaii).
- Tornatellaria stokesi** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 259, pl. 54, fig. 8, 1915-1916 (Oahu).
- Tornatellaria sykesi** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 265, pl. 55, fig. 6, 1915-1916 (Hawaii).
- Tornatellaria sykesi illibata** Cooke and Pilsbry: 26, 2d ser., vol. 23, p. 266, pl. 55, fig. 7, 1915-1916 (Molokai).
 Synonym: *Tornatellina sykesi* Sykes.
- Tornatellaria trochoides** (Sykes): 44, vol. 2, p. 383, pl. 11, fig. 31, 1900; 26, 2d ser., vol. 23, p. 261, pl. 54, figs. 13-17; pl. 55, fig. 9, 1915-1916 (Lanai).
 Synonym: *Tornatellina trochoides* Sykes.
- Tornatellaria umbilicata** (Ancey): 40, vol. 6, p. 232, 1889; 26, 2d ser., vol. 23, p. 260, pl. 54, figs. 11, 12, 1915-1916 (Maui).
 Synonym: *Tornatellina umbilicata* Ancey.

SUCCINEIDAE

- Succinea apicalis** Ancey: 24, 1904, vol. 6, p. 118, pl. 7, fig. 3 (Maui).
- Succinea approximata** (Shuttleworth): 35, vol. 18, pl. 4, sp. 27, 1872 (Hawaiian islands?).
- Succinea aurulenta** Ancey: 40, vol. 6, p. 424, 1889 (Hawaii).
- Succinea baldwini** Ancey: 40, vol. 6, p. 250, 1889 (Maui).
- Succinea bicolorata** Ancey: 24, 1899, vol. 3, p. 271, pl. 12, fig. 2 (Hawaii).

Succinea caduca Mighels: 7, 1845, vol. 2, p. 21 (Molokai, Lanai, Oahu).

Succinea canella Gould: 7, 1846, vol. 2, p. 184 (Maui, Molokai).

Succinea casta Ancey: 24, 1899, vol. 3, p. 272, pl. 12, fig. 10 (Hawaii).

Succinea cepulla Gould: 7, 1846, vol. 2, p. 182 (Hawaii, Molokai, Oahu).

Synonyms: *Succinea fragilis* Souleyet (not King): *Succinea souleyeti* Ancey.

Succinea cinnamomea Ancey: 40, vol. 6, p. 247, 1889 (Oahu).

Succinea delicata Ancey: 40, vol. 6, p. 243, 1889 (Maui).

Succinea elongata Pease: 17, vol. 18, p. 96, 1870 (Kauai).

Succinea explanata Gould: 46, p. 13, pl. 2, fig. 31, 1852 (Kauai).

Succinea fragilis King: 51, vol. 5, p. 343, 1831 (Hawaiian islands).

Succinea garrettiana Ancey: 24, 1899, vol. 3, p. 272, pl. 12, fig. 7 (Hawaii).

Succinea gibba Henshaw: 18, vol. 11, p. 62, pl. 5, figs. 7, 8, 1904 (Hawaii).

Succinea inconspicua Ancey: 24, vol. 3, p. 273, pl. 12, fig. 9, 1899 (Hawaii).

Succinea konaensis Sykes: 24, 1896, vol. 2, p. 299 (Hawaii).

Succinea kuhnsi Ancey: 24, 1904, vol. 6, p. 117, pl. 7, fig. 1 (Hawaii).

Succinea lumbalis Gould: 7, 1846, vol. 2, p. 183 (Hawaii, Kauai).

Succinea lutulenta Ancey: 40, vol. 6, p. 244, 1889 (Maui).

Succinea mauiensis Ancey: 40, vol. 6, p. 248, 1889 (Maui).

Succinea maxima Henshaw: 18, vol. 11, p. 61, pl. 5, figs. 1, 2, 1904 (Hawaii).

Succinea mirabilis Henshaw: 18, vol. 11, p. 61, pl. 5, figs. 3, 4, 1904 (Hawaii).

Succinea newcomiana Garrett: 8, 1857, vol. 1, p. 103; 6, vol. 7, p. 273, 1921 (Hawaii).

Succinea pristina Henshaw: 18, vol. 11, p. 62, pl. 5, figs. 5, 6, 1904 (Hawaii).

Succinea protracta Sykes: 44, vol. 2, p. 388, 1900 (Hawaii).

Succinea pudorina Gould: 7, 1846, vol. 2, p. 186 (erroneously reported from Hawaii).

Succinea punctata Pfeiffer: 52, 1854, p. 297 (Hawaiian islands).

Succinea quadrata Ancey: 24, 1904, vol. 6, p. 119, pl. 7, fig. 5 (Hawaii).

Succinea rotundata Gould: 7, 1846, vol. 2, p. 182 (Oahu, Molokai, Hawaii).

Succinea rubella Pease: 52, 1871, p. 460 (Lanai).

Succinea tahietensis Pfeiffer: 52, 1846, p. 109 (Hawaiian islands).

Succinea tenerrima Ancey: 24, 1904, vol. 6, p. 118, pl. 7, fig. 2 (Hawaii).

Succinea tetragona Ancey: 24, 1904, vol. 6, p. 119, pl. 7, fig. 4 (Maui).

Succinea thaanumi Ancey: 24, 1899, vol. 3, p. 272, pl. 12, fig. 3 (Hawaii).

Succinea venusta Gould: 7, 1846, vol. 2, p. 186 (Hawaii).

Succinea vescicalis Gould: 7, 1846, vol. 2, p. 183 (Hawaii).

Succinea waianaensis Ancey: 24, 1899, vol. 3, p. 273, pl. 12, fig. 12 (Oahu).

Catinella paropsis Cooke: 6, vol. 7, p. 275, pl. 25, fig. 3, 1921 (Oahu).

Catinella rubida (Pease): 52, 1871, p. 459; 6, vol. 7, p. 274, pl. 25, fig. 1, 1921 (Kauai).

Synonym: *Succinea rubida* Pease.

Catinella tuberculata Cooke: 6, vol. 7, p. 275, pl. 25, fig. 2, 1921 (Oahu).

Laxisuccinea haena Cooke: 6, vol. 7, p. 277, pl. 25, fig. 5, 1921 (Kauai, fossil).

Laxisuccinea libera Cooke: 6, vol. 7, p. 277, pl. 25, fig. 6, 1921 (Kauai, fossil).

STENOZYRIDAE

Opeas clavulinum hawaiiense Sykes: 24, 1904, vol. 6, p. 113, fig. 3; 26, 2d ser., vol. 18, p. 136, pl. 17, fig. 97, 1906 (Hawaiian islands).

Synonym: *Opeas prestoni hawaiiensis* Sykes.

Opeas javanicum (Reeve): 35, vol. 5, pl. 17, fig. 97, 1849; 26, 2d ser., vol. 18, p. 138, pl. 12, figs. 14, 16; pl. 16, figs. 81, 88; pl. 22, fig. 9, 1906 (Hawaii, Oahu, Kauai).

Synonyms: *Achatina javanica* Reeve; *Opeas henshawi* Sykes.

Opeas mauritianum (Pfeiffer): 52, 1852, p. 150; 26, 2d ser., vol. 18, p. 133, pl. 17, figs. 92-96, 1906 (Maui).

Synonyms: *Bulimus mauritianus* Pfeiffer; *Spiraxis sandwichensis* Pfeiffer.

Opeas mauritianum prestoni Sykes: 24, 1898, vol. 3, p. 73, pl. 5, fig. 4; 26, 2d ser., vol. 18, p. 134, pl. 17, figs. 98-100, 1906 (Hawaii).

Synonym: *Opeas prestoni* Sykes.

Opeas operanum (Pfeiffer): 52, 1846, p. 34; 26, 2d ser., vol. 18, p. 183, pl. 22, figs. 1-3, 12; pl. 24, fig. 39, 1906 (Hawaii, Molokai, Oahu).

Synonyms: *Bulimus operanus* Pfeiffer; *Stenogyra tuckeri* Pfeiffer; *Bulimus pyrgiscus* Pfeiffer; *Bulimus junceus* Gould; *Stenogyra upolensis* Mousson; *Stenogyra novemgyrata* Mousson.

Opeas opella Pilsbry and Vanatta: 1, 1905, p. 785, fig. 1; 26, 2d ser., vol. 18, p. 186, pl. 24, fig. 36, 1906 (Oahu, Hawaii).

Geostilbia baldwini (Ancey): 41, vol. 5, p. 718, 1892; 26, 2d ser., vol. 20, p. 45, 1909-1910 (Oahu, Hawaii).

Synonym: *Caecilianella baldwini* Ancey.

Bulimus lactifluus Pfeiffer: Cf. 44, p. 399. (This species also described by Pfeiffer as *Spiraxis sandwichensis* [52, 1856, p. 335] is a native of Chile and is not known to occur in Hawaii.)

HELICIDAE

Helix approximata Guillou: 38, p. 139, 1842; 26, 2d ser., vol. 3, p. 90, pl. 18, figs. 64-67, 1887 (This snail is probably a species of Trochomorpha, erroneously reported as occurring in Hawaii).

Eulota similaris (Ferussac): 11, vol. 1, p. 171, pl. 25b, figs. 1-4; pl. 27a, figs. 1-5, 1855; 26, 2d ser., vol. 3, p. 205, pl. 46, figs. 27-30; pl. 47, figs. 33-37, 1887 (Kauai, Oahu).

Synonym: *Helix similaris* Ferussac.

Papuina barnaclei (E. A. Smith): 4, 4th ser., vol. 20, p. 242, 1877; 26, 2d ser., vol. 7, p. 73, 1890 (Hawaii).

Synonym: *Helix barnaclei* Smith.

Systrophia sandwichensis (Pfeiffer): 52, 1849, p. 128; 26, 2d ser., vol. 2, p. 213, pl. 62, fig. 57, 1886. (Described as *Helix sandwichensis*, this species does not occur in the Hawaiian islands. It has been referred also to the genus *Charopa*.)

GENERA UNCERTAIN, TYPES BROKEN OR LOST

Helix exserta Pfeiffer: 52, 1856, p. 32; 26, 2d ser., vol. 2, p. 215, 1886 (Hawaii).

Helix fornicata Gould: 7, 1846, vol. 2, p. 172; 26, 2d ser., vol. 3, p. 27, 1887 (Hawaiian islands).

The systematic position of **H. exserta** and **H. fornicata** is doubtful. From the descriptions, the genera are not easy to locate, and the type of **H. fornicata** has been lost, while of that of **H. exserta** only a fragment remains.

ZONITIDAE

Godwinia caperata (Gould): 7, 1846, vol. 2, p. 181; 26, 2d ser., vol. 1, p. 171, pl. 38, figs. 61-63, 1885 (Kauai, Oahu?).

Synonyms: *Helicarion caperatus* Gould; *Helix newcombi* Pfeiffer.

Godwinia haupuensis Cooke: 6, vol. 7, p. 267, 1921 (Kauai).

Godwinia tenella (Gould): 7, 1846, vol. 2, p. 181; 26, 2d ser., vol. 1, p. 171, pl. 38, figs. 59, 60, 1885 (Maui, Hawaii).

Synonym: *Helicarion tenellus* Gould.

Nesovitrea hawaiiensis (Ancey): 24, 1904, vol. 6, p. 120, pl. 7, figs. 8, 8b (Hawaii).

Synonym: *Vitrean hawaiiensis* Ancey.

Nesovitrea lanaiensis (Sykes): 24, 1897, vol. 2, p. 298 (Lanai).

Synonym: *Vitrean lanaiensis* Sykes.

Nesovitrea molokaiensis (Sykes): 24, 1897, vol. 2, p. 298 (Molokai).

Synonym: *Vitrean molokaiensis* Sykes.

Nesovitrea pauxillus (Gould): 7, 1846, vol. 2, p. 171; 26, 2d ser., vol. 2, p. 123, pl. 41, figs. 51-53, 1886 (Maui).

Synonym: *Nanina pauxillus* Gould (not *Nanina pusillus* Lowe).

Pseudohyalina kawaiensis (Pfeiffer): 52, 1854, p. 52; 26, 2d ser., vol. 2, p. 170, pl. 52, fig. 5, 1886 (Kauai, Maui, Oahu).

Synonym: *Helix kawaiensis* Pfeiffer.

- Pseudohyalina meniscus** Ancey: 18, vol. 11, p. 65, 1904 (Hawaii).
- Lamprocystis misella** (Ferussac): 34, p. 473, 1824; 26, 2d ser., vol. 2, p. 115, pl. 38, figs. 47, 48, 1886.
(This shell, described as **Nanina misella**, is a Guam species, erroneously reported as occurring in Hawaii.)
- Microcystis chamissoi** (Pfeiffer): 52, 1855, p. 91; 26, 2d ser., vol. 2, p. 116, pl. 38, figs. 74-76, 1886 (Kauai).
Synonym: *Nanina chamissoi* Pfeiffer.
- Microcystina cryptoportica** (Gould): 7, 1846, vol. 2, p. 20; 26, 2d ser., vol. 2, p. 116, pl. 38, figs. 68-70, 1886 (Hawaii, Oahu).
Synonym: *Nanina cryptoportica* Gould.
- Philonesia abeillei** (Ancey): 40, vol. 6, p. 199, 1889; 44, vol. 2, p. 280 (Oahu, Molokai, Lanai).
Synonym: *Microcystis abeillei* Ancey.
- Philonesia baldwini** (Ancey): 40, vol. 6, p. 204, 1889; 44, vol. 2, p. 281 (Oahu, Maui).
Synonym: *Microcystis baldwini* Ancey.
- Philonesia cicerula** (Gould): 7, 1846, vol. 2, p. 171; 26, 2d ser., vol. 2, p. 116, pl. 38, figs. 71-73, 1886 (Hawaii).
Synonym: *Nanina cicerula* Gould.
- Philonesia cicerula boettgeriana** (Ancey): 40, vol. 6, p. 206, 1889 (Hawaii).
Synonym: *Microcystis cicerula boettgeriana* Ancey.
- Philonesia exaequata** (Gould): 7, 1846, vol. 2, p. 171; 26, 2d ser., vol. 2, p. 114, pl. 30, figs. 40-42, 1886 (Kauai).
Synonyms: *Nanina exaequata* Gould; *Nanina discus* Pfeiffer; *Nanina obtusangula* Pfeiffer.
- Philonesia hartmanni** (Ancey): 40, vol. 6, p. 198, 1889 (Oahu).
Synonym: *Microcystis hartmanni* Ancey.
- Philonesia indefinata** (Ancey): 40, vol. 6, p. 203, 1889 (Maui).
Synonym: *Microcystis indefinata* Ancey.
- Philonesia lymaniana** (Ancey): 41, vol. 6, p. 329, 1893 (Oahu).
Synonym: *Microcystis lymaniana* Ancey.
- Philonesia oahuensis** (Ancey): 40, vol. 6, p. 202, 1889 (Oahu).
Synonym: *Microcystis oahuensis* Ancey.
- Philonesia oahuensis depressiuscula** (Ancey): 40, vol. 6, p. 203, 1889 (Oahu).
Synonym: *Microcystis oahuensis depressiuscula* Ancey.
- Philonesia perlucens** (Ancey): 40, vol. 6, p. 207, 1889 (Maui).
Synonym: *Microcystis perlucens* Ancey.
- Philonesia perkinsi** (Sykes): 24, 1896, vol. 2, p. 126, (Lanai, Oahu).
Synonym: *Macrochlamys perkinsi* Sykes.

Philonesia platyla (Ancey) : 40, vol. 6, p. 196, 1889 (Oahu).

Synonym: *Microcystis platyla* Ancey.

Philonesia plicosa (Ancey) : 40, vol. 6, p. 200, 1889 (Oahu).

Synonym: *Microcystis plicosa* Ancey.

Philonesia rufobrunnea (Ancey) : 24, 1904, vol. 6, p. 119, (Hawaii).

Synonym: *Microcystis rufobrunnea* Ancey.

Philonesia sericans (Ancey) : 24, 1899, vol. 3, p. 268, pl. 12, fig. 5, (Hawaii).

Synonym: *Microcystis sericans* Ancey.

Philonesia subrutila (Mighels) : 7, 1845, vol. 2, p. 19; 26, 2d ser., vol. 2, p. 124, 1886 (Oahu).

Synonym: *Nanina subrutila* Mighels.

Philonesia subtilissima (Gould) : 7, 1846, vol. 2, p. 177; 26, 2d ser., vol. 2, p. 117, pl. 39, figs. 92-94, 1886 (Maui).

Synonym: *Nanina subtilissima* Gould.

Philonesia turgida (Ancey) : 40, vol. 7, p. 339, 1890 (Maui).

Synonym: *Microcystis turgida* Ancey.

Kaliella gaetanoi Pilsbry and Vanatta: 45, vol. 22, p. 73, 1908 (Hawaii).

Kaliella konaensis Sykes: 24, 1896, vol. 2, p. 299, pl. 11, fig. 33 (Hawaii).

Kaliella lubricella Ancey: 24, 1904, vol. 6, p. 119, pl. 7, fig. 6 (Hawaii).

Kaliella thaanumi Ancey: 24, 1904, vol. 6, p. 119, pl. 7, fig. 7 (Hawaii).

LIMACIDAE

Agriolimax bevenoti Collinge: 24, 1897, vol. 2, p. 295; 44, vol. 2, p. 276 (Kauai, Oahu, Maui).

Agriolimax globosus Collinge: 24, 1896, vol. 2, p. 47; 44, vol. 2, p. 276 (Hawaii).

Agriolimax laevis (Muller): 29, vol. 2, p. 9, 1774; 44, vol. 2, p. 276 (Kauai, Maui).

Synonyms: *Limax laevis* Muller; *Limax brunneus* Draparnaud; *Limax arenarius* Gassies; *Limax parvulus* Normand.

Agriolimax perkinsi Collinge: 24, 1896, vol. 2, p. 47; 44, vol. 2, p. 276 (Lanai).

Agriolimax sandwichiensis (Eydoux): 42, vol. 2, p. 497, pl. 28, figs. 8-11, 1852; 44, vol. 2, p. 276 (Hawaiian islands).

Synonym: *Limax sandwichiensis* Eydoux.

Amalia babori Collinge: 24, 1897, vol. 2, p. 294; 44, vol. 2, p. 275 (Maui, Hawaii).

Amalia gagates (Draparnaud): 10, p. 100; 44, vol. 2, p. 276 (Maui).

Synonym: *Limax gagates* Draparnaud.

ENDODONTIDAE

- Endodonta apiculata** Ancey: 40, vol. 6, p. 188, 1889; 26, 2d ser., vol. 8, p. 95, 1892 (Kauai).
- Endodonta baldwini** (Ancey): 40, vol. 6, p. 176, 1889; 26, 2d ser., vol. 9, p. 26, 1894 (Hawaiian islands).
Synonym: *Charopa baldwini* Ancey.
- Endodonta binaria** (Pfeiffer): 52, 1856, p. 33; 26, 2d ser., vol. 3, p. 61, pl. 11, figs. 87, 88, 1887 (Kauai).
Synonym: *Helix binaria* Pfeiffer.
- Endodonta capillata** (Pease): 2, vol. 2, p. 292, 1866 (Kauai).
Synonym: *Helix capillata* Pease.
- Endodonta concentrica** Pilsbry and Vanatta: 1, 1905, p. 785 (Lanai).
- Endodonta contorta** (Ferussac): 11, vol. 1, p. 10, pl. 51a, fig. 2, 1821; 26, 2d ser., vol. 3, p. 63, pl. 12, figs. 8-10, 1887 (Oahu, Kauai).
Synonyms: *Helix contorta* Ferussac; *Helix intercarinata* Mighels.
- Endodonta decussatula** (Pease): 2, vol. 2, p. 291, 1866; 26, 2d ser., vol. 3, p. 60, 1887 (Hawaiian islands).
Synonym: *Helix decussatula* Pease.
- Endodonta distans** (Pease): 2, vol. 2, p. 290, 1866; 26, 2d ser., vol. 3, p. 60, 1887 (Hawaiian islands).
Synonym: *Helix distans* Pease.
- Endodonta elisae** (Ancey): 40, vol. 6, p. 180, 1889; 26, 2d ser., vol. 8, p. 95, 1892.
(This shell, described as *Pitys elisae*, is not a Hawaiian species, having been so reported in error.)
- Endodonta henshawi** Ancey: 18, vol. 11, p. 66, 1904 (Hawaii).
- Endodonta hystricella** (Pfeiffer): 52, 1859, p. 25 (Hawaii).
Synonym: *Helix hystricella* Pfeiffer.
- Endodonta hystricella paucilamellata** Ancey: 18, vol. 11, p. 67, 1904 (Hawaii).
- Endodonta hystrix** (Mighels): 33, vol. 3, p. 67; 26, 2d ser., vol. 3, p. 59, pl. 11, figs. 71-73, 1887 (Oahu).
Synonyms: *Helix hystrix* Mighels (not Cox); *Helix setigera* Gould.
- Endodonta jugosa** (Mighels): 7, 1845, vol. 2, p. 19; 26, 2d ser., vol. 3, p. 59, pl. 11, figs. 65-70, 1887 (Hawaii).
Synonyms: *Helix jugosa* Mighels, *Helix rubiginosa* Gould.
- Endodonta kamehameha** Pilsbry and Vanatta: 1, 1905, p. 784 (Molokai).
- Endodonta lamellosa** (Ferussac): 11, vol. 1, p. 369, pl. 51, fig. 3, 1855; 26, 2d ser., vol. 3, p. 67, pl. 12, figs. 32-34, 1887 (Hawaiian islands).
Synonyms: *Helix lamellosa* Ferussac; *Helix fricki* Pfeiffer.

- Endodonta laminata** (Pease): 2, vol. 2, p. 292, 1866; 26, 2d ser., vol. 9, p. 25, 1894 (Kauai).
 Synonym: *Helix laminata* Pease.
- Endodonta lanaiensis** Sykes: 24, 1896, vol. 2, p. 127; 44, vol. 2, p. 291, pl. 11, figs. 37, 38, 1900 (Lanai, Kauai).
- Endodonta luctifera** Pilsbry and Vanatta: 1, 1905, p. 575 (Hawaiian islands).
- Endodonta marsupialis** Pilsbury and Vanatta: 1, 1905, p. 784 (Oahu).
- Endodonta nuda** Ancey: 24, 1899, vol. 3, p. 268, pl. 12, fig. 1 (Hawaii).
- Endodonta paucicostata** (Pease): 17, vol. 18, p. 395, 1870; 26, 2d ser., vol. 3, p. 60, 1887 (Kauai).
 Synonyms: *Helix paucicostata* Pease; *Helix filocostata* Pease.
- Endodonta ringens** Sykes: 24, 1896, vol. 2, p. 126; 44, vol. 2, p. 288, pl. 11, figs. 39, 40, 1900 (Lanai).
- Endodonta rugata** (Pease): 2, vol. 2, p. 291, 1866; 26, 2d ser., vol. 3, p. 67, 1887 (Maui).
 Synonym: *Helix rugata* Pease.
- Endodonta stellula** Gould: 7, 1844, vol. 1, p. 174; 26, 2d ser., vol. 3, p. 61, pl. 11, figs. 84-86, 1887 (Maui).
 Synonym: *Helix stellula* Gould.
- Endodonta thaanumi** Pilsbry and Vanatta: 1, 1905, p. 574 (Hawaii).
- Endodonta tiara** (Mighels): 7, 1845, vol. 2, p. 19; 26, 2d ser., vol. 3, p. 38, pl. 8, figs. 25-27, 1887 (Kauai).
 Synonym: *Helix tiara* Mighels.

PHILOMYCIDAE

- Tebennophorus bilineatus** (Benson): 4, 3rd ser., vol. 9, p. 486, 1842 (Oahu, Kauai, Hawaii).
 Synonyms: *Incilaria bilineata* Benson; *Philomycus australis* Bergh; *Tebennophorus striatus* Hasselt.

LITERATURE CITED

1. Academy of Natural Sciences of Philadelphia, Proc., 1854.....
2. American Journal of Conchology, 1864-1872.
3. American Philosophical Society, Trans., 1771.....
4. Annals and Magazine of Natural History, 1829.....
5. Bernice P. Bishop Museum, Bull. 47, 1928.
6. Bernice P. Bishop Museum, Occ. Papers, 1898-1923.
7. Boston Society of Natural History, Proc., 1841.....
8. California Academy of Sciences, Proc., 1853.....
9. Dixon, G., Voyage around the world, London, 1789.
10. Draparnaud, J. P. R., Tableau des mollusques terrestres et fluviatiles de la France, Paris, 1801.
11. Ferussac, A. de and Deshayes, G. P., Histoire naturelle des mollusques terrestre et fluviatiles, Paris, 1820-1851.
12. Ferussac, A. de, Prodrome d'un nouvelle classification des Coquilles, 1821.
13. Ferussac, A. de, Tableaux systematiques des animaux mollusques . . . d'un Prodrome General, Paris, 1820-1822.
14. Gesellschaft der naturforschenden Freunde zu Berlin, Magazin, 1801.....
15. Griffith, E., The animal kingdom, London, 1824-1833.
16. Jay, J. C., Catalogue of recent shells in the cabinet of John C. Jay, 3d ed., New York, 1839.
17. Journal de Conchyliologie, 1850.....
18. Journal of Malacology, 1890.....
19. Kaiserlichen Leopoldinisch-Carolinischen Akademie der Naturforscher, Verh., Nurnberg, 1727.....
20. Le Naturaliste, Paris, 1879-1914.
21. Lesson, R. P., Voyage autour du monde . . . sur . . . Coquille, Zoology, 2 vols., Paris, 1826-1830.
22. Lyceum of Natural History of New York, Annals, 1824-1874.
23. Mæclurian Lyceum, Contributions, Philadelphia, 1827-1829.
24. Malacological Society of London, Proc., 1896.....
25. Malakozoologische Blätter, Cassel, 1854-1897.
26. Manual of Conchology, Philadelphia, 1879.....
27. Martens, E. von, Conchologische Mittheilungen, Cassel, 1880-1892.
28. Martini, F. H. W., Systematisches Conchylien-Cabinet, von Martini und Chemnitz, Nurnberg, 1837.....
29. Müller, O. F., Vermium terrestrium et fluviatilium . . . historia, Havniae and Lipsiae, 1773-1774.
30. Nachrichtsblatt der deutschen Malakozoologischen Gesellschaft, Frankfort am Main, 1869.....
31. Pfeiffer, Ludwig, Monographia Auriculaceorum viventium, Cassel, 1856.
32. Pfeiffer, Ludwig, Monographia Heliceorum viventium, Leipzig, 1848-1877.
33. Pfeiffer, Ludwig, Symbolae ad historiam Heliceorum, Cassel, 1841-1846.
34. Quoy, J. R. C., and Gaimard, J. P., Voyage autour du monde . . . sur l'Uranie et la Physicienne, Zoology, Paris, 1824.
35. Reeve, Lovell, Conchologica iconica, London, 1843-1878.
36. Royal Institution of Great Britain, Quart. Jour. of Science, Literature, and Art, 1816.....
37. Senckenbergischen naturforschenden Gesellschaft in Frankfort am Main, 1868.....
38. Societe Cuvierienne, Revue Zoologique, Paris, 1838-1848.
39. Societe d'Histoire Naturelle de Paris, Memoires, 1799.
40. Societe Malacologique de France, Bulletin, 1884-1890.
41. Societe Zoologique de France, Memoires, 1888.....
42. Souleyet, F. L. A., Voyage autour du monde . . . sur la . . . Bonite, Mollusca, Paris, 1841-1852.
43. Sowerby, G. B., A catalogue of the shells contained in the collection of the late Earl of Tankerville, London, 1825.
44. Sykes, E. R., Fauna Hawaïensis, vol. 2, pt. 4, Mollusca, London, 1900.
45. The Nautilus, Philadelphia, 1886.....
46. United States Exploring Expedition, Mollusca; Philadelphia, 1852.

47. **United States National Museum**, Proc., vol. 13, 1890; vol. 17, 1894; vol. 45, 1914.
48. **Wood, W.**, Index testaceologicus, Supplement, London, 1828.
49. **Zeitschrift fur Malakozoologie**, Cassel, 1846-1853.
50. **Zoologica**, vols. 1-8 as *Bibliotheca Zoologica*, Stuttgart, 1888.....
51. **Zoological Journal**, London, 1825-1835.
52. **Zoological Society of London**, Proc., 1830.....

LIST OF ORDERS, SUBORDERS, FAMILIES, GENERA AND SPECIES.
 (SYNONYMOUS GENERIC NAMES EXCLUDED.)

A

	PAGE
abavus	39
abbreviata	21, 58
abeillei	63
acanthinula	13
accincta.....	28, 35, 36
Achatinella	21
Achatinellidae	14
acicula	57
acuminata	28
acuta	41, 49
adelinae	58
admodesta	14
adusta	28, 37
aemulator	39
affinis.....	5, 9, 39
agglutinans	39
Agriolimax	64
aiea	50
alata	38
alatus	38
alba	21, 25
albescens	24
albida	49
albocincta	39
albofasciata	28
albolabris	39
albospira	27
alexanderi	14
alexandri	51, 54
alloia	12
aloha	21
alpha	5
Amalia	64
Amastra	39
Amastridae	28
ambigua	9
ambusta	53
amicta	40
amoena	53
ampla	24
ampulla	10
anaglypta	48
analogia	28
anceyana.....	10, 12, 15, 28, 58
anceyanum	54
Ancylus	9
angulata	37
angusta	13
annosa	48

PAGE

anthonii	40
antiqua	10, 28, 40
aperta	55
apexfulva	21
Aphanoconia	6
apicalis	59
apicata	21
apiculata	65
aplustre	26
approximans	28
approximata	59, 61
aptycha	15
arborea	29
arenarius	64
arenarium	50
armatus	53
armillata	47
Armsia	39
artata	29
aspera.....	51
assimilis	40
atroflava	45
attenuata	20, 29
attenuatus	55
augusta	24
aulacospira	9
aurantium	52
Auricula	8
auricula	53
Auriculastra	8
auriculata	5
Auriculella	53
Auriculidae	8
aurora	46
aurostoma	40
aurulenta	59
australis	66
auwahiensis	49
avus	34
azona	38

B

babori	64
bacca	12, 21
badia	40
baetica	49
baileyana	19
baldwini.....	6, 7, 12, 29, 44, 55, 59, 61, 63, 65
baldwiniana.....	11, 40, 58
balteata	29

	PAGE		PAGE
barnaclei	62	carinata	39
Basommatophora	8	carinella	15
beata	21	cariosa	5
bella	17	carnicolor	15
bellula	22	casta	23, 60
bellus	55	castanea	8, 28, 47, 53
berniceia	6	castaneus	8
beta	5	Catinella	61
bevenoti	64	centralis	12
bicolor	37	cepulla	60
bicolorata	59	cerea	53
bigener	39	cerealis	29
bilineata	27, 66	cervina	23
bilineatus	66	cestus	23
binaria	65	chamissoi	63
binominis	9	chinensis	7
biplicata	40	chlorotica	49
bishopi	12	chromatacmne	27
Blauneria	8	chrysallis	29
boettgeri	14	cicerula	63
boettgeriana	63	cincta	59
borcherdingii	40	cinderella	39
breviata	40	cinerea	28
brevicula	29	cinerosa	27
brevis	34, 46	cingula	29
bronni	8	cinnamomea	15, 60
bronniana	6	circumcineta	51
browni	8	citrea	45
brunnea	53	citrina	51
brunneus	55, 64	clara	35
bryanae	5	clathrata	10
bryani	50, 56	clausum	8
buddii	22	clementina	21
bulbosa	51	cochlea	37
bulimoides	22	cocklea	38
Bulimus	61	cognata	23
byronii	22, 26	colorata	28
C			
cacuminis	53	Columella	14
caduca	60	columna	29
caesia	23	comes	56
callosa	29	compacta	9, 29, 56
canaliculata	14	compactus	56
canalifera	53	compta	16
candida	22	concavospira	23
canella	60	concentrica	65
capax	22	concidens	23
caperata	62	concinna	51
caperatus	62	concolor	23, 29
capillata	65	concomitans	16
captiosa	29	confusa	16, 56
caputadamantis	40	confusus	56
carbonaria	10	conica	8, 40
Carelia	37	conicoides	29
		conicospira	43
		conifera	40

	PAGE		PAGE
coniformis	27	delta	6, 23
consanguinea	28	densilineata	19
conspersa	47	dentata	32, 55
conspicienda	29	depicta	51
constricta	7	depressiformis	39
contigua	7	depressiuscula	63
contorta	65	deshayesii	40
contracta	24	dextroversa	26
convexa	5	diaphana	53
convexior	59	diginophora	39
convexiuscula	29	dimidiata	30
cookei	5, 27, 29, 38, 40	dimissa	44
cooperi	19	dimondi	52
cornea	41	dimorpha	24
corneiformis	47	Diotocardia	5
corneola	30	diptyx	56
corrugata	23	discus	38, 63
corticicola	14	disjuncta	13
coruscans	30	dispersa	12, 47
costata	10	dissimiliceps	45
costulata	30	dissimilis	30
costulosa	13, 30	dissotropis	6
crassa	16	distans	65
crassidentata	24	diversa	24
crassilabris	7	dolei	16, 37
crassilabrum	41	dolum	27
crassula	53	dormitor	30
crocea	16	drepanophora	56
cryptoportica	63	dubia	16
crystallina	30	dubitabilis	12
cubana	10	dulcis	30
cucumis	28	dumartroyi	53
cumingiana	37	dunkeri	27
cumingi	15	duoplicata	51
cuneata	30	duplocincta	21
cuneus	23	durandi	41
curta	23	dwightii	16
cyclostoma	41		
cylindrata	30		
cylindrella	34		
cylindrica	41, 55		
cyphostyla	56		
cyrta	10		
		D	
davisiана	41		
debilis	44		
decepta	51		
decipiens	23		
decora	23, 28		
decorticata	41		
decussatula	65		
defuncta	30		
delicata	60		
		E	
eburnea	20		
Elasmias	54		
elegans	24		
legantula	41		
elephantina	41		
elevata	31, 36		
elisae	65		
ellipoidea	49		
elliptica	41		
elongata	8, 41, 43, 60		
emerita	30		
emersoni	25		
emortua	42		
Endodonta	65		
Endodontidae	65		
eos	41		

	PAGE		PAGE
erecta	41	fusiformis	45
Erinna	9	fusoidea	16
ernestina	28		
errans	18, 47		
Eulota	62	G	
euryomphala	56	gaetanoi	64
ewaensis	38	gagates	64
exaequata	63	gamma	6
exilis	30	garrettiana	60
exoptabilis	30	Gastrocopta	10
expansa	53	gayi	31, 55
explanata	60	gemma	15
exserta	62	gentilis	40
extensa	30	georgii	45
extincta	41, 45, 55	Georissa	5
		Geostilbia	61
F		germania	16
farcimen	41	gibba	9, 60
fasciata	20	gigantea	44
fastigata	48	gigas	5
ferussaci	52	glabra	22
filocostata	66	glauca	25
flavescens	41	globosa	28, 45
flavida	9, 53	globosus	64
flavidus	27	glutinosa	31
flemingi	18, 42	gnampta	13
forbesi	12, 42, 56	Godwinia	62
forbesiana	23	goniops	42
formosa	23	goniostoma	39
fornicata	62	gouldi	16, 19
fossilis	10, 30, 42	gouveiae	13
fragilis	31, 42, 60	gouveii	42
fragosa	42	gracilior	52
fraterna	30, 42	gracilis	8, 31, 36, 55
fricki	65	grana	31
frit	56	granifera	7, 28
frondicola	14	granosa	5
frosti	42	gravida	51, 52
fulgens	24	grayana	42
fulgida	31	grisea	16, 17
fulgora	6	griseizona	23
fulgorans	16	grossa	46
fuliginea	37	gulicki	21
fuliginosa	50	Gulickia	54
fulvicans	18	gulickiana	24, 42
fumida	31	gummeea	31
fumosa	29	guttula	31
fusca	8, 31, 54	gyrans	40
fuscobasis	24		
fuscolineata	24	H	
fuscozona	22, 26	haena	61
fuscula	31	halawaensis	21
fuscum	54	hanleyana	25
fucus	8	hartmanni	9, 42, 63
		haupuensis	62
		hawaiensis	9, 14

	PAGE		PAGE
hawaiiense	61	johnsoni	26, 43
hawaiensis	6, 10, 18, 42, 58, 61, 62	juddii	7, 24, 43
hayseldeni	19	jugosa	65
helena	17	juncea	24
Helicidae	61	junceus	61
heliciformis	38, 46		
Helicina	7		
Helicinidae	5		
Helix	61, 62	K	
helvina	51	kaaeana	17
henshawi	31, 42, 59, 61, 65	kaalaensis	12
herbacea	25	kahana	47
hesperia	34	kahoolavensis	10, 56
hitchcocki	42	kahukuensis	27, 56
horneri	14, 17	kailuanus	57
humilis	42	kaipapauensis	49
hutchinsonii	43	kalamaulensis	43
hyattiana	37	Kaliella	64
hybrida	27	kalihiensis	52
Hydrocenidae	5	kaliuwaaensis	23
hyperleuca	37	kaluahacola	21
hyperodon	31	kamaloensis	19, 55, 56
hystricella	14, 65	kamehameha	65
hystrix	65	kapuana	17
		kauaiensis	5, 6, 7, 12, 43
I		kauensis	44
idae	56	kaunakakaiensis	43
illibata	59	kaupakaluana	18, 39
illimis	31	kawaiensis	62
imatatrix	31	kawaihapaensis	40
impressa	32	kilauea	57
inaequalis	8	kilohanana	55
incerta	14	knudseni	6, 32, 43
inconspicua	60	kobelti	37
indefinata	7, 63	kohalensis	40
induta	17	kona	11
infelix	47	konaensis	32, 57, 60, 64
inflata	9, 43	konana	18
infrequens	12	kuesteri	53
innotabilis	27	kuhnsi	17, 32, 52, 60
inornata	50		
inornatus	56	L	
insignis	56	labiata	32
intercarinata	65	labrellum	8
interjecta	48	laciniosa	5
intermedia	43	lacrima	31
interrupta	11, 13	lactea	20
irregularis	31, 56	lactifluus	61
irwini	25	laeava	43
irwiniana	43	laevigata	32
isthmica	32	laevis	32, 64
		lagena	32
J		lahainana	43
javanica	61	laiensis	26
javanicum	61	lamarckii	5
		lamellosa	65
		laminata	66

	PAGE		M	PAGE
Laminella	51			
Lamprocystis	63			
lanaeiensis	11, 12, 32, 53, 62, 66			
lanceolata	32, 55			
laticeps	48			
Laxisuccinea	61			
lehuiensis	24			
leiahiensis	32			
lemonni	17			
lenta	32			
lepida	32			
Leptachatina	28			
leptospira	57			
leucochila	32			
leucophaea	27			
leucophaeus	27			
leucoraphe	25			
leucozonus	27			
libera	61			
ligata	23			
lignaria	20			
lila	25			
lilae	59			
liliacea	24			
liliaceus	21			
Limacidae	64			
limatula	12			
limbata	22			
Limnaea	9			
Limnaeidae	9			
lineolata	43			
littoralis	12, 23			
litus	38			
livida	25			
longa	44			
longior	20			
longispira	28			
longiuscula	32			
lorata	25			
luakahaense	55			
lubricella	64			
lucida	32			
lucidus	8			
luctifera	66			
luctuosa	43			
lugubris	5, 21			
lumbalis	60			
lurida	53			
luteola	43			
luteostoma	24			
lutulenta	60			
lymaniana	7, 14, 25, 63			
lyonsiana	10, 24			
lyrata	10			
Lyropupa	10			
macerata	46			
macrodon	18			
macromphala	57			
macroptychia	57			
macrostoma	28			
magdalenaee	7, 10			
magna	44			
mahogani	26			
makahaensis	25			
makawaoensis	44			
malleata	44, 53			
manana	33			
margarita	28			
marmorata	17			
marsupialis	66			
mastersi	40, 44			
mauiensis	7, 17, 33, 60			
maunaloae	10			
maura	45			
mauritianum	61			
mauritanus	61			
maxima	60			
mcgregori	33, 55			
media	50			
meinickei	24			
melampoides	36			
Melampus	8			
Melania	7			
Melaniidae	7			
melanosis	44			
melanostoma	22			
meniscus	63			
metamorpha	44			
meyeri	20			
micans	44			
micra	10, 29			
Microcystina	63			
Microcystis	63			
microdon	33			
micromphala	57			
microstoma	49			
microthrauma	11			
mighelsiana	17			
minor	37			
minuta	54			
mirabilis	11, 44, 60			
misella	63			
mistura	22			
modesta	44, 45			
modicella	44			
moesta	44			
molokaiensis	14, 33, 62			

	PAGE		PAGE		
monacha	25	O			
Monotocardia	7	oahuensis	6, 7, 9, 13, 50, 57, 63		
montagui	17, 44	obclavata	33, 35		
montana	45, 54	obeliscus	38		
montivaga	45	obesa	46		
momomiensis	11, 42, 57	obliqua	22, 53		
morbida	33	oblonga	55		
moreletiana	9	obscura	44		
morticina	45	obsoleta	33		
mucida	17	obtusa	33		
mucronata	40, 45	obtusangula	63		
multidentata	13	occidentalis	16, 33, 59		
multilineata	25	octanfracta	8		
multistrigata	20	octavula	35		
multisulcatus	8	octogyrata	33		
multizona	22	olaensis	14, 32		
muscaria	52	olivacea	28, 37, 54		
mustelina	25	omphalooides	33		
mutabilis	18	oncospira	57		
N					
nacca	10	oomorpha	22		
nana	45	Opeas	61		
nanus	56	opella	61		
napus	26	operanum	61		
naticoides	9	operanus	61		
nattii	18	opercularis	39		
neali	5	opipara	33		
neglecta	5, 45	optabilis	33		
neglectus	27	orientalis	47, 52		
Neritidae	5	ornata	18		
Neritina	5	Orobophana	6		
Nesopupa	12	orycta	14		
Nesovitreæ	62	oryza	33		
newcombi	7, 9, 13, 38, 54, 59, 62	ovata	22, 34		
Newcombia	14	ovatula	11		
newcombiana	60	oviformis	26		
nigra	45	ovum	27		
nigricans	22	owaihiensis	8, 53		
nigrolabris	49	P			
nitida	33	pachystoma	34		
nivea	18	pagodula	46		
nivosa	21	pallida	25		
nobilis	25	Paludestrina	7		
normalis	48	Papillosa	5		
novemgyrata	61	Papuina	62		
nubifera	45	papyracea	26		
nubigena	45	paradoxa	37		
nubilosa	45	paropsis	61		
nucleola	46	Partula	9		
nucula	46	Partulidae	9		
nuda	66	Partulina	15		
nuttalli	5	parvula	36		
nuuanuensis	6	parvulus	8, 64		
nympha	26	paucicostata	66		
		paucilamellata	65		

	PAGE		PAGE
paulla	7	porphyrostoma	46
paulula	46	orrecta	7
pauxillus	62	praeopima	46
peaseana	39	praestabilis	34
peasei	9, 46	prasinus	28
pellucida	46	prestoni	61
peponum	55	prionoptychia	57
percostata	11	prisca	11
perdix	18	pristina	60
perfecta	16	procera	16
perforata	34	procerula	57
perkinsi.....	15, 34, 53, 57, 63, 64	procerulus	57
perlonga	11	producta	9, 26, 58
perlucens	63	Pronesopupa	13
perplexa	27	Prosobranchiata	5
perpusilla	54	prostrata	39
perstriata	5	protracta	60
persubtilis	34	proxima	19
perversa	23, 46, 54	proximus	19
petasus	39	Pseudohyalina	62
petila	34	Pterodiscus	38
petitiana	54	pudorina	60
petricola	46	pulchella	25
petricola var.	50	pulcherrima	26
petricolor	46	pulchra	34, 54
pfeifferi	15	pulla	47
phaeozona	26	pullata	46
philippiana	15	Pulmonata	8
Philomyctidae	66	punctata	60
Philonesia	63	Punctum	14
Physa	9	Pupillidae	10
physa	18	Pupoidopsis	14
pica	21	pupoidea	34, 39
picta	52	pupukanioe	26
pilsbryi	34, 38, 46, 57	pusilla	47
pisum	7	puukolekolensis	10, 57
plagiptyx	11, 57	pygmaea	23
Planamastra	39	pyramidalis	18
platyla	64	pyramidata	58
Plectotrema	8	pyramidatus	58
plicata	15	pyramis	32, 34
plicifera	13	pyrgiscus	61
plicosa	64		
plumata	24		
plumbea	18		
pluscula	50		
pluris	11		
polita	17		
polygnampta	55		
polymorpha	27		
popouelensis	57		
popouwelensis	34		
porcellana	18		
porcus	46		
porphyrea	46		

Q

quadrata	60
quernea	23

R

radiata	19, 28
recta	25
redfieldii	19
remota	47
remyi	52
resinula	35
reticulata	9, 47

	PAGE		PAGE
rex	38	semiplicatum	8
rhabdota	11	semiventula	51
rhadina	13	semivestita	52
rhodoraphe	23	senilis	48
ricei	47	sepulta	42
rigida	38	sericans	64
ringens	66	sericata	14
ronaldi	58	sericea	48
rosea	26	serrarius	58
roseoplica	26	serrula	54
roseotincta	45	setigera	65
rotelloidea	6	sharpi	9, 14, 59
rotunda	22	similaris	48, 62
rotundata	60	simplex	35
rubella	9, 60	simulacrum	27
rubens	47, 51	simulans	28
rubicunda	49	simularis	45
rubida	47, 61	sinclairi	38
rubiginosa	27, 65	singula	30
rubristoma	47	singularis	13
rudicostata	58	sinistrorsa	48, 53
rudicostatus	58	sinistrorsus	23
rudis	49	sinulifera	11
rudis var.....	49	smithi	35, 59
rufa	19	sola	48
rufobrunnea	64	solida	48
rugata	66	solidissima	5
rugosa	22	solitaria	26
rugulosa	47	somniator	35
rustica	39	sordida	25, 26
rutila	28	soror	48
S		souleyeti	60
saccata	20	sowerbyana	26
sacula	35	spadicea	22
sagittata	35	spaldingi	11, 26, 48, 58
sandwicensis	5, 35	sparna	11
sandwichensis	5, 8, 9, 61, 62	sphaerica	48
sandwichiensis	64	spicula	48
sanguinea	52	spinigera	14
saxatilis	35	spinosa	5
saxicola	42	spirizona	48, 49
scabra	11	splendida	19
schauinslandi	19	stellula	66
scitula	23	Stenogyridae	61
sculpta	35	stewartii	26
scutilis	35	stiria	35
semarinata	19	stokesi	59
sémicarnea	45	straminea	52, 54
semicostata	35	striata	8, 35
seminigra	21, 48	striatella	31
seminuda	48	striatula	11, 35
seminulum	13	striatum	8
semipicta	35	striatus	66
semiplicata	8	Sturanya	5
		Stylommatophora	9

	PAGE		PAGE
subangulata	58	tetragona	60
subangulatus	58	tetrao	52
subcentralis	13	textilis	49
subcornea	49	thaanumi12, 13, 27, 36, 38, 50, 58, 60, 64, 66	
subcostata	12	thaanumiana	20
subcrassilabris	49	thaumasia	12
subcylindracea	34	theodorei	20
subnigra	46	thurstoni	26, 50
subobscura	49	thwingii	20
subovata	35	tiara	66
subpolita	19	Tornatellaria	58
subpulla	39	Tornatellides	55
subrostrata	49	Tornatellina	55
subrugosa	55	Tornatellinidae	53
subrutila	64	torrida	23
subisoror	49	transversalis	50
subtilissima	64	tricincta	50
subula	36	tricolor	28
subvirens	28	trilineata	24
succincta	35, 36	triplicata	53
Succinea	59	tristis	5, 50
Succineidae	59	triticea	33
suffusa	52	trochoides	59
sulcata	15	truncata	12
sulculosa	6	tryphera	13
sulphurea	43	tuberans	27
supracostata	36	tuberculata	61
suturalis	37	tuckeri	61
swainsoni	23, 39	tumefaciens	23
swiftii	27	turbiformis	23
swiftii var.	21	turgida	27, 64
sykesi	49, 59	turgidula	9, 34
Systrophia	62	turricula	38
		turrita	36
		turritella	50, 54
T			
taeniolata	27	U	
tahietensis	60	ualapuensis	15
tahitensis	5, 7	uberta	7
talpina	16	ultima	50
tantalus	54, 55	umbilicata	9, 50, 59
tantilla	36	umbrosa	47
tappaniana	19	uncifera	10
Tebennophorus	66	undata	50
tenebrosa	36	undosa	18
tenella	54, 62	undulata	23
tenellus	62	unicolor	44
tenerrima	60	uniplicata	50, 54
tenuicostata	36	upolensis	61
tenuilabris	49	ustulata	20, 28
tenuis	54	V	
tenuispira	49	valida	27
terebra	20, 58	vana	36
terebralis	36	varia	24, 36
teres	36		
tessellata	20		

	PAGE		PAGE
<i>variabilis</i>	20, 37	<i>vittata</i>	28
<i>variegata</i>	50, 51	<i>Vivipara</i>	7
<i>ventrosa</i>	25	<i>Viviparidae</i>	7
<i>ventulus</i>	36, 49	<i>voluntata</i>	9
<i>venulata</i>	27	<i>vulpina</i>	28
<i>venulata</i> var.	26		
<i>venusta</i>	52, 60		
<i>verreauiana</i>	7		
<i>versicolor</i>	27		
<i>versipellis</i>	24		
<i>vescicaulis</i>	60		
<i>vespertina</i>	5, 21, 47		
<i>vestita</i>	25		
<i>vetuscula</i>	50		
<i>vetusta</i>	51		
<i>vidua</i>	22		
<i>villosa</i>	43		
<i>violacea</i>	51		
<i>virens</i>	28		
<i>virgula</i>	58		
<i>virgulata</i>	21		
<i>viridans</i>	28		
<i>viriosa</i>	51		
<i>vitrea</i>	29		
<i>vitreola</i>	36		
			W
		<i>waianaensis</i>	13, 52, 58, 60
		<i>waiawa</i>	50
		<i>wailauensis</i>	15, 19, 51
		<i>waimanoensis</i>	22
		<i>wesleyana</i>	13
		<i>wesleyi</i>	38
		<i>westerlundiana</i>	54
		<i>wheatleyana</i>	24
		<i>wheatleyi</i>	22
		<i>whitei</i>	51
		<i>wilderi</i>	24
		<i>winniei</i>	21
			Z
		<i>zebra</i>	21
		<i>zebrina</i>	21
		<i>zonata</i>	24, 37
		<i>Zonitidae</i>	62