

NUMBER 70, 44 pages

25 March 2002

---

# BISHOP MUSEUM OCCASIONAL PAPERS

---

RECORDS OF THE  
HAWAII BIOLOGICAL SURVEY  
FOR 2000


INDEX TO THE  
*RECORDS OF THE HAWAII BIOLOGICAL SURVEY*  
FOR THE YEARS 1994 THROUGH 2000

*NEAL L. EVENHUIS*



BISHOP MUSEUM PRESS  
HONOLULU

---

 Printed on recycled paper

Cover illustration: *Vespula pensylvanica*, western yellowjacket queen. Photo: David Foote.

A SPECIAL PUBLICATION OF THE  
RECORDS OF THE HAWAII BIOLOGICAL SURVEY FOR 2000

RESEARCH  
PUBLICATIONS OF  
BISHOP MUSEUM

Research publications of Bishop Museum are issued irregularly in the following active series:

- *Bishop Museum Occasional Papers*. A series of short papers describing original research in the natural and cultural sciences. Publications containing larger, monographic works are issued in five areas:
- *Bishop Museum Bulletins in Anthropology*
- *Bishop Museum Bulletins in Botany*
- *Bishop Museum Bulletins in Entomology*
- *Bishop Museum Bulletins in Zoology*
- *Pacific Anthropological Reports*

Institutions and individuals may subscribe to any of the above or purchase separate publications from Bishop Museum Press, 1525 Bernice Street, Honolulu, Hawai'i 96817-0916, USA. Phone: (808) 848-4135; fax: (808) 848-4132; email: [press@bishopmuseum.org](mailto:press@bishopmuseum.org).

The Museum also publishes *Bishop Museum Technical Reports*, a series containing information relative to scholarly research and collections activities. Issue is authorized by the Museum's Scientific Publications Committee, but manuscripts do not necessarily receive peer review and are not intended as formal publications.

Institutional libraries interested in exchanging publications should write to: Library Exchange Program, Bishop Museum Library, 1525 Bernice Street, Honolulu, Hawai'i 96817-0916, USA; fax: (808) 848-4133; email: [libex@bishopmuseum.org](mailto:libex@bishopmuseum.org).

See our website for more information and ordering:

- <http://www.bishopmuseum.org/press/>

ISSN 0893-1348  
Copyright © 2002 by Bishop Museum



**BISHOP MUSEUM**

The State Museum of Natural and Cultural History  
1525 Bernice Street  
Honolulu, Hawai'i 96817-2704, USA

**INDEX TO THE  
RECORDS OF THE HAWAII BIOLOGICAL SURVEY  
FOR THE YEARS 1994 THROUGH 2000<sup>1</sup>**

Compiled by Neal L. Evenhuis

The following is an index to articles and taxa appearing in the volumes of the *Records of the Hawaii Biological Survey* for the years 1994 through 2000. The articles are alphabetized by author. The taxa are in two parts: (1) alphabetized by genus within kingdoms; and (2) alphabetized by species within kingdoms. All pagination is given by a combination of volume number of the HBS *Records* and the first page upon which the article starts or the taxon appears.

The *Records of the Hawaii Biological Survey* have been published in the *Bishop Museum Occasional Papers* (OP) series as follows:

HBS <i>Records</i> for Year	Date published	OP Volume Number(s)
1994	1 March 1995	41, 42
1995	15 February 1996	45, 46
1996	25 February 1997	48, 49, 50
1997	28 May 1998	55, 56, 57
1998	30 September 1999	58, 59, 60
1999	15 September 2000	63, 64, 65
2000	25 March 2002	68, 69, 70

**INDEX TO ARTICLES  
BY AUTHOR**

- Abbott, J.C. & Petr, D. 1997. Rediscovery of *Apterocyclus honoluluensis* Waterhouse on Kauai (Coleoptera: Lucanidae) . . . . . 49: 19  
*Arakaki, K.T.* — see *Beardsley et al.*
- Asquith, A. 1995. *Dictyophorodelphax zwaluwenburgi vicar*, new subspecies (Homoptera: Delphacidae): proposed example of allopatric speciation on the island of Kauai . . . . . 41: 59  
*Bartlett, R.T.* — see *Meidell, S. et al.*; *Oppenheimer, H.L. & Bartlett, R.T.*; *Oppenheimer, H.L. et al.*  
*Baumgartner, E.* — see *Englund, R.A.*  
*Bauer, S.B.* — see also *Shelley, R.M. et al.*
- Beardsley, J.W. 1995. Notes on two *Rhizoecus* species new to the Hawaiian Islands, with a revised key to Hawaiian hypogaecic mealybugs (Homoptera: Pseudococcidae: Rhizoecinae) . . . . . 42: 28
- Beardsley, J.W. 1999. Hymenoptera from Midway Atoll . . . . . 58: 37
- Beardsley, J.W. & Perreira, W.D. 2000. New distribution records for non-endemic Hymenoptera (Insecta) in Hawai'i . . . . . 63: 21
- Beardsley, J.W. & Perreira, W.D. 2000. Three adventive sphecid wasps new to the Hawaiian fauna (Hymenoptera) . . . . . 64: 12
- Beardsley, J.W., Arakaki, K.T., Uchida, G.K., Kumashiro, B.R. & Perreira, W.D. 1999. New records of Diptera in Hawai'i . . . . . 58: 51

1. Contribution No. 2002-011 to the Hawaii Biological Survey.

**INDEX TO ARTICLES  
BY AUTHOR**

- Abbott, J.C. & Petr, D. 1997. Rediscovery of *Apterocyclus honoluluensis* Waterhouse on Kauai (Coleoptera: Lucanidae) . . . . . 49: 19
- Arakaki, K.T. — see Beardsley et al.
- Asquith, A. 1995. *Dictyophorodelphax zwaluwenburgi vicar*, new subspecies (Homoptera: Delphacidae): proposed example of allopatric speciation on the island of Kauai . . . . . 41: 59
- Bartlett, R.T. — see Meidell, S. et al.; Oppenheimer, H.L. & Bartlett, R.T.; Oppenheimer, H.L. et al.
- Baumgartner, E. — see Englund, R.A.
- Bauer, S.B. — see also Shelley, R.M. et al.
- Beardsley, J.W. 1995. Notes on two *Rhizoecus* species new to the Hawaiian Islands, with a revised key to Hawaiian hypogaecic mealybugs (Homoptera: Pseudococcidae: Rhizoecinae) . . . . . 42: 28
- Beardsley, J.W. 1999. Hymenoptera from Midway Atoll . . . . . 58: 37
- Beardsley, J.W. & Perreira, W.D. 2000. New distribution records for non-endemic Hymenoptera (Insecta) in Hawai'i . . . . . 63: 21
- Beardsley, J.W. & Perreira, W.D. 2000. Three adventive sphecid wasps new to the Hawaiian fauna (Hymenoptera) . . . . . 64: 12
- Beardsley, J.W., Arakaki, K.T., Uchida, G.K., Kumashiro, B.R. & Perreira, W.D. 1999. New records of Diptera in Hawai'i . . . . . 58: 51
- Beardsley, J.W. — see also Nishida, G.M. & Beardsley, J.W.; O'Grady, P.M. et al.; Perreira, W.D. & Beardsley, J.W.; Trjapitzin, V.A. & Beardsley, J.W.
- Beatty, J.A., Berry, J.W. & Berry, E.R. 2000. Additions and corrections to the spider fauna of Hawai'i . . . . . 64: 32
- Benbow, M.E. — see Glasby, C.J. et al.
- Berry, E.R. — see Beatty, J.A. et al.
- Berry, J.W. — see Beatty, J.A. et al.
- Bickel, D.J. 1997. Is the parthenogenetic Hawaiian fly *Diaphorus parthenus* (Hardy & Kohn) (Diptera: Dolichopodidae) an Australian stowaway? . . . . . 49: 32
- Bickel, D.J. 1998. The Dolichopodidae (Diptera) of Midway Atoll, with a new species of *Dactylomyia* Aldrich, and taxonomic notes on the subfamily Neurigoninae . . . 55: 45
- Bickel, D.J. 2000. New World *Achradocera* in Hawai'i, Tonga, and French Polynesia, with discussion of the genus (Diptera: Dolichopodidae) . . . . . 64: 14
- Biström, O. 1995. *Hydrovatus sandwicensis*, n. sp. (Coleoptera: Dytiscidae) and a new record of *Hydrovatus* from the Hawaiian Islands . . . . . 41: 72
- Brasher, A.M. — see Wolff, R.H. et al.
- Britton, D.K. & Wetzell, M.K. 1999. First records for freshwater oligochaetes (Annelida, Oligochaeta, Naididae) in the Hawaiian Islands with notes on their association with an alien snail (Mollusca, Gastropoda, Ampullariidae) . . . . . 59: 39
- Bruegmann, M.M. 1999. New records of flowering plants on Midway and Laysan . . 59: 1
- Bruegmann, M.M. — see also Wagner, W.L. et al.
- Bunkley-Williams, L. & Williams, E.H., Jr. 1996. New records of Hawaiian fish-associated isopods and a list of known species . . . . . 46: 41
- Burch, B.L. & Burch, T.A. 1995. New Hawaiian records of sessile Foraminifera . . . 42: 60
- Burch, B.L. & Burch, T.A. 1995. New records of deep-water bivalves from the Hawaiian

- Islands (Mollusca: Bivalvia) . . . . . 42: 58
- Burch, B.L. & Burch, T.A. 1995. New Hawaiian records for *Stephanocyphus simplex* Kirkpatrick (Cnidaria: Scyphozoa) . . . . . 42: 53
- Burch, B.L. — see also Burch, T.A.*
- Burch, T.A. 1995. *Corbicula fluminea* Müller (Mollusca: Bivalvia) established on Oahu . . . . . 42: 58
- Burch, T.A. & Burch, B.L. 1997. Foraminifera of Hawaii: literature survey . . . . . 49: 1
- Burch, T.A. — see also Burch, B.L. & Burch, T.A.*
- Burky, A.J. — see Glasby, C.J. et al.*
- Bursey, C.R. — see Goldberg, S.R. & Bursey, C.R.*
- Cai Y. — see Englund, R.A. & Cai Y.*
- Carlson, B.A. — see Matsumoto, G.I. et al.*
- Carr, W.H. 1996. Pathogenic organisms of penaeid shrimp in the Hawaiian Islands . . . . . 46: 15
- Castro, P. 1998. The Hawaiian species of *Trapezia* (Crustacea, Brachyura, Trapeziidae), symbionts of Pocillopora (Scleractinia) . . . . . 55: 73
- Chung, D. & Costello, V.J. 1998. Recent records of the landsnails *Amastra micans* (Pfeiffer) and *Laminella sanguinea* (Newcomb) (Pulmonata: Amastridae) . . . . . 56: 58
- Clayton, W.D. — see Herbst, D.R. & Clayton, W.D.*
- Coles, S.L. 1998. First record of the reef coral *Montipora turgescens* Bernard, 1897 in Hawai'i (Cnidaria: Anthozoa: Scleractinia) . . . . . 56: 60
- Coles, S.L. 2002. First record of the reef coral *Montipora hoffmeisteri* Wells at Johnston Atoll (Cnidaria: Anthozoa: Scleractinia) . . . . . 69: 42
- Conant, P. 1996. New Hawaiian pest plant records for 1995 . . . . . 46: 1
- Conant, P. 1998. Range extensions for melastomes in Hawai'i . . . . . 56: 1
- Conant, P. & Hirayama, C. 2000. *Wasmannia auropunctata* (Hyemoptera: Formicidae): established on the Island of Hawai'i . . . . . 64: 21
- Conant, P. — see Medeiros, A.C. et al.*
- Cornelius, P.F.S. — see Matsumoto, G.I. et al.*
- Costello, V.J. — see Chung, D.J. & Costello, V.J.*
- Cowie, R.H. 1996. New records of introduced land and freshwater snails in the Hawaiian Islands . . . . . 46: 25
- Cowie, R.H. 1997. Catalog and bibliography of the nonindigenous nonmarine snails and slugs of the Hawaiian Islands . . . . . 50: 1
- Cowie, R.H. 1998. New records of nonindigenous land snails and slugs in the Hawaiian Islands . . . . . 56: 60
- Cowie, R.H. 1999. New records of alien nonmarine mollusks in the Hawaiian Islands. . . . . 59: 48
- Cowie, R.H. 2000. New records of alien land snails and slugs in the Hawaiian Islands . . . . . 64: 51
- Cowie, R.H. — see also Lach, L. & Cowie, R.H.*
- Crow, G.L. — see Matsumoto, G.I. et al.*
- Daly, H.V. — see Hopper, D. & Daly, H.V.*
- Davie, P.F. 1998. New records of crabs in Hawai'i (Crustacea: Decapoda: Brachyura) . . . . . 56: 63
- DeFelice, R.C. 1999. A new distributional record for *Halophilia hawaiiiana* Doty & B. Stone (Hydrocharitaceae) in Hawai'i . . . . . 59: 2
- DeFelice, R.C. & Godwin, L.S. 1999. Records of marine invertebrates in Hawai'i from

- the hull of the USS *Missouri* in Pearl Harbor, O'ahu . . . . . 59: 42  
*DeFelice, R.C. — see also Muir, D.G. & DeFelice, R.C.*
- Eldredge, L.G. 1995. First record of the blue crab (*Callinectes sapidus*) in Hawaii (Decapoda: Brachyura). . . . . 42: 55
- Eldredge, L.G. 1999. Numbers of Hawaiian species: supplement 4 . . . . . 58: 72
- Eldredge, L.G. 2000. Numbers of Hawaiian species: supplement 5 . . . . . 63: 3
- Eldredge, L.G. & Evenhuis, N.L. 2002. Numbers of Hawaiian species for 2000. . . . . 68: 69
- Eldredge, L.G. & Miller, S.E. 1995. How many species are there in Hawaii? . . . . . 41: 3
- Eldredge, L.G. & Miller, S.E. 1997. Numbers of Hawaiian species: supplement 2 . . . . . 48: 3
- Eldredge, L.G. & Miller, S.E. 1998. Numbers of Hawaiian species: supplement 3, with notes on fossil species . . . . . 55: 3  
*Eldredge, L.G. — see also Miller, S.E. & Eldredge, L.G.; Richardson, B.J. & Eldredge, L.G.*
- Englund, R. 1998. Response of the orangeblack Hawaiian damselfly (*Megalagrion xanthomelas*), a Candidate Threatened Species, to increases in stream flow . . . . . 56: 19
- Englund, R. 1999. New records and range extensions of native Odonata (Coenagrionidae) and introduced aquatic species in the Hawaiian Islands . . . . . 59: 15
- Englund, R. & Baumgartner, E. 2000. The fang-toothed blenny *Omobranchius ferox* from Pearl Harbor, O'ahu, a probable unintentional introduction to the Hawaiian Islands . . . . . 64: 61
- Englund, R. & Cai Y. 1999. The occurrence and description of *Neocaridina denticulata sinensis* (Kemp, 1918) (Crustacea: Decapoda: Atyidae), a new introduction to the Hawaiian Islands . . . . . 58: 58
- Englund, R. & Filbert, R. 1997. Discovery of the native stream goby, *Lentipes concolor*, above Hawaii's highest waterfall, Hiilawe Falls . . . . . 49: 62  
*Englund, R.A. — see also Sabaj, M.H. & Englund, R.A.*
- Evenhuis, N.L. 1995. Notes on flightless Hawaiian Dolichopodidae (Diptera). . . . . 42: 30
- Evenhuis, N.L. 1996. New records and synonymies of Hawaiian Diptera . . . . . 46: 27
- Evenhuis, N.L. 1996. New species of *Campsicnemus* from the Waianae Range of Oahu, Hawaii (Diptera: Dolichopodidae). . . . . 45: 54
- Evenhuis, N.L. 1997. New records, synonymies, and range extensions of two-winged flies (Diptera) from the Hawaiian Islands . . . . . 49: 29
- Evenhuis, N.L. 1997. The genus *Sigmatineurum* Parent in Hawaii (Diptera: Dolichopodidae), with a revised key to species . . . . . 48: 66
- Evenhuis, N.L. 2000. A new species of *Sigmatineurum* (Diptera: Dolichopodidae) from seeps in Waimanu Valley on the Big Island of Hawai'i . . . . . 63: 31
- Evenhuis, N.L. 2000. New Hawaiian Diptera records, with special reference to the Diptera of Kaho'olawe . . . . . 64: 22
- Evenhuis, N.L. 2002. Notices of publications . . . . . 69: 55
- Evenhuis, N.L. & Preston, D.J. 1995. New records of copepods (Copepoda) from Oahu, Hawaii . . . . . 42: 52  
*Evenhuis, N.L. — see also Eldredge, L.G. & Evenhuis, N.L.; Grootaert, P. & Evenhuis, N.L.; Samuelson, G.A. & Evenhuis, N.L.*
- Filbert, R. — see Englund, R.A. & Filbert, R.*
- Flynn, T. & Lorence, D.H. 1998. New naturalized plant records for the Hawaiian Islands . . . . . 56: 5
- Flynn, T. & Lorence, D.H. 2002. Additions to the flora of the Hawaiian Islands . . . . . 69: 14  
*Flynn, T. — see also Lorence, D.H. & Flynn, T.; Lorence, D.H. et al.*
- Font, W.F. 1997. Distribution of helminth parasites of native and introduced stream fishes in Hawaii . . . . . 49: 56

- Font, W.F. & Rigby, M.C. 2000. Implications of a new Hawaiian host record from blue-lined snappers *Lutjanus kasmira*: is the nematode *Spirocamallanus istiblenni* native or introduced? . . . . . 64: 53
- Font, W.F., Wheeler, M. & Nishimoto, R.T. 2002. Discovery of a second species of introduced leech (Hirudinea: Piscicolidae) parasitizing native stream fishes on the Island of Hawai'i . . . . . 69: 46
- Foote, D. 2000. Rediscovery of *Drosophila heteroneura* on the Island of Hawai'i . . . 64: 27  
*Foote, D. — see also Johnson, P.J. et al.*
- Gage, R.P. 1996. First record of the land snail subfamily Achatinellinae on Kauai . . . 46: 21
- Gardner, D.E. 1997. The genus *Septoria* (Fungi: Deuteromycetes) in Hawai'i . . . . 49: 3
- Glasby, C.J., Benbow, M.E., Burky, A.J. & Way, C.M. 1998. New records of Namanereidinae (Polychaeta: Nereididae) from Hawai'i . . . . . 56: 67
- Godwin, L.S. & Lambert, G. 2000. New records of Ascidiacea (Urochordata) in the marine invertebrate fouling community of O'ahu, Hawai'i . . . . . 64: 59  
*Godwin, L.S.— see also DeFelice, R.C. & Godwin, L.S.*
- Goldberg, S.R. & Bursey, C.R. 1997. New helminth records for the mourning gecko, *Lepidodactylus lugubris* (Gekkonidae) from Hawaii . . . . . 49: 54
- Goldberg, S.R. & Bursey, C.R. 2000. Helminth records for the house gecko, *Hemidactylus frenatus* (Gekkonidae) from Hawai'i . . . . . 64: 56  
*Golovatch, S.I. — see Shelley, R.M. & Golovatch, S.I*
- Grootaert, P. & Evenhuis, N.L. 1997. A new species of *Thinophilus* (Diptera: Dolichopodidae) from the Hawaiian Islands. . . . . 48: 74  
*Haines, W. — see Johnson, P.J. et al.*
- Harvey, A.W. 1998. Hawaiian porcelain crabs (Crustacea: Decapoda: Porcellanidae) . . 56: 65
- Hawley, B.M. & Pyle, B.L. 1995. New Hawaiian plant records. I . . . . . 42: 1
- Heddle, M.L. & Swift, S.F. 1998. New genus of parasitic mite (Acari: Prostigmata) on *Scotorythra* (Lepidoptera: Geometridae) in Hawai'i . . . . . 56: 35
- Herbarium Pacificum Staff. 1996. New Hawaiian plant records for 1995 . . . . . 46: 3
- Herbarium Pacificum Staff. 1997. New Hawaiian plant records for 1996 . . . . . 49: 18
- Herbarium Pacificum Staff. 1998. New Hawaiian plant records for 1997 . . . . . 56: 8
- Herbarium Pacificum Staff. 1999. New Hawaiian plant records for 1998 . . . . . 58: 3
- Herbst, D.R. 1998. New records for Hawaiian plants. I . . . . . 56: 2
- Herbst, D.R. & Clayton, W.D. 1998. Notes on the grasses of Hawai'i: new records, corrections, and name changes . . . . . 55: 17
- Herbst, D.R. & Wagner, W.L. 1996. Contributions to the flora of Hawai'i. V . . . 46: 8
- Herbst, D.R. & Wagner, W.L. 1999. Contributions to the flora of Hawai'i. VII . . . 58: 12  
*Herbst, D.R. — see also Imada, C.T. et al.; Staples, G.W. et al.; Wagner, W.L. & Herbst, D.R.; Wagner, W.L. et al.*
- Heu, R.A. — see Kumashiro, B.R. & Heu, R.A.*
- Hirayama, C.— see Conant, P. & Hirayama, C.*
- Hodges, R.W. — see Miller, S.E. & Hodges, R.W*
- Hoffman, R.L. 1997. Deletion of two enigmatic milliped species from the Hawaiian fauna (Diplopoda: Spirostreptida) . . . . . 49: 49
- Holloway, J.D. & Miller, S.E. 1995. Status of *Rhynchopalpus brunellus* in the Hawaiian Islands, with comments on the systematics of the Nolinae (Lepidoptera: Noctuidae) . . . . . 42: 31
- Hopper, D. & Daly, H.V. 1995. Range extension of Colletidae (Hymenoptera) on Kauai . . . . . 42: 35

- Howarth, F.G. — see Taiti, S. & Howarth, F.G.
- Hughes, G.D. 1995. New Hawaiian plant records. II . . . . . 42: 1
- Imada, C.T., Staples, G.W. & Herbst, D.R. 2000. New Hawaiian plant records for 1999  
 . . . . . 63: 9
- Imada, C.T. — see also Staples, G.W. et al.
- James, H.F. — see Olson, S.L.
- Jamieson, D.W. 1999. New arthropod records for Kaua'i . . . . . 59: 19
- Jamieson, D.W. — see also Samuelson, G.A. et al.
- Johnson, P.J. & Lin X. 1998. *Aeolus livens* (LeConte): a correction for Hawaiian *Aeolus  
 mellillus* (Say) (Coleoptera: Elateridae) . . . . . 56: 24
- Johnson, P.J., Haines, W. & Foote, D. 2002. A new generic combination and Hawaiian  
 Island record for *Adelocera beardsleyi* (Ôhira & Becker) (Coleoptera: Elateridae)  
 . . . . . 69: 29
- Johnson, P.J. — see also Samuelson, G.A. & Johnson, P.J.
- Kishinami, C.H. — see Kishinami, M.L. & Kishinami, C.H.
- Kishinami, M.L. & Kishinami, C.H. 1996. New records of lizards established on Oahu.  
 . . . . . 46: 45
- Kraus, F. 2002. New records of alien reptiles in Hawai'i . . . . . 69: 48
- Kumashiro, B.R. & Heu, R.A. 1997. New records for Hawaiian insects . . . . . 49: 19
- Kumashiro, B.R. — see also Beardsley et al.; Samuelson, G.A. et al.
- Lach, L. & Cowie, R.H. 1999. The spread of the introduced freshwater apple snail  
*Pomacea canaliculata* (Lamarck) (Gastropoda: Ampullariidae) on O'ahu, Hawai'i  
 . . . . . 58: 66
- Lambert, G. — see Godwin, L.S. & Lambert, G.
- LaPointe, D.A. 2002. First report of a water mite in the family Pionidae (Acari: Parasiten-  
 gona: Hygrobatoidae) in the Hawaiian Islands . . . . . 69: 41
- Lau, J.Q.C. 1995. New Hawaiian plant records. III . . . . . 42: 10
- Lau, J.Q.C. — see also Wagner, W.L. et al.
- Liebherr, J.K. 2002. Polynesian collections of platynine Carabidae (Coleoptera) from the  
 voyage of the Danish corvette *Galathea*, 1845–1847 . . . . . 69: 27
- Liebherr, J. — see also Samuelson, G.A. et al.
- Lin X. — see Johnson, P.J. & Lin X.
- Loope, L.L. — see Medeiros, A.C. et al.; Starr, F. et al.
- Lorence, D.H. & Flynn, T. 1997. New naturalized plant records for Kaua'i . . . . . 49: 9
- Lorence, D.H. & Flynn, T. 1999. New naturalized plant records for the Hawaiian Islands  
 . . . . . 59: 3
- Lorence, D.H., Flynn, T. & Wagner, W.L. 1995. Contributions to the flora of Hawai'i. III  
 . . . . . 41: 19
- Lorence, D.H. — see also Flynn, T. & Lorence, D.H.; Wagner, W.L. & Lorence, D.H.
- Mah, C. 1998. New records, taxonomic notes, and a checklist of Hawaiian starfish . . 55: 65
- Manchester, C.A. — see Woodcock, D.W. et al.
- Maragos, J.E. 1995. Revised checklist of extant shallow-water stony coral species from  
 Hawaii (Cnidaria: Anthozoa: Scleractinia) . . . . . 42: 54
- Martz, K., Starr, F. & Medeiros, A.C. 1999. New island record of *Carposina nigronotata*  
 Walsingham on Maui (Lepidoptera: Carposinidae) . . . . . 59: 26
- Martz, K. — see also Polhemus, D.A. et al.; Starr, F. & Martz, K.; Starr, F. et al.
- Matsumoto, G.I., Crow, G.L., Cornelius, P.F.S. & Carlson, B.A. 2002. Discovery of the  
 cubomedusa *Carybdea sivickisi* (Cubozoa: Carybdeidae) in the Hawaiian Islands



- ..... 69: 44  
*McElvaney, S.* — see *Medeiros, A.C. et al.*
- Medeiros, A.C., Loope, L.L., Conant, P. & McElvaney, S. 1997. Status, ecology, and management of the invasive plant *Miconia calvescens* DC. (Melastomataceae) in the Hawaiian Islands ..... 48: 23
- Medeiros, A.C.* — see also *Martz, K. et al.*
- Meidell, J.S., Oppenheimer, H.L. & Bartlett, R.T. 1997. New plant records from Pu'u Kukui watershed and adjacent areas, Maui ..... 49: 17
- Meidell, J.S., Oppenheimer, H.L. & Bartlett, R.T. 1998. New plant records from West Maui ..... 56: 6
- Miller, S.E. 1996. Range expansions and name changes for moths (Lepidoptera) in the Hawaiian Islands ..... 46: 28
- Miller, S.E. & Eldredge, L.G. 1996. Numbers of Hawaiian species: supplement 1 ... 45: 8
- Miller, S.E. & Hodges, R.W. 1995. *Platynota stultana*, the omnivorous leaf-roller, established in the Hawaiian Islands (Lepidoptera: Tortricidae) ..... 42: 36
- Miller, S.E.* — see also *Eldredge, L.G. & Miller, S.E.; Holloway, J.D. & Miller, S.E.*
- Mitchell, A.R. 1997. The first endemic Hawaiian *Heliothis* (Lepidoptera: Noctuidae): *H. melanoleuca*, a new species from riparian forest ..... 48: 78
- Mosyakin, S.L. & Wagner, W.L. 1998. Notes on two alien taxa of *Rumex* L. (Polygonaceae) naturalized in the Hawaiian Islands ..... 55: 39
- Muir, D.G. 1997. New records of peracarid Crustacea in Hawaii (Crustacea: Pericarida) ..... 49: 50
- Muir, D.G. & DeFelice, R.C. 1998. A new species of phoxocephalid (Crustacea: Amphipoda: Gammaride: Phoxocephalidae) from Hawai'i ..... 55: 57
- Munroe, E.G. 1995. *Uingeriessa onyxalis* (Dyar) (Lepidoptera: Crambidae: Nymphulinae), a moth with presumably aquatic larvae, newly recorded from Hawaii, with a synopsis of Hawaiian Nymphulinae ..... 42: 39
- Nagata, K.M. 1995. New Hawaiian plant records. IV ..... 42: 10
- Newton, A.F. 1997. First record of the genus *Platydracus* (= *Staphylinus* in part) from Hawaii, with notes on Hawaiian *Creophilus* (Coleoptera: Staphylinidae: Staphylininae: Staphylinini) ..... 49: 23
- Nishida, G.M. & Beardsley, J.W. 2002. A review of the insects and related arthropods of Midway Atoll ..... 68: 23
- Nishida, G.M.* — see also *Roth, V.D. & Nishida, G.M.; Samuelson, G.A. & Nishida, G.M.*
- Nishimoto, R.T.* — see *Font, W.F. et al.*
- Norenburg, J.L. 1996. First record of the terrestrial species *Geonemertes pelaensis* (Nemertea: Hoplonemertea) in Hawaii ..... 46: 21
- Norton, R.A.* — see *Swift, S.F. & Norton, R.A.*
- O'Grady, P.M. 2002. Notes on the nomenclature of the endemic Hawaiian Drosophilidae ..... 69: 36
- O'Grady, P.M., Beardsley, J.W. & Perreira, W.D. 2002. New records for introduced Drosophilidae (Diptera) in Hawai'i ..... 69: 34
- Olson, S.L. & James, H.F. 1997. Prehistoric status and distribution of the Hawaiian Hawk (*Buteo solitarius*), with the first fossil record from Kauai ..... 49: 65
- Oppenheimer, H.L. 2002. The spread of gymnosperms on Maui: a neglected element of the modern Hawaiian flora ..... 68: 1
- Oppenheimer, H.L. & Bartlett, R.T. 2000. New plant records from Maui, O'ahu, and Hawai'i islands ..... 64: 1

- Oppenheimer, H.L. & Bartlett, R.T. 2002. New plant records from the main Hawaiian Islands . . . . . 69: 1
- Oppenheimer, H.L., Meidell, J.S. & Bartlett, R.T. 1999. New plant records for Maui and Moloka'i . . . . . 59: 7
- Oppenheimer, H.L. — see also Meidell, J.S. et al.; Polhemus, D.A. et al.*
- Paulay, G. 1996. New records and synonymies of Hawaiian bivalves (Mollusca) . . 45: 18
- Peck, S.B. 1997. *Ammophorus insularis* in Hawaii: a Galapagos Islands species immigrant to Hawaii (Coleoptera: Tenebrionidae) . . . . . 49: 26
- Perreira, W.D. & Beardsley, J.W. 1998. New records for lice in Hawai'i (Insecta: Phthiraptera) . . . . . 56: 25
- Perreira, W.D. — see also Beardsley, J.W. & Perreira, W.D.; Beardsley et al.; O'Grady, P.M. et al.*
- Petr, D. — see Abbott, P.C. & Petr, D.*
- Polhemus, D.A. 1995. New Heteroptera and Odonata (Insecta) records and range extensions in the Hawaiian Islands . . . . . 42: 42
- Polhemus, D.A. 1996. Heteroptera (Insecta) range extensions and rediscoveries in the Hawaiian Islands . . . . . 46: 32
- Polhemus, D.A. 1996. The orangeblack Hawaiian damselfly, *Megalagrion xanthomelas* (Odonata: Coenagrionidae): clarifying the current range of a threatened species . . . . . 45: 30
- Polhemus, D.A. 2000. Notes on recently introduced Heteroptera (Insecta) . . . . . 64: 29
- Polhemus, D.A., Oppenheimer, H.L., Starr, F. & Martz, K. 1999. Notable rediscoveries of *Megalagrion* species on Maui (Odonata: Coenagrionidae) . . . . . 59: 27
- Polhemus, J.T. 1996. New Hawaiian Island records for aquatic Heteroptera (Insecta) . . 46: 34
- Preston, D.J. — see Evenhuis, N.L. & Preston, D.J.*
- Pyle, B.L. — see Hawley, B.M. & Pyle, B.L.*
- Richards, A.B. — see Wolff, R.H. et al.*
- Richardson, B.J. & Eldredge, L.G. 1997. New record of Branchiostomidae from the Hawaiian Islands (Chordata: Cephalochordata) . . . . . 49: 69
- Rigby, M.C. — see Font, W.F. & Rigby, M.C.*
- Roth, V.D. 1995. Karsch's 1880 paper on Hawaiian spiders: ignored or overlooked? . . 42: 44
- Roth, V.D. & Nishida, G.M. 1997. Corrections and additions to the spider fauna of Hawaii . . . . . 49: 41
- Rutkowski, F. 1996. A new larval foodplant for *Tmolus echion* (Lepidoptera: Lycaenidae) . . . . . 46: 32
- Sabaj, M.H. & Englund, R.A. 1999. Preliminary identification and current distributions of two suckermouth armored catfishes (Loricariidae) introduced to O'ahu streams . . . . . 59: 51
- Samuelson, G.A. 1998. New records for Hawaiian Coleoptera . . . . . 56: 27
- Samuelson, G.A. & Evenhuis, N.L. 1995. Invalid and unavailable names in *Eupetinus* (Coleoptera: Nitidulidae) . . . . . 42: 48
- Samuelson, G.A. & Johnson, P.J. 1995. First endemic click beetle (Coleoptera: Elateridae) from Nihoa Island . . . . . 41: 75
- Samuelson, G.A. & Nishida, G.M. 1996. Clarification of *Plagithymysis hoikuahiwi*, confused with the *nomen nudum* *P. ulihihi* (Coleoptera: Cerambycidae) . . . . . 46: 37
- Samuelson, G.A., Kumashiro, B. & Jamieson, D.W. 1999. *Cassida circumdata* Herbst established in the Hawaiian Islands (Coleoptera: Chrysomelidae) . . . . . 59: 29
- Samuelson, G.A., Lieberr, J. & Will, K.W. 1997. *Gnathaphanus picipes*, an established adventive in Hawaii (Coleoptera: Carabidae) . . . . . 49: 22
- Sato, P. 1998. A new naturalized plant species in windward O'ahu, Hawai'i . . . . . 56: 15

- Shannon, R.K. & Wagner, W.L. 1996. New records of Hawaiian flowering plants primarily from the United States National Herbarium . . . . . 46: 13  
*Shannon, R.K. — see also Wagner, W.L. & Shannon, R.K.; Wagner, W.L. et al.*
- Shelley, R.M. 1998. Deletion of the milliped *Vanhoeffenia tristriatus* (Attems) from the Hawaiian fauna (Polydesmida: Dalodesmidae) . . . . . 56: 57
- Shelley, R.M. 1998. Interception of the milliped *Rhinotus pupureus* (Pocock) at quarantine, and potential introduction of the order and family into the Hawaiian Islands (Polyzonida: Siphonotidae) . . . . . 56: 54
- Shelley, R.M. 1998. Occurrence of the milliped *Glyphiulus granulatus* (Gervais) in the Hawaiian Islands (Spirostreptida: Cambalidea: Cambalopsidae) . . . . . 56: 36
- Shelley, R.M. 1998. Occurrence of the milliped *Trigoniulus corallinus* (Gervais) on O'ahu and Kaua'i (Spirabolida: Pachybolidae: Trigoniulinae) . . . . . 56: 55
- Shelley, R.M. 2000. The centipede order Scolopendromorpha in the Hawaiian Islands (Chilopoda) . . . . . 64: 39
- Shelley, R.M. & Golovatch, S.I. 2000. The milliped family Haplodesmidae in the Hawaiian Islands, with records of *Prosopodesmus jacobsoni* from Florida and Louisiana (Diplopoda: Polydesmida) . . . . . 64: 48
- Shelley, R.M. & Swift, S.F. 1998. The milliped order Julida in the Hawaiian Islands 56: 38  
*Shelley, R.M. — see also Zapparoli, M. & Shelley, R.M.*
- Shelley, R.M., Bauer, S.B. & Swift, S.F. 1998. The milliped family Paradoxosomatidae in the Hawaiian Islands (Diplopoda: Polydesmida) . . . . . 56: 43
- Smith, G.C. 2000. Rediscovery of the introduced mayfly *Caenis nigropunctata* (Ephemeroptera: Caenidae) in Waimānalo Stream, O'ahu . . . . . 64: 30
- Snelling, R.R. 1998. *Polistes trepidus malayanus* Cameron erroneously reported from the Hawaiian Islands (Hymenoptera: Vespidae) . . . . . 56: 33
- Staples, G.W. 1998. Correction . . . . . 56: 70
- Staples, G.W. & Woolliams, K.R. 1997. An overlooked naturalized aroid for the Hawaiian flora . . . . . 49: 13  
*Staples, G.W. — see also Imada, C.T. et al.*
- Staples, G.W., Herbst, D.R. & Imada, C.T. 2000. Survey of invasive or potentially invasive cultivated plants in Hawai'i . . . . . 65: 1
- Staples, G.W., Imada, C.T. & Herbst, D.R. 2002. New Hawaiian plant records for 2000 . . . . . 68: 7
- Starr, F. & Martz, K. 2000. New plant records for Midway Atoll . . . . . 64: 10
- Starr, F., Martz, K. & Loope, L.L. 1999. New plant records from East Maui for 1998 . . . . . 59: 11
- Starr, F., Martz, K. & Loope, L.L. 2002. New plant records from the Hawaiian Archipelago . . . . . 69: 16  
*Starr, F. — see also Martz, K. et al.; Polhemus, d.A. et al.*
- Steiner, W.E., Jr. 1996. *Microcrypticus* (Coleoptera: Tenebrionidae) in Hawaii, with notes on distribution and probable origin . . . . . 46: 35
- Strong, M.T. & Wagner, W.L. 1997. New and noteworthy Cyperaceae from the Hawaiian Islands . . . . . 48: 37
- Swift, S.F. 1996. The status of *Gasteracantha mammosa* (Araneae: Araneidae) in the Hawaiian Islands . . . . . 46: 39
- Swift, S.F. 1997. Two new Hawaiian bird mite (Acari) records . . . . . 49: 38
- Swift, S.F. 1997. First records of mites in the family Eupalopsellidae (Acari: Prostigmata: Raphignathoidea) in the Hawaiian Islands . . . . . 49: 39

- Swift, S.F. 2000. New records of Hawaiian prostigmatid mites (Acari: Prostigmata) . . . . . 64: 50
- Swift, S.F. & Norton, R.A. 1995. Some oribatid mites (Acari: Acariformes) from Mt. Kaala, Oahu . . . . . 42: 50
- Swift, S.F. & Norton, R.A. 1998. Preliminary report on oribatid mite (Acari: Oribatida) diversity in the Hawaiian Islands . . . . . 57: 1
- Swift, S.F. — see also Heddle, M.L. & Swift, S.F.; Shelley, R.M. et al.; Shelley, R.M. & Swift, S.F.
- Taiti, S. 1999. Terrestrial isopods from Midway Atoll (Crustacea: Oniscidea) . . . . . 59: 37
- Taiti, S. & Howarth, F.G. 1996. Terrestrial isopods from the Hawaiian Islands (Isopoda: Oniscidea) . . . . . 45: 59
- Takumi, R.L. 1999. New insect records from Maui . . . . . 59: 31
- Trjapitzin, V.A. & Beardsley, J.W. 1999. Discovery of *Aeptencyrtus bruchi* (De Santis) (Hymenoptera: Encyrtidae) in the Hawaiian Islands . . . . . 59: 35
- Turner, P.N. 1996. Rotifers in the Hawaiian Islands . . . . . 46: 18
- Uchida, G.K. — see Beardsley et al.
- Wagner, W.L. & Herbst, D.R. 1995. Contributions to the flora of Hawai'i. IV. New records and name changes . . . . . 42: 13
- Wagner, W.L. & Lorence, D.H. 2000. A reassessment of *Cyrtandra kealiae* and *C. limahuliensis* (Gesneriaceae) . . . . . 63: 17
- Wagner, W.L. & Shannon, R.K. 1998. Notes on Hawaiian Melicope (Rutaceae) . . . . . 56: 15
- Wagner, W.L. — see also Herbst, D.R. & Wagner, W.L.; Lorence, D.H. et al.; Mosyakin, S.L. & Wagner, W.L.; Shannon, R.K. & Wagner, W.L.; Strong, M.T. & Wagner, W.L.
- Wagner, W.L., Bruegmann, M.M., Herbst, D.R. & Lau, J.Q.C. 1999. Hawaiian vascular plants at risk: 1999 . . . . . 60: 1
- Wagner, W.L., Shannon, R. & Herbst, D.R. 1997. Contributions to the flora of Hawai'i. VI . . . . . 48: 51
- Way, C.M. — see Glasby, C.J. et al.
- Webb, D.L. — see Woodcock, D.W. et al.
- Wetzel, M.K. — see Britton, D.K. & Wetzel, M.K.
- Wheeler, M. — see Font, W.F. et al.
- Will, K.W. — see Samuelson, G.A. et al.
- Williams, E.H., Jr. 1996. Fibropapillomas in Hawaiian sea turtles . . . . . 46: 46
- Williams, E.H., Jr. — see also Bunkley-Williams, L. & Williams, E.H., Jr.
- Wilson, E.O. 1996. Hawaii: a world without social insects . . . . . 45: 3
- Wolff, R.H., Brasher, A.M. & Richards, A.B. 2002. New generic records of Hawaiian Chironomidae (Diptera) . . . . . 69: 31
- Woodcock, D.W., Manchester, C.A. & Webb, D.L. 1998. Fossil cotton from the Salt Lake crater area, O'ahu, Hawai'i . . . . . 56: 17
- Woolliams, K.R. — see Staples, G.W. & Woolliams, K.R.
- Zabin, C.J. 1999. New records of introduced fouling Bryozoa from O'ahu, Hawai'i . . . . . 59: 46
- Zapparoli, M. & Shelley, R.M. 2000. The centipede order Lithobibiomorpha in the Hawaiian Islands (Chilopoda). I. The epigeal fauna . . . . . 63: 35
- Zevin, D.G. 1995. Recent observations on endangered Hawaiian monk seals (*Monachus schauinslandi*) on the main Hawaiian islands . . . . . 42: 59

## INDEX TO TAXA BY GENUS

The following index is alphabetized by genus within kingdom and species within genera. Pagination is by OP volume number: page. Taxa listed in this index below as well as the index by species later in this volume include only those Hawaiian taxa involved in a new nomenclatural action (new combination, spelling change, new species, etc.) or other new note (new state record, new island record, notable rediscovery, removal from list, etc.). Species that were treated as part of checklists or that otherwise only were synopses or republication of previously published information are not indexed here.

## ANIMALS

- Ablabesmyia* sp., 69: 33  
*Acanthococcus araucariae*, 68: 50  
*Acanthoscelides macrophthalmus*, 56: 28; 68: 42  
*Achaearanea acoreensis*, 64: 38  
     sp. cf. *saxatilis*, 64: 38  
     *tepidariorum*, 42: 44  
*Achipteria* sp., 42: 51; 57: 20  
*Achradocera arcuata*, 64: 15  
*Acinia picturata*, 68: 48  
*Acrophasmus immigrans*, 63: 21  
*Acrosticha apicalis*, 64: 26  
*Adamystis* n. sp., 64: 50  
*Adelencyrtus odontaspidis*, 58: 41; 68: 52  
*Adelocera beardsleyi*, 69: 30  
*Adhaesozetes* sp., 57: 16  
*Adipicola crypta*, 45: 20  
     *pacifica*, 45: 20  
*Aega deshayesiana*, 46: 41  
     sp., 46: 41  
*Aeolus livens*, 56: 24  
     *mellilus*, 56: 24  
*Aeptencyrtus bruchi*, 58: 41; 59: 35; 68: 52  
*Afronothrus incisivus*, 57: 9  
*Agabiformius lentus*, 59: 38; 68: 65  
*Agathis cincta*, 63: 21  
*Agromyza* sp. nr. *blechi*, 58: 51  
*Agrotis ipsilon*, 68: 56  
*Akamptogonus novarae*, 56: 47  
*Alectryonella plicatula*, 42: 58  
*Aleurocanthus woglumi*, 49: 20  
*Alloeorhynchus maculosus*, 49: 20; 64: 29  
*Alloniscus oahuensis*, 45: 61  
*Allonothrus* sp., 57: 9  
*Alphitobius diaperinus*, 68: 44  
     *laevigatus*, 68: 44  
*Altica torquata*, 56: 28  
*Amarygmus morio*, 59: 21  
*Amastra micans*, 56: 58  
*Ammolagena clavata*, 42: 60  
*Ammophorus insularis*, 49: 26  
*Amygdalops thomasetti*, 58: 51  
*Anagrus frequens*, 58: 45; 68: 54  
     *nigriventris*, 58: 45; 68: 54  
*Anaphes calendrae*, 58: 45; 68: 54  
*Anastatus koebelei*, 58: 44; 68: 53  
*Anchiphiloscia pilosa*, 45: 61  
*Ancistrus* sp. cf. *temminckii*, 59: 60  
*Anilocra gigantea*, 46: 42  
*Anisops batillifrons*, 42: 43  
     *kuroiwae*, 46: 33; 59: 17  
*Annectacarus* sp., 57: 6; 68: 63  
*Anolis carolinensis*, 69: 50  
     *equestris*, 46: 45  
     *sagrei*, 46: 45; 69: 50  
*Anomalon californicum*, 63: 25; 68: 54  
*Anoplius toluca*, 59: 34  
*Anteromorpha dubiosa*, 58: 48; 68: 55  
*Anthicus tobias*, 68: 41  
*Anthrocephalus apicalis*, 58: 40; 68: 52  
*Antonina graminis*, 68: 51  
*Aonidiella inornata*, 68: 50  
*Apanteles* sp., 58: 38; 68: 52  
     *trifasciatus*, 63: 22  
*Apedilium* sp., 69: 32  
*Aphalacarus* sp., 57: 3  
*Aphanogmus* sp., 68: 52  
*Aphytis hispanicus?*, 58: 39; 68: 51  
*Aprostocetus hagenowii*, 58: 43; 68: 53  
     sp., 58: 43; 68: 53  
*Apseudes* sp., 49: 52  
*Apterocyclus honoluluensis*, 49: 19  
*Araecerus fasciculatus*, 56: 28  
     *levipennis*, 68: 41  
*Argiope amoena*, 49: 42  
     *appensa*, 49: 42  
     *bruennichi*, 49: 42  
     *trifasciata*, 42: 44  
*Argyrodes argentatus*, 64: 38  
*Ariadna perkinsi*, 49: 46  
*Arion intermedius*, 59: 48  
*Armadillidium vulgare*, 45: 67  
*Armadilloniscus ellipticus*, 59: 37; 68: 65  
*Artema atlanta*, 68: 61

- Ascarops* sp., 64: 57  
*Asiomorpha coarctata*, 56: 47  
*Aspidiotaphagus lounsburyi*, 68: 51  
*Asteia sabroskyi*, 64: 22  
*Atheta coriaria*, 56: 32; 56: 32  
*Atropacarus* sp. cf. *striculus*, 42: 51  
*Australobius vians*, 63: 47  
*Australophiloscia societatis*, 45: 61  
*Austrocarabodes* sp., 57: 13  
*Azotus* sp., 58: 40; 68: 51  
*Bactra* sp. nr. *straminea*, 68: 57  
*Badumna longinqua*, 49: 43  
*Balta* sp., 59: 19  
*Banksinoma* sp., 57: 15  
*Barbatia foliata*, 45: 21  
     *hendersoni*, 45: 21  
*Barichneumon californicus*, 63: 26  
*Basilobelba* sp., 57: 12  
*Bassus hawaiiicola*, 63: 22  
*Bavia aericeps*, 64: 36  
*Bdella* sp., 68: 62  
*Bdellodes longirostris*, 68: 62  
*Beckianum beckianum*, 64: 52  
*Berlesezetes* sp. cf. *auxiliaris*, 42: 51  
     sp., 57: 12  
*Biarritzina proteiformis*, 42: 60  
*Blaesoxipha plinthopyga*, 64: 25  
     *rufipes*, 64: 25  
*Blatella lituricollis*, 59: 20  
*Blepyrus insularis*, 58: 42; 68: 52  
*Bothropolys migrans*, 63: 47  
*Botrylloides simodensis*, 64: 59  
*Botula fusca*, 45: 20  
     *hawaiiensis*, 45: 20  
     *laysana*, 45: 20  
*Brachycyrtarus griseus*, 46: 30  
*Bracon mellitor*, 63: 22  
     *swezeyi*, 63: 22  
*Brentiscerus australis*, 64: 29  
*Brochymena quadripustulata*, 68: 49  
*Bruellia vulgata*, 56: 26  
*Bryania pipunctata*, 64: 22  
*Bryocyclops anninae*, 42: 53  
*Buena pallipes*, 46: 34  
*Bugula dentata*, 59: 46  
     *robusta*, 59: 46  
*Burmoniscus mauritiensis*, 45: 62  
     *meeusei*, 45: 63  
     *okinawaensis*, 45: 63  
*Buteo solitarius*, 49: 65  
*Caenis nigropunctata*, 64: 30  
*Calcituba polymorpha*, 42: 60  
*Callinectes sapidus*, 42: 55  
*Camillina elegans*, 49: 43; 64: 33  
*Camisia* sp., 57: 7  
*Campbellobates acanthus hawaiiensis*, 57: 16  
     sp., 57: 16  
*Campsicenus byrophilus*, 42: 30  
     *charliechaplini*, 45: 54  
     *halonae*, 45: 55  
     *hawaiiensis*, 42: 30  
     *miser*, 49: 30  
     *ridiculus*, 64: 24  
*Camptoptera* sp., 58: 45; 68: 54  
*Cardiocondyla emeryi*, 68: 53  
*Cardiophorus?* sp., 56: 30; 68: 43  
*Cari occidens*, 45: 26  
*Carpelimus fulvipes*, 56: 32; 68: 44  
*Carpenteria monticularis*, 42: 61  
*Carpophilus maculatus*, 68: 44  
*Carposina nigronotata*, 59: 26  
*Carybdea sivickisi*, 69: 44  
*Casitaria infesta*, 58: 39; 63: 26; 68: 54  
*Cassida circumdata*, 59: 29  
*Caulibugula caliculata*, 59: 47  
     *dendrograpta*, 59: 46  
*Centrodora xiphidii*, 58: 40; 68: 51  
*Cepheus* sp., 42: 51  
*Cephus pustulatus*, 57: 12  
*Ceraphron plebeius*, 58: 48; 68: 52  
     sp., 58: 48; 68: 52  
*Ceratina arizonensis*, 68: 51  
*Ceratozetes* sp., 57: 19  
*Cerion viaregis*, 46: 25  
*Ceropales maculata stretchii*, 59: 34  
*Chalcolepidus erythroloma*, 59: 21  
*Chalybion bengalense*, 63: 28; 68: 55  
*Chama brassica*, 45: 25  
     *lazarus*, 45: 25  
     *pacifica*, 45: 25  
*Charybdis paucidentata*, 56: 63  
*Cheiloneurus* sp., 58: 42; 68: 52  
*Cheiracanthium mordax*, 49: 43  
*Chelonus blackburni*, 63: 22  
*Chersodromia hawaiiensis*, 58: 54  
*Chlamys russata*, 45: 23  
*Chlorocytus longiscapus*, 58: 46; 68: 54  
*Chlorophorus annularis*, 59: 20  
*Choneiulus palmatus*, 56: 39  
*Chonocephalus pallidus*, 64: 24  
*Chorizococcus rostellum*, 68: 51  
*Chrysis angolensis*, 59: 33  
*Chrysomphalus dictyospermi*, 68: 50  
*Chrysosoma globiferum*, 55: 45  
*Chrysotus arcuata*, 64: 15  
     sp., 55: 46

- Chryso* sp., 64: 38  
*Ciconiphilus decimfasciatus*, 56: 25  
*Cimex lectularius*, 59: 23  
*Cis* sp. *bilamellatus* group, 56: 29  
     sp., 68: 42  
*Clavaspis herculeana*, 68: 50  
*Clubiona alveolata*, 64: 32; 68: 60  
*Coboldia fuscipes*, 58: 55; 64: 25  
*Coccophagus ceroplastae*, 58: 40; 68: 51  
*Coleosoma adamsoni*, 68: 61  
     *floridanum*, 64: 38  
*Coloceras chinense*, 56: 26  
*Colpodes buchannani*, 59: 20  
*Columbicola columbae*, 56: 26  
*Condylostylus longicornis*, 49: 29  
*Conicera formosensis*, 64: 25  
*Coniocompsa zimmermani*, 59: 25  
*Conoderus amplicollis*, 68: 43  
*Conotelus mexicanus*, 56: 31; 68: 44  
*Corbicula fluminea*, 42: 58  
*Coridromus variegatus*, 42: 42  
*Corinna cetrata*, 64: 32; 68: 60  
*Corticaria longicollis*, 56: 31  
*Cosa waikikia*, 45: 22  
*Cosmochthonius* sp., 57: 4; 68: 62  
*Cosmopolites sordidus*, 59: 21  
*Cotesia marginiventris*, 58: 38  
     *plutellae*, 58: 38; 68: 52  
*Creniola breviceps*, 46: 42  
*Creophilus erythrocephalus*, 49: 25  
     *maxillosus*, 49: 24  
*Cricotopus bicinctus*, 58: 52  
*Crociosema lantana*, 46: 30  
*Crocothemis servilia*, 42: 43  
*Cryptacarus* sp., 57: 6  
*Cryptamorpha desjardinsi*, 59: 31  
*Cryptodromiopsis plumosa*, 56: 63  
*Cryptolaemus montrouzieri*, 56: 29; 68: 42  
*Cryptopecten bullatus*, 45: 23  
*Cryptoplophora* sp., 57: 4  
*Cryptops hortensis*, 64: 41  
     *melanotypus*, 64: 45  
     *nana*, 64: 41  
     *navis*, 64: 45  
     *religens*, 64: 45  
     *sinesicus*, 64: 45  
*Ctenacarus araneolus*, 42: 51; 68: 62  
*Cubaris murina*, 45: 67  
*Cultroribula* sp., 57: 13  
*Curinus coeruleus*, 56: 29; 68: 42  
*Cyclophora nanaria*, 68: 56  
*Cyclosa turbinata*, 42: 44  
*Cylindrodesmus laniger*, 64: 48  
*Cylindroiulus latestriatus*, 56: 39  
     *truncorum*, 56: 39  
*Cylindrotaenia allisonae*, 49: 54  
*Cyrthermannia* sp., 57: 10  
*Dactylomyia vockerothi*, 55: 46; 68: 47  
*Dactyloscirus* sp. nr. *glebulentus*, 68: 62  
*Damaeus* sp., 42: 51; 57: 11  
*Decachaetophora aenipes*, 59: 32  
*Delta campaniforme campaniforme*, 59: 24  
*Deltocephalus sonorus*, 68: 50  
*Dermestes frischi*, 59: 31  
*Dero furcata*, 59: 39  
*Desmoxytes planata*, 56: 48  
*Dettopsomyia formosa*, 58: 53  
*Diadegma pattoni*, 63: 26  
*Dialictus* sp. poss. *nevadensis*, 63: 25  
*Diaperis maculatus*, 59: 22  
*Diaphorus parthenus*, 49: 32  
*Dicarnosis ripariensis*, 58: 42; 68: 52  
*Dictyna calcarata*, 64: 33  
     sp. *volucripes* group, 49: 43  
*Dictyophorodelphax zwaluwenburgi vicar*, 41: 59  
*Didemnum perlucidum*, 64: 59  
*Diomus debilis*, 56: 29; 68: 42  
*Dioxyna sororcula*, 58: 56; 68: 48  
*Diplazon laetatorius*, 63: 26  
*Diploptera punctata*, 68: 41  
*Dipoena alta*, 64: 38  
*Discanomalina semipunctata*, 42: 61  
*Disclisioprocta stellata*, 59: 24  
*Dolicheremaeus* sp., 42: 51; 57: 14  
*Dolichopus exsul*, 59: 32  
*Drosophila achyla*, 69: 37  
     *adiastola*, 69: 37  
     *adunca*, 69: 37  
     *aenicta*, 69: 37  
     *araiotrichia*, 69: 37  
     *atroscutellata*, 69: 37  
     *attigua*, 69: 37  
     *basimacula*, 69: 37  
     *bipolita*, 69: 37  
     *carbonaria*, 69: 34  
     *crucigera*, 69: 37  
     *dissita*, 69: 37  
     *engyochracea*, 69: 37  
     *floricola*, 69: 34  
     *fungiperda*, 69: 37  
     *heteroneura*, 64: 27  
     *insignita*, 49: 30  
     *melanogaster*, 64: 24  
     *neoperkinsi*, 69: 37  
     *perissopoda*, 69: 37  
     *preapiculata*, 69: 37

- Drosophila primaeva*, 69: 37  
     *quadrilineata*, 58: 54  
     *scolostoma*, 69: 37  
     *spectabilis*, 69: 37  
     *sulfurigaster bilimbata*, 64: 24  
     *suzukii*, 58: 54; 69: 34  
     *tamashiroi*, 49: 30  
*Duplaspidiotus claviger*, 68: 50  
*Dysdera crocata*, 49: 43  
*Dysmicoccus neobrevipes*, 68: 51  
*Ectomocoris biguttulus*, 59: 24  
*Elaphropeza* sp., 58: 54  
*Elumoides monocellatus*, 45: 67  
*Empoasca solana*, 68: 50  
*Encarsia lounsburyi*, 58: 40  
     *pergandiella*, 58: 40; 68: 51  
     sp., 58: 40; 68: 51  
*Encyrtoscelio* sp., 58: 48; 68: 55  
*Encyrtus infelix*, 58: 42; 68: 52  
*Endrosia sarcitrella*, 59: 34  
*Eobrachychthonius* sp., 57: 5  
*Eohypochthonius* sp., 57: 3  
*Epactophanes richardi*, 42: 53  
*Epigonichthys lucayanum*, 49: 69  
*Epilohmannia* sp., 57: 7; 68: 62  
*Epocilla calacarata*, 64: 36  
*Eremaeozetes* n. sp., 57: 12  
*Eremobelba* sp., 57: 13  
*Eremulus* sp., 57: 13  
*Eretmocerus* sp., 58: 40; 68: 51  
*Ereynetes?* sp., 68: 62  
*Eriborus sinicus*, 63: 26  
*Erigone autumnalis*, 64: 33  
     *dentosa*, 49: 44; 64: 33  
*Euchromius ocellus*, 46: 29  
*Eukiefferiella* sp., 69: 32  
*Eumerus aurifrons*, 58: 56  
*Eupelops* sp., 57: 20  
*Eupetinus aper*, 42: 49  
     *curtus*, 42: 49  
     *derasus*, 42: 49  
     *dimidiatus*, 42: 49  
     *dubius*, 42: 49  
     *impessus*, 42: 49  
     *insignis*, 42: 49  
     *laevigatus*, 42: 49  
     *obscurus*, 42: 49  
     *omaloides*, 42: 49  
     *parcus*, 42: 49  
     *subaper*, 42: 49  
*Eupodes* sp., 68: 63  
*Eusynstyla aliena*, 64: 60  
*Euxesta tigmatias*, 49: 31  
*Evaza javaensis*, 58: 56  
*Exaireta spinigera*, 59: 23; 59: 32  
*Exothorhis caudata*, 49: 39  
*Eyesarcoris ventralis*, 59: 23  
*Favognathus?* *variabilis*, 68: 62  
*Ferrisia consobrina*, 68: 51  
*Fidiobia* sp., 58: 48; 68: 54  
*Forcipomyia borbonica*, 58: 52  
*Fosseremus* sp., 57: 12  
*Fucellia boninensis*, 64: 22  
*Fulvia ballieni*, 45: 25  
*Fuscozetes* sp., 42: 51; 57: 19  
*Galumna fordii*, 42: 51  
     *hawaiiensis*, 42: 51  
     sp., 42: 51  
*Gamasiphis* sp., 68: 63  
*Gamasomorpha lalana*, 64: 35  
*Gampsocera hardyi*, 58: 53  
*Gari pennata*, 45: 26  
*Gasteracantha mammosa*, 46: 39  
*Gastrochaena gigantea*, 45: 26  
*Gastrochaena inaequistriata*, 45: 27  
*Gelis tenellus*, 63: 26  
*Genus?* sp.? (Ptilidae), 68: 44  
*Genus?* sp.? (Scirtidae), 56: 32  
*Geocoris pallens*, 59: 33; 68: 49  
*Geonemertes pelaensis*, 46: 21  
*Globivenus toreuma*, 45: 26  
*Glyphiulus granulatus*, 56: 36  
*Glyptocolastes texanus*, 63: 22  
*Gnathaphanus picipes*, 49: 22; 59: 20  
*Goeldichironomus holoprasinus*, 58: 52  
*Gonatocerus ornatus*, 58: 46; 68: 54  
     sp. *litoralis* group, 68: 54  
     sp. *membraciphagus* group, 58: 45; 68: 54  
*Gonatocerus* sp., 58: 45  
*Goniocotes gallinae*, 56: 26  
*Goniodes dissimilis*, 56: 26  
*Gotra* sp., 63: 27  
*Grandidierella bispinosa*, 49: 51  
     *japonica*, 49: 51  
*Gronotoma micromorpha*, 58: 47; 68: 53  
*Gymnochiromyia hawaiiensis*, 58: 53; 64: 24  
*Gyranusoidea phenacocci*, 58: 42; 68: 52  
*Habronattus mustaciata*, 49: 45  
     *tarsalis*, 64: 36  
*Haematolochea rubescens*, 59: 24; 59: 33  
*Haemonais waldvogeli*, 59: 39  
*Halobates sericeus*, 46: 34  
*Halophiloscia couchii*, 59: 37; 68: 65  
*Halticoptera circulus*, 58: 46; 68: 54  
*Halyphysema tumanowiczii*, 42: 61  
*Hamaxus nigrorufus*, 59: 22



- Haplochthonius* sp., 57: 4  
*Haplophthalmus danicus*, 45: 61  
*Harmoletia* sp. 1, 58: 45  
*Hawaiodillo sharpi*, 45: 67  
     sp. cf. *perkinsi*, 45: 67  
*Hedypsilus culicinus*, 49: 45; 64: 35  
*Helicorthomorpha holstii*, 56: 48  
     *orthogona*, 56: 49  
*Heliopsis melanoleuca*, 48: 78  
*Helix aspersa*, 46: 26  
*Helochares* sp., 56: 30  
*Helorus ruficornis*, 63: 25  
*Hemiberlesia lataniae*, 68: 50  
*Hemileius* sp., 57: 18  
*Hemiptarsenus semialbiclavus*, 58: 44; 68: 53  
*Henricia* sp., 55: 69  
*Hermanniella* sp., 42: 51; 57: 11  
*Herpetogramma licarsisalis*, 68: 56  
*Heteropoda venatorius*, 42: 44  
*Heteropsylla* sp., 68: 51  
*Heteroschema* sp., 58: 46; 68: 54  
*Heterospilus baeticatus*, 63: 23  
*Heterospilus prosopidis*, 63: 23  
*Hippasteria imperialis*, 55: 67  
*Hololena curta*, 49: 41  
*Hoplopleura pacificus*, 56: 25  
*Humerobates* sp., 57: 19  
*Hydrovatus acuminatus*, 41: 74  
     *sandwichensis*, 41: 72  
*Hydrozetes* sp., 57: 15  
*Hylaes albonitens*, 42: 35; 63: 25  
     *anthracina*, 42: 35  
     *hostilis*, 42: 35  
*Hyles lineata*, 46: 30; 59: 24  
*Hymenaster pentagonalis*, 55: 68  
*Hytissa hyotis*, 45: 24  
*Hypena laceratalis*, 68: 56  
*Hypera postica*, 56: 30  
*Hyperomyzus lactucae*, 68: 49  
*Hypochthonius* sp., 57: 3  
*Hypothenemus* sp., 68: 44  
*Ichneumon cupitus*, 63: 27  
     *purpuripennis*, 63: 27  
     sp. nr. *laetus*, 63: 27  
*Ichthyoxenus puihi*, 46: 42  
*Idris peregrinus*, 68: 55  
     *peregrinus?*, 58: 48  
*Imma mylias*, 46: 29  
*Incisitermes immigrans*, 68: 55  
*Ischnothreus omus*, 64: 35; 68: 61  
*Isodontia mexicana*, 68: 55  
*Isometricrus maculatus*, 59: 25  
*Issaniella* sp., 57: 11  
*Itodacnus nihoae*, 41: 75  
*Johnsonia elegans*, 58: 55  
*Josephiella* n. sp., 63: 21  
*Julus anguinus*, 49: 49  
*Krakatauia micronesiana*, 55: 45; 68: 47  
*Kukulcania* sp., 49: 43  
*Labulla graphica*, 49: 44  
*Laevichlamys irregularis*, 45: 22  
*Lagocheirus undatus*, 59: 21  
*Laminalloptes phaeontis*, 49: 38  
*Laminella sanguinea*, 56: 58  
*Laminococcus pandani*, 68: 51  
*Lamprolonhaea metatarsata*, 58: 55  
*Lampropholis delicata*, 69: 51  
*Lamyctes africana*, 63: 35; 68: 65  
     *emarginatus*, 63: 36  
     *fulvicornis* var. *hawaiiensis*, 63: 36  
     *fulvicornis*, 63: 47  
*Laphyphantes tenuis*, 64: 33  
*Lasiodactylus* sp. prob. *tibialis*, 49: 19  
*Lasioderma serricorne*, 68: 41  
*Latrodectus hesperus*, 64: 38  
*Lecane luna*, 46: 20  
     *lunaris*, 46: 20  
*Leioptilus beneficus*, 46: 30  
*Lentipes concolor*, 49: 62  
*Lepidosaphes laterochitinoso?*, 68: 50  
     *tokianus*, 68: 50  
*Leptomastidea abnormis*, 58: 43; 68: 53  
*Leucauge venusta*, 49: 47  
*Leucophenga maculosa*, 58: 54  
*Liardella doliolum*, 59: 48  
*Licneremaeus* sp., 57: 16  
*Ligia exotica*, 45: 59  
     *hawaiiensis*, 45: 59  
     *perkinsi*, 45: 59  
*Limonia advena*, 59: 17  
*Liochthonius* sp., 57: 5  
*Liohippelates collusor*, 58: 53  
*Lipaphis erysimi*, 68: 49  
*Liriomyza sativae*, 68: 46  
*Lithobius borealis*, 63: 47  
     *moananus*, 63: 44; 68: 65  
     *obscurus*, 63: 40  
     sp. cf. *bullatus*, 63: 42  
     sp., 63: 40  
*Lithophaga nasuta*, 45: 20  
     *obesa*, 45: 20  
*Littorophiloscia culebrae*, 45: 63; 59: 37; 68: 65  
     *hawaiiensis*, 45: 63  
*Lius poseidon*, 59: 20  
*Lobopoda* sp., 56: 28; 68: 41  
*Loewimyia bifurcata?*, 68: 46

- Loewimyia orbiculata*, 58: 51; 59: 22  
*Lopha cristagalli*, 45: 24  
*Loxosceles rufescens*, 49: 46; 64: 34  
*Lucoppia burrowsii*, 57: 17  
*Luidia prionata*, 55: 66  
*Lycosa aliusmodi*, 42: 47  
     *bruta*, 42: 47  
     *caduca*, 42: 47  
     *calvata*, 42: 46  
     *filicum*, 42: 47  
     *versicula*, 42: 46  
     *virgata*, 42: 47  
     *vulpecula*, 42: 45  
*Lyonsiella formosa*, 45: 27  
*Macaria abydata*, 46: 29; 68: 56  
*Machuella* sp., 57: 14  
*Macrocentrus calacte*, 63: 23  
*Malaconothrus* spp., 57: 8  
*Mandibulophoxus hawaiiola*, 55: 57  
     sp., 49: 51  
*Maruca vitrata*, 46: 29  
*Masthermannia* sp., 57: 10  
*Medetera griseescens*, 55: 46  
*Megachile fullawayi*, 68: 54  
     *timberlakei*, 68: 54  
*Megalagrion nesiotis*, 42: 43  
     *pacificum*, 59: 15; 59: 27  
     *xanthomelas*, 45: 30; 59: 27  
*Megaselia furcatis*, 64: 25  
*Megastylus flavopictus*, 63: 27  
*Meghimatium striatum*, 64: 52  
*Melanagromyza splendida*, 68: 46  
*Melanoxanthus melanocephalus*, 59: 21  
*Melormenus basalis*, 68: 50  
*Menemerus bivittatus*, 49: 45; 64: 36  
*Meriola arcifera*, 64: 32  
*Meromyza communis*, 58: 53  
*Merragata hebroides*, 46: 34  
*Mesostenus gracilis*, 63: 27  
*Mesotritia* sp., 57: 6  
*Mesovelia amoena*, 46: 34  
     *mulsanti*, 46: 34  
*Messua* sp. cf. *felix*, 49: 45; 64: 36; 68: 61  
*Metaphycus flavus*, 58: 43; 68: 53  
*Mezira membranacea*, 59: 23  
*Micracanthia humilis*, 46: 35  
*Microbathyphantes palmarius*, 64: 34  
*Microcrypticus obscurus*, 46: 36  
*Microctonus vittatae*, 63: 23  
*Micropopia minus*, 42: 51  
     sp., 57: 14  
*Microtritia* sp. cf. *minima*, 42: 51  
*Miniacina miniacea*, 42: 61  
*Mirax* sp., 63: 23  
*Misumena albicerus*, 42: 44  
*Misumenops kanakanus*, 42: 46  
     *vitellina*, 42: 46  
*Modicogryllus conspersus*, 68: 58  
*Monachus schauinslandi*, 42: 59  
*Monomorium pharaonis*, 68: 53  
*Monopsis meliorella*, 68: 57  
*Montipora turgescens*, 56: 61  
*Multioppia* sp., 57: 15  
*Murmidius* sp., 56: 28; 68: 42  
*Mycobates* sp., 57: 20  
*Mycodiplosis pucciniacola*, 58: 52  
*Mycodrosophila* sp., 69: 35  
*Myrsidea conspicua*, 56: 26  
*Mysmenella* sp. cf. *samoensis*, 64: 34  
*Nabis kaohinani*, 46: 32  
*Nagurus cristatus*, 45: 64  
     *nanus*, 45: 65; 59: 37; 68: 65  
     *sundaicus*, 45: 65  
*Namalycastis abiuma*, 56: 68  
*Namanereis amboinensis*, 56: 69  
     *littoralis*, 56: 69  
*Nanhermannia* sp., 42: 51; 57: 10  
*Nannastacus* sp., 49: 52  
*Nannodastia horni*, 58: 53  
*Nanosesarma minutum*, 56: 64  
*Nanostrea exigua*, 45: 24  
*Nauphoeta cinerea*, 59: 19  
*Neaspis* sp., 56: 32  
*Nehypochthonius porosus*, 57: 7  
*Neoaviculovulsa coralicola*, 45: 22  
*Neocaridina denticula sinensis*, 58: 58  
*Neochrysocharis formosa*, 58: 44; 68: 53  
*Neocunaxoides* sp., 68: 62  
*Neodusmetia sangwani*, 58: 43; 68: 53  
*Neoloxotaenia gracilis*, 58: 53  
*Neoplea apopkana*, 46: 35  
*Neopycnodonte cochlear*, 42: 58; 45: 24  
*Neoscona crucifera*, 64: 32  
     *hentzii*, 49: 42  
     *nautica*, 49: 42  
     *oaxacaensis*, 49: 42  
     *theisi*, 49: 42  
*Neotrichoporoides viridimaculata*, 58: 44; 68: 53  
*Neotrichus latiusculus*, 59: 21  
*Nephus bilucernarius*, 56: 30; 68: 42  
     *bipunctatus?*, 68: 42  
     sp. poss. *bipunctatus*, 56: 30  
*Nesioneta lepida*, 64: 34  
New genus (Oribatulidae) sp., 57: 18  
New genus nr. *Damaeobelba* sp., 57: 12

- New genus nr. *Dometorina* sp., 57: 18  
*Newcambia* sp., 46: 24  
*Newportia* sp., 64: 46  
*Nicoletia phytophilia*, 59: 25  
*Niesthra louisianica*, 59: 23  
*Nihoa hawaiiensis*, 49: 42  
*Nipponobius australis*, 63: 47  
    *cepeus*, 63: 47  
    *sinensis*, 63: 47  
*Nitela* sp., 64: 13  
*Nostima niveivenosus*, 49: 31  
*Nothrus* sp., 57: 9  
*Notogramma cimiciforme*, 58: 55  
*Notonecta indica*, 42: 43; 46: 35; 59: 23  
*Notophila insularis*, 58: 54  
*Oabius pylorus*, 63: 47  
*Ochthera circularis*, 49: 31; 58: 54  
*Odonaspis ruthae*, 68: 50  
*Odontomyia ochropa*, 58: 56  
*Oecobius navus*, 49: 44  
    sp. cf. *cellarium*, 64: 34  
*Oligosita* sp., 58: 47; 68: 55  
*Omobranchus ferox*, 64: 61  
*Onaceus nigronotatus*, 58: 54  
*Onebius moananus*, 63: 44  
*Oochoristica javaensis*, 64: 56  
*Oonopinus hunus*, 64: 35  
    *kilikus*, 64: 35  
*Opogona purpuriella*, 59: 25  
*Opopaena lena*, 64: 35; 68: 61  
*Orchestina* sp., 64: 35  
*Orchidophilus* sp. not *aterrimus*, 68: 43  
*Oribatula* sp., 57: 17; 68: 63  
*Oribotritia* sp. cf. *hawaiiensis*, 42: 51  
    sp., 57: 6  
*Oripoda* sp., 57: 18  
*Orthemis ferruginea*, 59: 16  
*Orthodera burmeisteri*, 59: 25  
*Oryzaepphilus surinamensis*, 68: 44  
*Ostrea laysanensis*, 45: 24  
*Ostostigmus feae*, 64: 46  
    *mians*, 64: 46  
    *sinicolens*, 64: 46  
*Ostostigmus* spp., 64: 44  
*Ovachlamys fulgens*, 64: 51  
*Oxidus gracilis*, 56: 45  
*Paarancistrocerus fulvipes*, 68: 55  
*Pachycheles attaragos*, 56: 66  
    *pisoides*, 56: 66  
*Pachygrapsus fakaravensis*, 56: 63  
*Pachysomoides stupidus*, 63: 27  
*Pandercetes petulca*, 49: 44  
*Paracryptops weberi*, 64: 45  
*Parahyotissa numisma*, 45: 24  
*Parakiefferiella* sp., 69: 32  
*Paralamellobates* sp., 57: 21  
*Paraleucothoe flindersi?*, 49: 51  
*Parallorhogas pallidiceps*, 58: 38; 63: 23; 68: 52  
*Paralycus* sp., 57: 4  
*Parapseudes pedispinis*, 49: 52  
*Paratanytarsus* sp., 69: 32  
*Parathroscinus* sp., 56: 31  
*Parhypochthonius aphidinus*, 57: 5  
*Parmarion martensi*, 56: 60  
*Pectinella aequoris*, 45: 22  
*Pedinopistha finschi*, 42: 45  
    *petulca*, 42: 45  
    *velox*, 42: 45  
*Pelastoneurus lugubris*, 46: 27  
*Pellonyssus reedi*, 49: 38  
*Pelodiscus sinesis*, 69: 51  
*Peloribates* sp., 57: 17  
*Perigona nigriceps*, 59: 20  
*Perittia lonicerae*, 46: 29  
*Perlohmannia dissimilis*, 57: 7  
*Petrolisthes coccineus*, 56: 65  
*Phanerotoma hawaiiensis*, 63: 24  
    *myeloisae*, 63: 24  
*Pharyngodon lepidodactylus*, 49: 55  
*Phauloppia* sp., 57: 17  
*Phelsuma guimbeui*, 46: 46  
    *madagascariensis*, 69: 49  
*Phenacoccus solani*, 68: 51  
*Phidippus audax*, 49: 45; 64: 36  
    *regius*, 49: 46  
*Philopterus picae*, 56: 26  
*Phintella versicolor*, 49: 46; 64: 36; 68: 61  
*Pholcus ancoralis*, 64: 36  
*Phthiracarus* sp., 42: 51  
*Phyllhermannia* sp., 57: 10  
*Phyllognathopus viguieri*, 42: 53  
*Phyllozetes* sp., 57: 4; 68: 62  
*Physocephalus* sp., 64: 58  
*Physocyclus globosus*, 49: 45  
*Pinna exquisita*, 45: 22  
*Piona* sp., 69: 41  
*Piophila australis*, 58: 55  
*Piscicola geometra*, 69: 45  
*Placobdelloides bdellae*, 59: 18  
*Plagiomerus* sp., 58: 43; 68: 53  
*Plagithmysus hoikuahiwi*, 46: 37  
    *uluhihi*, 46: 37  
*Platydracus caliginosus*, 49: 23  
*Platynota stultana*, 42: 36  
*Platynothrus* sp., 57: 8  
*Platystethus?* sp., 68: 44

- Pleistodontes froggatti*, 58: 39; 63: 21; 68: 51  
*Pleurophorus parvulus*, 56: 31; 68: 44  
*Plexippus paykulli*, 64: 36; 68: 61  
     *petersi*, 64: 37  
*Poecilominettia sexseriata*, 49: 31; 58: 55  
*Polistes aurifer*, 59: 24  
     *exclamans*, 68: 55  
     *jadwigae*, 68: 55  
     *trepidus malayanus*, 56: 33  
*Polygra cereolus*, 46: 26  
*Polypedilum nubiferum*, 64: 23; 68: 46  
*Pomacea canaliculata*, 46: 25; 58: 66  
*Pontomyia* sp., 64: 23  
*Porcellio dilitatus*, 45: 65  
     *laevis*, 45: 65; 59: 38  
     *lamellatus lamellatus*, 45: 65; 59: 38; 68: 65  
     *scaber*, 45: 66  
*Porcellionides pruinosus*, 45: 66; 59: 38  
*Praestochrysis lusca*, 59: 34  
*Principalpalpus palmarius*, 49: 44  
*Pristomerus spinator*, 63: 28  
*Proconura* n. sp., 68: 52  
     sp., 58: 41  
*Prodidomus cingulus*, 49: 45  
*Prodrasterius collaris*, 68: 43  
*Prosopodesmus jacobsoni*, 64: 49  
*Protaetia fusca*, 56: 31; 68: 44  
     *pryeri*, 56: 31; 68: 44  
*Proteroiulus fuscus*, 56: 39  
*Psectrosciara brevicornis*, 58: 55  
*Pseudanapis aloha*, 49: 41; 64: 32  
*Pseudaulacaspis cockerelli*, 68: 50  
*Pseudonapomyza spicata*, 68: 46  
*Psytalia incisa*, 63: 24  
*Pteraster obesus myonotus*, 55: 68  
*Pterochthonius angelus*, 57: 5  
*Pulaeus* sp. 1, 68: 62  
     sp. 2, 68: 62  
*Puliciphora borinquensis*, 58: 55  
*Pyrgophorus coronatus*, 59: 48  
*Quadraceps charadrii*, 56: 27  
*Quadroppia* sp., 57: 15  
*Raillietella frenatus*, 49: 55  
*Raphignathus* sp., 68: 63  
*Reductoniscus costulatus*, 45: 68  
*Rhaconotus vagrans*, 58: 39; 63: 24; 68: 52  
*Rhegmoclemina parvula*, 58: 56  
*Rhene rubrigera*, 64: 37  
*Rhinotus purpureus*, 56: 54  
*Rhizoecus cacticans*, 42: 28  
     *hibisci*, 42: 28  
*Rhodesiella elegatula*, 58: 53  
*Rhodesiella sauteri*, 64: 24  
*Rhopalium* sp., 64: 13  
*Rhopalosiphium maidis*, 68: 49  
*Rhynchopalpus brunellus*, 42: 31  
*Rhytidiporus indentatus*, 59: 33; 68: 49  
*Rhyzobius lophanthae*, 68: 42  
*Rocellaria hawaiiensis*, 45: 26  
     *oahuana*, 45: 27  
*Rostrozetes* sp., 42: 51; 57: 17  
*Sagenina divaricans*, 42: 61  
     *frondescens*, 42: 61  
*Saissetia oleae*, 59: 24  
     *miranda*, 68: 50  
*Saniosulus nudus*, 49: 40  
*Sarcophaga africa*, 64: 25  
*Scapheremaeus* sp., 57: 16  
*Scaphiostreptus caperanus*, 49: 50  
*Scatella stagnalis*, 68: 47  
*Scatomyza* sp., 64: 24  
*Scenopinus adventicus*, 64: 26  
     *lucidus*, 49: 31  
*Scheloriabates* n. sp., 42: 51  
     sp. nr. *indicus*, 42: 51  
     sp. nr. *muii*, 42: 51  
     sp. nr. *oahuensis*, 42: 51  
*Schizaphis rotundiventris*, 68: 49  
*Scolopendra polymorpha*, 64: 44  
     *subspinipes*, 59: 25; 64: 44  
*Scopaeus* sp., 56: 32  
*Scotophaeus blackwalli*, 64: 33  
*Scudderia paronae*, 68: 58  
*Scytodes fusca*, 49: 46  
     *longipes*, 49: 46  
     *marmorata*, 42: 44  
     *striatipes*, 64: 37  
*Sellnickochthonius* sp., 57: 5  
*Septifer biolcularis*, 45: 20  
     *excisus*, 45: 21  
     *vaughani*, 45: 21  
*Serangium maculigerum*, 59: 31  
*Sericoderus* sp., 68: 43  
*Sierola* sp., 58: 49; 68: 51  
*Sigaloessa hillifera*, 64: 22  
     sp., 58: 52  
*Sigmatineurum binodatum*, 48: 67  
     *englundi*, 63: 31  
     *iao*, 48: 66  
     *meaohi*, 48: 69  
     *nigrum*, 48: 67  
     *omega*, 48: 66  
     *parenti*, 48: 69  
*Signiphora* sp., 58: 47; 68: 55  
*Skrjabinezalia machidai*, 49: 55

- Smeringopus pallidus*, 49: 45; 64: 36; 68: 61  
*Spalangia cameroni*, 58: 47; 68: 54  
*Spathius prusius*, 63: 24  
*Spauligon hemidactylus*, 64: 56  
*Spehenophorus venastus*, 68: 43  
*Sphaerochthonius suzukii*, 57: 4; 68: 64  
*Spherillo hawaiiensis*, 45: 68  
*Spilichneumon superbus*, 63: 28  
*Spilochroa ornata*, 58: 54  
*Spirocamballanus istliblenni*, 64: 53  
*Spoladea recurvalis*, 46: 29  
*Spondylus cuneatus*, 45: 23  
     *hystrix*, 45: 23  
     *nicobarius*, 45: 23  
     *tenebrosus*, 45: 23  
     *violascens*, 45: 23  
*Steatoda erigoniformis*, 49: 47; 64: 38  
*Steatoda grossa*, 42: 44; 64: 38  
*Stegana coleoptrata*, 69: 35  
*Stempellinella* sp., 69: 32  
*Stenolaphus quinquepustulatus*, 59: 20  
*Stenomicroa* sp., 49: 20  
*Stephanocyphus simplex*, 42: 53  
*Stigmaeus* sp., 68: 64  
*Strigiphilus aitkeni*, 56: 27  
*Stryingomyia didyma*, 64: 26  
*Styloniscus mauritiensis*, 45: 60  
     *psinosus*, 45: 60  
*Suctobelba* sp., 42: 51  
*Suctobelbella* sp., 57: 15  
*Supella longipalpa*, 59: 20  
*Symploce pallens*, 68: 41  
*Syntormon flexibile*, 55: 46; 68: 47  
*Syrirta orientalis*, 64: 26  
*Tachytrechus angustipennis*, 49: 30; 59: 32  
     sp., 46: 27  
*Taeniptera angularis*, 46: 28; 59: 22  
*Tapes japonica*, 45: 26  
*Tarsaster?* sp., 55: 69  
*Tarsonemus?* sp., 68: 64  
*Tectocephus* sp., 57: 14  
*Tegenaria domestica*, 49: 41  
*Tegoribates* sp., 57: 21  
*Telenomus* sp., 58: 49  
     *vulcanus*, 58: 49; 68: 55  
*Tellina ovalis*, 45: 25  
     *scobinata*, 45: 26  
*Telostylinus lineolatus*, 58: 55; 59: 32  
*Telsimia nitida*, 68: 42  
*Teneriffia* sp. cf. *mortoni*, 64: 50  
*Tenuelamellarea* sp., 57: 17  
*Tetramorium deccanensis*, 49: 46  
     sp., 64: 37  
*Tetragnatha nitens*, 64: 37; 68: 61  
     *olindana*, 42: 46  
*Tetramesa* sp., 58: 45; 68: 53  
*Tetramorium simillimum*, 68: 54  
*Tetrastichus beardsleyi*, 58: 44; 68: 53  
*Tetreuaresta obscuriventris*, 58: 56  
*Thalassomyia setosipennis*, 58: 52  
*Theotimas radiata*, 49: 44; 68: 60  
*Theridion adamsoni*, 64: 39  
     *melanostictum*, 49: 47; 64: 39; 68: 61  
     *rufipes*, 64: 39  
*Thiania suboppressa*, 64: 37  
*Thinophilus hardyi*, 48: 74  
*Thyrecephalus albertisi*, 59: 21  
*Thysanococcus pandani*, 49: 21  
*Tidabius emporus*, 63: 47  
     *vector*, 63: 47  
*Tillus notatus*, 59: 21  
*Toya dryope*, 68: 50  
*Trachyzelotes jaxartensis*, 49: 43; 64: 33  
*Triaeris lepus*, 64: 35  
*Trialeurodes vaporariorum*, 68: 49  
*Trichocorixa reticulata*, 46: 34  
*Trichogramma* sp., 58: 47; 68: 55  
*Trichomalopsis viridescens*, 49: 21  
*Trichopria* sp., 58: 48; 68: 52  
*Trichorhina heterophthalma*, 45: 64  
     *tomentosa*, 45: 64  
*Trichrysis luzonica*, 59: 34  
     *triacantha*, 63: 25  
*Trigonulus corallinus*, 56: 56  
*Trimalaconothrus* sp., 57: 8  
*Tripleuchlanis plicata*, 46: 20  
*Tromatobia ovivora*, 63: 28  
*Tropicana minuta*, 45: 63  
*Tryhypochothoniellus* sp., 57: 9  
*Tryhypochothonus* sp., 57: 10  
*Trypoxylon* sp., 64: 13  
*Urosigalphus bruchi*, 63: 25  
*Urozelotes rusticus*, 49: 44  
*Uscana* sp., 58: 47; 68: 55  
*Usingeriessa onyxalis*, 42: 39  
*Vanessa cardui*, 68: 57  
*Vanhoeffenia tristriatus*, 56: 57  
*Venerupis philippinarum*, 45: 26  
*Venezillo parvus*, 45: 68; 59: 38; 68: 65  
*Venturia* sp., 63: 28  
*Vepracarus* sp., 57: 6  
*Verticordia aequicostata*, 42: 59  
*Verticordia deshayesiana*, 42: 59  
*Vulgichneumon diminutus*, 63: 28  
*Wallacea albiseta*, 59: 23; 59: 33  
*Wandella bakeri*, 49: 43

Wasmannia auropunctata, 64: 21  
 Wyeomyia mitchelli, 59: 22  
 Xenos auriferi, 59: 25  
 Xyleborus perforans, 68: 44  
 Xylobates sp. cf. capucinus, 42: 51  
 Zapronius ghesquierei, 69: 35  
 Zelotes reformans, 49: 44; 64: 33  
 Zenodorus microphthalmus, 49: 46; 64: 37  
 Zosis geniculatus, 64: 39  
 Zygorbitula sp., 57: 18

### PLANTS

Abutilon menziesii, 58: 4  
 Acacia aneura, 42: 19  
     farnesiana, 69: 7  
     mearnsii, 42: 5  
     melanoxylon, 41: 36  
 Acaena exigua, 56: 6  
 Acanthocereus tetragonus, 41: 27  
 Achyranthes aspera, 68: 4  
     mutica, 42: 1  
 Adenantha pavonina, 42: 19  
 Adenostemma viscosum, 58: 14  
 Aeschynomene paniculata, 42: 5  
 Ageratina riparia, 46: 9; 69: 3  
 Ageratum houstonianum, 64: 2  
 Agrostis avenacea, 63: 14  
     capillaris, 55: 18  
     sandwicensis, 55: 18  
     semiverticillata, 55: 18  
 Aira caryophyllea, 49: 11  
 Albizia chinensis, 56: 3  
     lebbeck, 69: 7  
 Albizia saponaria, 41: 36  
 Aleurites moluccana var. katoi, 58: 20  
     montana, 56: 2  
 Alocasia macrorrhizos, 49: 15; 63: 10  
 Aloe vera, 41: 21  
 Alpinia zerumbet, 69: 15  
 Alsinidendron viscosum, 41: 30  
 Alstonia macrophylla, 48: 51  
 Alternanthera brasiliana, 42: 14  
     pungens, 59: 3; 64: 1; 69: 2; 69: 17  
     sessilis, 41: 21  
 Amaranthus lividus subsp. polygonoides, 59: 1  
     retroflexus, 48: 51  
     spinosus, 69: 17  
     viridis, 42: 1  
 Ammannia coccinea, 58: 23  
 Andropogon glomeratus, 55: 18  
 Andropogon virginicus, 42: 8; 59: 9; 63: 14; 69: 22  
 Anethum graveolens, 69: 17  
 Annona cherimola, 68: 4  
 Anredera cordifolia, 42: 11  
 Anthephora hermaphrodita, 55: 19  
 Anthoxanthum odoratum, 41: 44  
 Antidesma platyphyllum var. platyphyllum, 46: 4  
 Antigonon leptopus, 69: 23  
 Antirrhinum orontium, 68: 15; 69: 25  
 Ardisia elliptica, 56: 7  
 Argemone glauca var. glauca, 41: 43  
 Argyreia nervosa, 41: 32  
 Aristeia sp. cf. compressa, 58: 4  
 Aristida adscensionis, 55: 19  
 Aristolochia littoralis, 63: 10  
 Artabotrys hexapetalus, 42: 11  
 Artemisia vulgaris, 42: 15  
 Arundina graminifolia, 64: 7  
 Asparagus asparagoides, 69: 20  
     densiflorus, 59: 4; 64: 6  
     plumosus, 63: 13; 64: 6; 69: 9; 69: 21  
     setaceus, 41: 40; 63: 13  
 Asystasia gangetica, 64: 1  
 Atriplex maximowicziana, 48: 55  
     suberecta, 41: 31  
 Avena barbata, 68: 13  
 Axonopus fissifolius, 42: 8  
 Barleria cristata, 69: 1  
     repens, 68: 3  
 Basella alba, 42: 11  
 Bassia hyssopifolia, 68: 7; 69: 19  
 Bastardia viscosa, 68: 12  
 Bauhinia monandra, 59: 4  
 Begonia cucullata, 41: 25  
     hirtella, 41: 25  
     reniformis, 46: 10  
     vitifolia, 68: 6  
 Bidens alba, 42: 2  
 Bidens campylothea subsp. campylothea, 41: 22  
     campylothea subsp. pentamera, 42: 10  
     cynapiifolia, 41: 23  
 Blechum pyramidatum, 42: 14  
 Blutaplaron vermiculare, 42: 14  
 Borea timonioides, 41: 49  
 Boerhavia acutifolia, 58: 24; 59: 5  
     coccinea, 69: 10  
 Bolboschoenus maritimus subsp. paludosus, 68: 9  
 Bothriochloa bladhii, 49: 18  
     laguroides, 55: 19  
     pertusa, 64: 11  
 Brachiaria mollis, 68: 13

- Brachiaria plantaginea*, 42: 23; 69: 10  
    *reptans*, 55: 20  
    *subquadripara*, 41: 44  
*Brassica rapa*, 42: 17; 69: 4  
*Breynia disticha*, 41: 35  
*Briza minor*, 63: 14  
*Bromus catharticus*, 55: 20  
    *hordeaceus*, 55: 20  
    *madritensis*, 58: 25  
    *rigidus*, 55: 20; 58: 7  
    *rubens*, 58: 25  
    *willdenowii*, 49: 11  
*Brugmansia candida*, 42: 9  
*Bruguiera sexangula*, 58: 31  
*Bryophyllum beauverdii*, 68: 9  
    *daigremontianum*, 68: 9; 69: 6  
    *fedtschenkoi*, 68: 9  
    *pinnatum*, 68: 9  
    *tubiflorum*, 68: 9  
*Buddleia asiatica*, 69: 5  
    *davidii*, 46: 13  
    *madagascariensis*, 59: 4; 64: 3  
*Caesalpinia major*, 46: 11  
*Calamagrostis expansa*, 55: 21  
*Calyptocarpus vialis*, 59: 1  
*Canavalia sericea*, 42: 19; 69: 7  
*Capsella bursa-pastoris*, 42: 17; 46: 10  
*Cardamine flexuosa*, 42: 2  
*Carex longii*, 48: 37  
*Carica papaya*, 64: 3  
*Carmona retusa*, 41: 25  
*Casuarina cunninghamiana*, 41: 31  
    *cunninghamia* × *glauca*, 69: 5  
    *glauca*, 64: 3; 69: 19  
*Catharanthus roseus*, 41: 22  
*Cenchrus ciliaris*, 64: 11  
    *echinatus*, 69: 22  
*Cenchrus tribuloides*, 41: 44  
*Centauria cyanus*, 42: 15  
*Centaurium sebaeoides*, 42: 21  
*Centratherum punctatum* subsp. *punctatum*, 41: 23  
*Centrosema pubescens*, 56: 5  
*Ceratophyllum demersum*, 68: 7; 69: 5  
*Cestrum nocturnum*, 64: 8  
*Chamaecrista nictitans* var. *glabrata*, 42: 5  
*Chamaesyce hyssopifolia*, 58: 3; 59: 2  
    *prostrata*, 42: 4  
    *serpens*, 48: 56  
    *thymifolia*, 41: 35; 64: 5  
*Chenopodium album*, 68: 7  
    *ambrosioides*, 68: 7  
    *carinatum*, 49: 10  
*Chloris barbata*, 55: 21  
*Chloris divaricata*, 64: 11  
    *gayana*, 42: 8  
    *nlemfuensis*, 58: 25  
    *truncata*, 58: 25  
    *virgata*, 55: 21; 63: 14; 64: 11  
*Chrysophyllum oliviforme*, 41: 54; 48: 62  
*Chrysopogon aciculatus*, 59: 9  
*Cinnamomum burmannii*, 42: 22; 48: 57; 49: 18  
    *verum*, 63: 12  
*Cissus rotundifolia*, 49: 12; 69: 26  
*Citharexylum caudatum*, 42: 13; 59: 14  
    *spinosum*, 56: 13; 69: 26  
*Clerodendrum chinense*, 42: 26  
    *macrostegium*, 49: 12  
*Clitoria heterophylla*, 68: 9  
    *ternatea*, 64: 5  
*Clusia rosea*, 64: 3  
*Coccinia grandis*, 59: 11; 64: 4  
*Coccoloba uvifera*, 56: 3; 69: 11; 69: 24  
*Cocculus orbiculatus*, 42: 22  
*Coffea liberica*, 68: 14  
*Coleogeton pectinatus*, 56: 4  
*Collomia linearis*, 42: 23  
*Colubrina oppositifolia*, 42: 10  
*Conocarpus erectus*, 49: 10  
*Convolvulus erubescens*, 56: 2  
*Conyza canadensis* var. *pusilla*, 42: 16  
*Coprosma granadensis*, 64: 8  
    *rhyngocarpa*, 46: 6  
    *ternata*, 42: 25  
*Cordia dichotoma*, 46: 3  
*Coreopsis lanceolatus*, 49: 17  
*Coriandrum sativum*, 68: 5  
*Cortaderia jubata*, 56: 8  
*Costus speciosus*, 42: 18; 64: 4  
*Cotoneaster pannosus*, 41: 49  
*Cotula australis*, 41: 23  
*Crassocephalum crepidioides*, 42: 11  
*Crassula multicava*, 41: 33  
    *ovata*, 41: 32  
*Crepis vesicaria* subsp. *taraxacifolia*, 68: 5  
*Crotalaria pumila*, 64: 5  
    *assamica*, 69: 20  
    *incana*, 42: 5  
    *juncea*, 48: 56  
    *verrucosa*, 42: 19  
*Cryptotaenia canadensis*, 59: 7  
*Cuphea cathagenensis*, 69: 9  
*Cuscuta sandwichiana*, 49: 18  
*Cyanea dunbariae*, 58: 16  
    *dunbarii*, 42: 3

- Cyanea procera*, 42: 3  
     *recta*, 41: 29  
     *undulata*, 41: 29  
*Cyanthillium cinereum*, 48: 52  
*Cymbopogon refractus*, 55: 21  
*Cynodon aethiopicus*, 55: 22  
     *dactylon*, 55: 22  
*Cyperus compressus*, 42: 18  
     *confertus*, 46: 3; 48: 39  
     *cyperoides*, 46: 4; 48: 40  
     *difformis*, 69: 19  
     *esculentus*, 48: 41  
     *gracilis*, 42: 3; 69: 7  
     *haspan*, 42: 4  
     *involucratu*, 48: 41; 63: 11  
     *phleoides* var. *phleoides*, 42: 18  
     *prolifer*, 48: 41  
     *rotundus*, 42: 4; 48: 42  
     *sanguinolentus*, 58: 20  
*Cyrtandra acmule*, 58: 21  
     *alaustris*, 63: 17  
     *biserrata*, 58: 22  
     *cyaneoides*, 41: 37  
     *hemisphaerica*, 58: 22  
     *henanthe*, 63: 18  
     *higashinoi*, 58: 22  
     *imparis*, 58: 21  
     *kealiae*, 63: 17  
     *kealiae* subsp. *kealiae*, 63: 17  
     *kealiae* subsp. *urceolata*, 63: 19  
     *limahuliensis*, 63: 17  
     *lumahaiensis*, 63: 18  
     *munroi*, 58: 21  
     *runae*, 63: 18  
     *septentrionalis*, 63: 18  
     *spissa*, 63: 18  
     *ustulata*, 58: 22  
*Cytisus palmensis*, 68: 10  
*Dactyloctenium aegyptium*, 48: 60; 49: 11  
*Dalea emarginata*, 46: 4  
*Daucus pusillus*, 41: 22  
*Delairea odorata*, 58: 14  
*Delissea rivularis*, 41: 30  
*Desmanthus pernambucanus*, 42: 20  
*Desmodium heterophyllum*, 42: 20; 58: 20  
     *intortum*, 56: 9; 63: 12  
     *tortuosum*, 42: 5  
*Dichanthium annulatum*, 42: 8; 69: 10  
     *aristatum*, 55: 22  
     *tenue*, 55: 22  
*Dichelachne micrantha*, 55: 22  
*Dichondra micrantha*, 69: 6  
*Dicliptera chinensis*, 68: 3  
*Digitaria abyssinica*, 55: 23  
     *eriantha*, 55: 23  
     *horizontalis*, 58: 26  
     *radicosa*, 55: 23  
*Dillenia suffruticosa*, 56: 15  
*Diodia apiculata*, 63: 15  
*Dissotis rotundifolia*, 46: 5  
*Distichlis spicata*, 58: 7  
*Dovyalis hebecarpa*, 56: 3  
*Dubautia kenwoodii*, 58: 14  
     *syndetica*, 58: 14  
*Duranta erecta*, 41: 55  
*Dyssodia tenuiloba*, 69: 18  
*Echinochloa crus-galli*, 69: 22  
     *oryzoides*, 55: 24  
     *picta*, 55: 24  
     *utilis*, 55: 24  
     *walteri*, 55: 24  
*Eclipta prostrata*, 42: 16  
*Ehrharta calycina*, 58: 26  
     *erecta*, 55: 25  
     *stipoides*, 41: 45; 55: 25  
*Elephantopus mollis*, 69: 4  
*Eleocharis olivacea*, 48: 43  
     *radicans*, 63: 12  
     *schaffneri*, 48: 43  
*Emilia coccinea*, 63: 10  
     *sonchifolia* var. *javanica*, 48: 52  
     *sonchifolia* var. *sonchifolia*, 69: 4  
*Enchylaena tomentosa* var. *tomentosa*, 63: 11  
*Entolasia marginata*, 56: 5  
*Epilobium billardierianum* subsp. *cinereum*, 42: 22  
*Eragrostis amabilis*, 41: 45; 42: 8  
     *brownii*, 59: 5  
     *ciliaris*, 58: 26  
     *curvula*, 55: 26  
     *deflexa*, 55: 26  
     *elongata*, 41: 45  
     *grandis*, 55: 27  
     *leptophylla*, 55: 27  
     *leptostachya*, 55: 27; 68: 14  
     *molokaiensis*, 55: 27  
     *parviflora*, 56: 5  
     *pectinacea*, 41: 45; 55: 27  
     *pilosa*, 41: 45; 55: 27  
     *superba*, 55: 28  
     *tenuifolia*, 55: 28  
     *unioloides*, 58: 26  
*Erigeron bellioides*, 42: 11; 64: 2  
     *karvinskianus*, 42: 2



- Eriobotrya japonica*, 41: 49  
*Eriocaulon scariosum*, 58: 20  
*Erodium* sp., 42: 6  
*Euchiton japonicus*, 48: 54; 58: 14; 68: 5  
     *sphaericus*, 48: 54  
*Euphorbia peplus*, 41: 35  
     *tirucalli*, 41: 35  
*Eustachys petraea*, 42: 24  
*Falcataria moluccana*, 56: 10; 69: 8  
*Fallopia convolvulus*, 58: 29  
*Fatoua villosa*, 42: 22  
*Festuca arundinacea*, 48: 60  
     *rubra*, 48: 60  
*Ficus macrocarpa*, 69: 21  
     *macrophylla*, 64: 6; 69: 21  
     *microcarpa*, 41: 41; 42: 7  
     *nota*, 56: 10  
     *rubiginosa*, 42: 12  
     sp. cf. *platypoda*, 64: 7  
*Filicium decipiens*, 68: 15  
*Fimbristylis aestivalis*, 69: 7  
     *ferruginea*, 48: 44  
     *miliacea*, 48: 45; 63: 12  
*Flaveria trinervia*, 41: 24; 46: 9  
*Flemingia strobilifera*, 41: 37  
*Florestina tripteris*, 64: 2  
*Gahnia aspera* subsp. *globosa*, 41: 34  
     *beecheyi*, 42: 4  
*Gaillardia pulchella*, 41: 24  
*Galium divaricatum*, 42: 25  
*Gamochaeta purpurea*, 48: 54  
*Garnotia acutigluma*, 59: 5  
*Glyceria fluitans*, 58: 27  
*Glycine wightii*, 42: 6  
*Gnaphalium japonicum*, 48: 54  
*Gomphrena celosioides*, 42: 15  
     *globosa*, 41: 21  
*Gonocarpus chinensis* subsp. *verrucosus*, 41: 38  
*Gossypium hirsutum*, 69: 21  
     *tomentosum*, 56: 17  
*Gouania meyenii*, 41: 48  
     *vitifolia*, 46: 6  
*Grevillea robusta*, 58: 8  
*Habenaria rodeiensis*, 58: 24  
*Hackelochloa granularis*, 58: 27  
*Halophila hawaiiiana*, 59: 3  
*Harrisia bonplandii*, 41: 28  
*Hebe speciosa*, 46: 14  
*Hedyotis callitrichoides*, 69: 12  
     *corymbosa*, 41: 50; 69: 12; 69: 24  
*Heliconia latispatha*, 49: 10  
*Heliotropium procumbens* var. *depressum*, 58: 15  
*Hemigraphis reptans*, 59: 7; 68: 3; 69: 1  
*Hesperomannia arborescens*, 58: 3  
*Heteromeles arbutifolia*, 46: 12  
*Hippeastrum striatum*, 58: 23; 69: 9  
*Hirschfeldia incana*, 41: 26  
*Holcus lanatus*, 59: 10  
*Hordeum brachyantherum*, 55: 28  
     *leporinum*, 55: 28  
     *vulgare*, 58: 27  
*Hoya australis*, 59: 3  
*Hydrocotyle bowlesiioides*, 69: 2  
*Hylocereus costaricensis*, 41: 28  
*Hyparrhenia dregeana*, 46: 11  
     *hirta*, 42: 24  
*Hypericum mutilum* subsp. *mutilum*, 41: 32; 42: 18  
*Hypochoeris glabra*, 46: 10  
     *radicata*, 68: 6  
*Hypoestes phyllostachya*, 58: 12  
*Hyptis capitata*, 42: 21  
     *suaveolens*, 42: 22  
*Ilex aquifolium*, 42: 15  
     *cassine*, 63: 9  
*Impatiens sodeni*, 58: 15  
*Indigofera hendecaphylla*, 69: 20  
     *suffruticosa*, 42: 6  
*Ipomoea aquatica*, 63: 11  
     *cairica*, 64: 4  
     *triloba*, 69: 6  
*Ischaemum byrone*, 41: 46; 63: 15  
     *indicum*, 55: 29  
     *timorense*, 46: 11  
*Isodendron pyriformium*, 46: 7  
*Jasminum fluminense*, 46: 5; 69: 22  
*Juncus bufonis*, 42: 21  
     *planifolius*, 69: 9  
*Justicia spicigera*, 68: 4  
*Kalanchoe daigremontiana*, 41: 33  
     *fedtschenkoi*, 41: 34  
*Kalimeris indica*, 42: 11  
     *indica* subsp. *indica*, 58: 14  
*Koeleria macrantha*, 55: 29  
*Kummerowia striata*, 68: 10  
*Lactuca serriola*, 42: 16  
*Landoltia punctata*, 68: 11  
*Lantana montevidensis*, 41: 55  
*Lathyrus latifolius*, 69: 20  
*Lemna aequinoctialis*, 48: 58  
     *obscura*, 48: 58  
*Lepidium africanum*, 42: 17  
     *oblongum*, 41: 26  
     *virginicum*, 41: 27

- Leptochloa fusca* subsp. *uninervia*, 63: 14  
     *uninervia*, 55: 29; 63: 14; 64: 11  
*Leptospermum laevigatum*, 58: 5; 68; 13  
     *morrisonii*, 58: 5  
     *petersonii*, 58: 5  
     *polygalifolium*, 58: 6  
*Leucanthemum vulgare*, 58: 15  
*Leymus triticoides*, 55: 29  
*Ligustrum sinense*, 58: 6; 59: 5  
*Linaria canadensis* var. *texana*, 69: 25  
*Lindernia procumbens*, 41: 54  
*Lobelia hillebrandii*, 41: 30  
*Lobularia maritima*, 41: 27; 42: 17  
*Logfia gallica*, 48: 54  
*Lolium multiflorum*, 55: 29  
     *temulentum*, 58: 28  
*Lonicera japonica*, 69: 19  
*Lophospermum erubescens*, 59: 14  
*Lotus uliginosus*, 41: 37  
*Lupinus arboreus*, 68: 10  
*Lysimachia daphnoides*, 58: 30  
     *hillebrandii*, 58: 30  
     *remyi*, 58: 31  
*Lythrum maritimum*, 58: 23  
*Macaranga tanarius*, 59: 7  
*Macfadyena unguis-cati*, 63: 10; 64: 2; 69: 18  
*Macroptilium lathyroides*, 46: 4, 46: 13  
*Malva neglecta*, 56: 10  
*Mariscus meyenianus*, 42: 4  
*Medicago lupulina*, 41: 37  
     *minima*, 42: 20  
     *polymorpha*, 46: 14; 59: 2  
     *rugosa*, 49: 10; 69: 8  
     *sativa*, 42: 20; 48: 57; 59: 8  
*Melastoma candidum*, 46: 2  
*Melia azedarach*, 42: 7  
*Melicope anisata*, 56: 16  
     *elliptica*, 46: 7  
     *honoluluensis*, 56: 16  
     *hosakae*, 56: 16  
     *kavaiensis*, 56: 16  
     *munroi*, 58: 32  
     *ovata*, 56: 17  
     *pallida*, 41: 52  
     *paniculata*, 41: 53  
     *quadrangularis*, 41: 53  
     *sessilis*, 58: 32  
*Melilotus alba*, 42: 20; 46: 14  
*Melinis repens*, 55: 29  
*Merremia umbellata*, 63: 11  
*Metrosideros polymorpha* var. *macrophylla*, 69: 10  
     *Metrosideros waialealae*, 59: 9  
*Miconia calvescens*, 46: 1; 48: 23  
*Molineria capitulata*, 69: 14  
*Momordica charantia*, 64: 10  
*Monochoria vaginalis*, 42: 23  
*Morella faya*, 68: 13  
*Morelotia gahniaeformis*, 41: 34  
*Morinda trimera*, 41: 50  
*Mucuna gigantea* subsp. *gigantea*, 42: 21  
     *sloanei*, 42: 20  
*Muhlenbergia mexicana*, 55: 30  
*Munroidendron racemosum*, 46: 9  
*Myrica cerifera*, 49: 17  
     *faya*, 59: 9  
*Myrsine fosbergii*, 41: 41  
     *mezii*, 41: 42  
*Najas guadalupensis*, 46: 11  
     *maritima*, 46: 14  
*Nasturtium microphyllum*, 58: 15  
*Neonotonia wightii*, 46: 4  
*Nicotiana glauca*, 42: 26  
*Noronhia emarginata*, 69: 14  
*Nototrichium divaricatum*, 58: 13  
*Nymphaea caerulea*, 56: 11  
     *capensis*, 56: 11  
*Ochna serrulata*, 56: 12  
     *thomasiana*, 56: 12; 63: 13  
*Ocimum gratissimum*, 41: 39  
*Odontonema cuspidatum*, 41: 20; 68: 4; 69: 2  
*Oenothera laciniata*, 42: 22  
*Olea europaea* subsp. *africana*, 41: 42  
     *europaea* subsp. *cuspidata*, 59: 13  
     *ea europaea* subsp. *europaea*, 59: 13  
*Opuntia ficus-indica*, 42: 2; 69: 5  
*Opuntia monacantha*, 68: 6  
*Oxyspora paniculata*, 42: 12  
*Paederia foetida*, 42: 25; 59: 14  
     *scandens*, 42: 25  
*Palafoxia callosa*, 64: 2  
*Panicum coloratum*, 55: 30  
     *fauriei* var. *carteri*, 55: 30  
     *fauriei* var. *fauriei*, 55: 30  
     *konaense*, 41: 46  
     *koolauense*, 55: 30  
     *longivaginatatum*, 55: 31  
     *maximum*, 69: 22  
     *miliaceum*, 49: 11  
     *niihauense*, 41: 46  
     *pellitum*, 55: 31  
     *repens*, 69: 23  
     *tenuifolium*, 55: 31  
*Paraserianthes lophantha* subsp. *montana*, 69: 8

- Parthenium hysterophorus*, 42: 16  
*Paspalidium distans*, 55: 31  
*Paspalum distichum*, 58: 28  
     *fimbriatum*, 69: 23  
     *macrophyllum*, 55: 32  
     *notatum*, 59: 6  
     *paniculatum*, 58: 28  
     *setaceum*, 64: 11  
     *vaginatum*, 58: 7  
*Passiflora caerulea*, 59: 13  
     *edulis*, 42: 7  
     *foetida*, 46: 6; 69: 10  
     *laurifolia*, 56: 7; 59: 13  
     *ligularis*, 56: 7  
     *maliformis*, 41: 43  
     *mollissima*, 64: 7  
     *suberosa*, 41: 43; 48: 60  
     ×*violacea*, 59: 13  
*Pelea elliptica*, 56: 16  
     *kavaiensis* var. *glabra*, 56: 16  
     *wawraeana*, 56: 16  
*Pennisetum clandestinum*, 42: 9; 42: 24  
     *complanatum*, 55: 32  
     *polystachion*, 69: 23  
     *villosum*, 55: 33  
*Pentas lanceolata*, 42: 12; 69: 24  
*Peperomia hirtipetiola*, 41: 43  
     *obovatilimba*, 42: 23; 69: 10  
*Persicaria capitata*, 58: 29; 69: 11  
     *chinensis*, 58: 29  
     *glabra*, 58: 30  
     *punctata*, 58: 30  
*Peucedanum sandwicense*, 56: 9  
*Phaius tankarvilleae*, 59: 9  
*Phalaris aquatica*, 55: 33  
     *minor*, 58: 28  
     *tuberosa* var. *stenoptera*, 55: 33  
*Philadelphus karvinskyanus*, 69: 20  
     *karwinskyanus*, 41: 38  
*Philodendron erubescens*, 69: 14  
     *pinnatifidum*, 69: 14  
*Phleum pratense*, 58: 29  
*Photinia davidiana*, 46: 6  
*Phragmites australis*, 55: 33  
*Phyla nodiflora*, 69: 26  
*Phyllanthus tenellus*, 59: 8; 64: 5; 69: 7  
*Phyllostachys aurea*, 68: 14  
*Phyllostegia glabra* var. *glabra*, 59: 8  
     *knudsenii*, 41: 39  
     *wawrana*, 41: 39  
*Physalis angulata*, 63: 15  
     *ixocarpa*, 42: 13  
     *lanceifolia*, 42: 26  
*Pilea microphylla*, 42: 26; 46: 14; 69: 12  
*Pimenta dioica*, 41: 42  
*Pithecellobium dulce*, 69: 8  
*Pittosporum pentandrum*, 58: 6  
     *viridiflorum*, 59: 14  
*Plectranthus prostratus*, 68: 11  
*Pluchea carolinensis*, 42: 16  
     *indica*, 69: 4  
*Plumbago auriculata*, 58: 7  
*Poa mannii*, 41: 46  
*Polygala paniculata*, 41: 48; 59: 10  
*Polygonum capitatum*, 58: 29  
     *chinense*, 58: 29  
     *convolvulus*, 58: 29  
     *glabrum*, 58: 30  
     *punctatum*, 58: 30  
*Polypogon fugax*, 55: 34  
     *interruptus*, 42: 24  
     *viridis*, 55: 34  
*Potamogeton pectinatus*, 42: 25  
*Pritchardia lanaiensis*, 58: 13  
     *limahuliensis*, 58: 13  
     *perlmanii*, 58: 13  
*Prosopis juliflora*, 63: 12  
     *pallida*, 42: 6  
*Pseudelephantopus spicatus*, 58: 15  
*Pseuderanthemum fasciculatum*, 56: 8  
     *variabile*, 58: 12  
*Pseudognaphalium sandwicense*, 48: 54  
     *sandwicense* var. *hawaiiense*, 48: 54  
*Psychotria greenwelliae*, 46: 6  
*Pterolepis glomerata*, 42: 7  
*Pueraria montana* var. *chinensis*, 68: 11  
*Pyracantha angustifolia*, 58: 9  
     *crenatoserrata*, 58: 9  
     *koidzumii*, 58: 9  
*Quercus suber*, 46: 11  
*Rapistrum rugosum*, 41: 27  
*Reichardia picroides*, 46: 13  
*Rhizophora mangle*, 58: 8  
*Rhodomyrtus tomentosa*, 68: 13  
*Rhynchospora caduca*, 42: 18; 48: 56  
     *radicans* subsp. *microcephala*, 48: 46  
*Richardia scabra*, 41: 50  
*Rivina humilis*, 49: 17  
*Rorippa microphylla*, 42: 18  
     *sarmentosa*, 42: 18  
*Rosa* ×*damascena*, 68: 14; 69: 11  
     *laevigata*, 42: 12  
*Rubus argutus*, 42: 9  
     *discolor*, 46: 2  
*Rubus niveus*, 42: 12  
*Ruellia brevifolia*, 58: 13

- Ruellia brittoniana*, 69: 2  
     *devosiana*, 41: 20  
*Rumex conglomeratus*, 48: 60; 55: 39  
     *crispus* subsp. *fauriei*, 55: 40  
*Rytidosperma pilosum*, 55: 34; 58: 29  
     *semiannulare*, 55: 34  
*Sacciolepis indica*, 58: 8  
*Sagittaria latifolia*, 63: 9  
*Salsola tragus*, 48: 55; 58: 19; 69: 5  
*Salvia coccinea*, 41: 40  
*Samanea saman*, 41: 37; 69: 8  
*Sambucus mexicana*, 69: 5  
*Sanchezia speciosa*, 41: 20; 58: 13  
*Sansevieria trifasciata*, 63: 9; 69: 14  
*Scabiosa palaestrina*, 46: 10  
*Schefflera actinophylla*, 68: 5  
*Schiedea globosa*, 58: 18  
     *hawaiiensis*, 58: 18  
     *helleri*, 41: 30  
     *spergulina* var. *leiopoda*, 41: 31  
     *stellarioides*, 41: 31  
*Schizachyrium condensatum*, 41: 47  
     *scoparium*, 41: 47; 55: 35  
*Schoenoplectus mucronatus*, 48: 47  
*Schoenus apogon*, 46: 4; 48: 48  
*Selenicereus grandiflorus*, 41: 28  
     *macdonaldiae*, 58: 16  
*Senecio madagascariensis*, 41: 24; 59: 11; 69: 4  
*Senna alata*, 64: 5  
     *gaudichaudii*, 48: 57  
     *multijuga* var. *multijuga*, 56: 10  
     *occidentalis*, 59: 8  
     *septemtrionalis*, 42: 21; 46: 5  
     *surattensis*, 68: 11  
*Serissa japonica*, 48: 61  
*Setaria parviflora*, 55: 35; 63: 15  
     *sphacelata*, 69: 23  
*Sicyos hispidus*, 69: 6  
     *lasiocephalus*, 56: 2  
*Sida ciliaris*, 48: 59; 64: 6  
     *cordifolia*, 41: 41  
     *rhombifolia*, 64: 10  
     *spinosa*, 49: 10; 59: 8; 68: 12  
     *urens*, 69: 21  
*Sideroxylon persimile*, 69: 24  
*Silene lanceolata*, 42: 1  
*Sinapis arvensis*, 56: 9  
*Sisyrinchium exile*, 58: 4  
*Solanum capsicoides*, 64: 8  
     *elaegnifolium*, 59: 10  
     *linnaeanum*, 56: 13  
     *lycopersicum* var. *cerasiforme*, 48: 62  
*Solanum torvum*, 59: 10  
*Soliva sessilis*, 42: 16  
*Sonchus oleraceus*, 46: 3  
*Sorghum ×drummondii*, 55: 35  
*Spermacoce capitata*, 48: 61  
     *exilis*, 41: 51  
     *latifolia*, 41: 51  
     *ovalifolia*, 41: 52; 48: 61  
*Spermolepis hawaiiensis*, 41: 22; 42: 15  
*Sphagneticola trilobata*, 48: 55; 63: 10; 69: 4  
*Spirodela polyrhiza*, 48: 59; 63: 12  
     *punctata*, 48: 59  
*Sporobolus africanus*, 55: 36  
     *diander*, 49: 11  
     *elongatus*, 55: 36  
     *piliferus*, 55: 36  
     *pyramidatus*, 42: 24; 55: 36  
*Stachytarpheta australis*, 58: 32  
*Stapelia gigantea*, 59: 7  
*Stenotaphrum secundatum*, 64: 7; 69: 11  
*Streptosolen jamesonii*, 49: 12  
*Stuckenia pectinata*, 58: 30  
*Swietenia macrophylla*, 56: 6  
*Talinum fruticosum*, 42: 25  
     *paniculatum*, 64: 8  
*Tanacetum parthenium*, 58: 15  
*Taraxacum officinale*, 68: 6  
*Tecoma castanifolia*, 56: 9  
*Tephrosia candida*, 64: 5  
*Terminalia myriocarpa*, 56: 9  
*Tetragonia tetragonoides*, 59: 7; 64: 10  
*Tetramolopium capillare*, 46: 10  
*Tetrastigma pubinerve*, 64: 9  
*Thevetia peruviana*, 69: 17  
*Thunbergia grandiflora*, 69: 15  
     *bergia laurifolia*, 59: 11  
*Tibouchina herbacea*, 58: 5  
*Torenia asiatica*, 68: 16  
     *glabra*, 68: 16  
*Torilis arvensis*, 68: 5  
*Tradescantia zebrina*, 49: 10; 64: 4  
*Trianthema portulacastrum*, 46: 9  
*Trifolium dubium*, 41: 37  
*Trisetum flavescens*, 55: 36  
     *inaequale*, 55: 37  
*Ulex europaeus*, 46: 1  
*Urtica urens*, 46: 7  
*Vaccaria hispanica*, 42: 3  
*Verbena bonariensis*, 41: 55  
*Verbesina encelioides*, 69: 18  
*Veronica peregrina*, 41: 54; 69: 25  
     *serpyllifolia*, 42: 13

*Vigna speciosa*, 56: 3  
*Vinca major*, 69: 17  
*Viola odorata*, 46: 14  
*Washingtonia filifera*, 69: 3  
    *robusta*, 69: 3  
*Watsonia borbonica*, 41: 39; 69: 9  
*Wolffia globosa*, 48: 59  
*Xanthosoma roseum*, 49: 15; 63: 10; 64: 2  
*Zanthoxylum hawaiiense*, 41: 54  
*Zephyranthes citrina*, 41: 40; 68: 12  
*Zinnia maritima*, 68: 6  
    *peruviana*, 68: 6  
*Zizania latifolia*, 59: 6  
*Zoysia matrella* var. *pacifica*, 56: 5

**PROTISTA**

*Zoothamnium* sp., 46: 17  
*Epistytis* sp., 46: 17

**FUNGI**

*Lagenidium callinectes*, 46: 16  
*Sirolipidium* sp., 46: 17  
*Fusarium solani*, 46: 17

**BACTERIA**

*Vibrio* sp., 46: 16  
*Leucothrix mucor*, 46: 16

**VIRUSES**

IHHNV, 46: 15  
MBV, 46: 16  
BP, 46: 16  
TSV, 46: 16  
HPV, 46: 16  
REO-III, 46: 16  
LOVV, 46: 16  
RPS, 46: 16

## INDEX TO TAXA BY SPECIES

## ANIMALS

- abiuma, Namalycastis, 56: 68  
 abnormis, Leptomastidea, 58: 43; 68: 53  
 abydata, Macaria, 46: 29; 68: 56  
 acanthus hawaiiensis, Campbellobates, 57: 16  
 achyla, Drosophila, 69: 37  
 acorensis, Achaearana, 64: 38  
 acuminatus, Hydrovatus, 41: 74  
 adamsoni, Coleosoma, 68: 61  
 adamsoni, Theridion, 64: 39  
 adiaetola, Drosophila, 69: 37  
 adunca, Drosophila, 69: 37  
 advena, Limonia, 59: 17  
 adventicus, Scenopinus, 64: 26  
 aenicta, Drosophila, 69: 37  
 aenipes, Decachaetophora, 59: 32  
 aequicostata, Verticordia, 42: 59  
 aequoris, Pectinella, 45: 22  
 aericeps, Bavia, 64: 36  
 africa, Sarcophaga, 64: 25  
 africana, Lamycetes, 63: 35; 68: 65  
 aitkeni, Strigiphilus, 56: 27  
 albertsi, Thyreocephalus, 59: 21  
 albicerus, Misumena, 42: 44  
 albiseta, Wallacea, 59: 23, 59: 33  
 albonitens, Hylaeus, 42: 35; 63: 25  
 aliena, Eusynstyla, 64: 60  
 aliusmodi, Lycosa, 42: 47  
 allisonae, Cylindrotaenia, 49: 54  
 aloha, Pseudanapis, 49: 41; 64: 32  
 alta, Dipoenia, 64: 38  
 alveolata, Clubiona, 64: 32; 68: 60  
 amboinensis, Namanereis, 56: 69  
 amoena, Argiope, 49: 42  
 amoena, Mesovelia, 46: 34  
 amplicollis, Conoderus, 68: 43  
 ancoralis, Pholcus, 64: 36  
 angelus, Pterochthonius, 57: 5  
 angolensis, Chrysis, 59: 33  
 anguinus, Julus, 49: 49  
 angularis, Taeniaptera, 46: 28; 59: 22  
 angustipennis, Tachytrechus, 49: 30; 59: 32  
 anninae, Bryocyclops, 42: 53  
 annularis, Chlorophorus, 59: 20  
 anthracina, Hylaeus, 42: 35  
 aper, Eupetinus, 42: 49  
 aphidinus, Parhypochthonius, 57: 5  
 apicalis, Acrosticha, 64: 26  
 apicalis, Anthrocephalus, 58: 40; 68: 52  
 apokana, Neoplea, 46: 35  
 appensa, Argiope, 49: 42  
 araiotrichia, Drosophila, 69: 37  
 araneolus, Ctenacarus, 42: 51; 68: 62  
 araucariae, Acanthococcus, 68: 50  
 arcifera, Meriola, 64: 32  
 arcuata, Achradocera, 64: 15  
 arcuata, Chrysotus, 64: 15  
 argentatus, Argyrodes, 64: 38  
 arizonensis, Ceratina, 68: 51  
 aspersa, Helix, 46: 26  
 atlanta, Artema, 68: 61  
 atroscutellata, Drosophila, 69: 37  
 attaragos, Pachycheles, 56: 66  
 attigua, Drosophila, 69: 37  
 audax, Phidippus, 49: 45; 64: 36  
 aurifer, Polistes, 59: 24  
 auriferi, Xenos, 59: 25  
 aurifrons, Eumerus, 58: 56  
 auropunctata, Wasmannia, 64: 21  
 australis, Brentiscerus, 64: 29  
 australis, Nipponobius, 63: 47  
 australis, Piophila, 58: 55  
 autumnalis, Erigone, 64: 33  
 baeticatus, Heterospilus, 63: 23  
 bakeri, Wandella, 49: 43  
 ballieni, Fulvia, 45: 25  
 basalis, Melormenus, 68: 50  
 basimacula, Drosophila, 69: 37  
 batillifrons, Anisops, 42: 43  
 bdellae, Placobdelloides, 59: 18  
 beardsleyi, Adelocera, 69: 30  
 beardsleyi, Tetrastichus, 58: 44; 68: 53  
 beckianum, Beckianum, 64: 52  
 beneficus, Leioptilus, 46: 30  
 bengalense, Chalybion, 63: 28; 68: 55  
 bicinctus, Cricotopus, 58: 52  
 bifurcata?, Loewimyia, 68: 46  
 biguttulus, Ectomocoris, 59: 24  
 bilucernarius, Nephus, 56: 30; 68: 42  
 binodatum, Sigmateurum, 48: 67  
 biocularis, Septifer, 45: 20  
 bipolita, Drosophila, 69: 37  
 bipunctatus?, Nephus, 68: 42  
 bispinosa, Grandidierella, 49: 51  
 bivittatus, Menemerus, 49: 45; 64: 36  
 blackburni, Chelonus, 63: 22  
 blackwalli, Scotophaeus, 64: 33  
 boninensis, Fucellia, 64: 22

- borbonica, Forcipomyia, 58: 52  
 borealis, Lithobius, 63: 47  
 borinquensis, Puliciphora, 58: 55  
 brassica, Chama, 45: 25  
 breviceps, Creniola, 46: 42  
 brevicornis, Psectrosciara, 58: 55  
 bruchi, Aeptencyrtus, 58: 41; 59: 35; 68: 52  
 bruchi, Urosigalphus, 63: 25  
 bruennichi, Argiope, 49: 42  
 brunellus, Rhynchopalpus, 42: 31  
 bruta, Lycosa, 42: 47  
 buchannani, Colpodes, 59: 20  
 bullatus, Cryptopecten, 45: 23  
 burmeisteri, Orthodera, 59: 25  
 burrowsii, Lucoppia, 57: 17  
 byrophilus, Campsicenmus, 42: 30  
 cacticans, Rhizoecus, 42: 28  
 cadauca, Lycosa, 42: 47  
 calacarata, Epocilla, 64: 36  
 calacte, Macrocentrus, 63: 23  
 calcarata, Dictyna, 64: 33  
 calendrae, Anaphes, 58: 45; 68: 54  
 caliculata, Caulibugula, 59: 47  
 californicum, Anomalon, 63: 25; 68: 54  
 californicus, Barichneumon, 63: 26  
 caliginosus, Platydacus, 49: 23  
 calvata, Lycosa, 42: 46  
 cameroni, Spalangia, 58: 47; 68: 54  
 campaniforme campaniforme, Delta, 59: 24  
 canaliculata, Pomacea, 46: 25; 58: 66  
 caperanus, Scaphiostreptus, 49: 50  
 carbonaria, Drosophila, 69: 34  
 cardui, Vanessa, 68: 57  
 carolinensis, Anolis, 69: 50  
 caudata, Exothorhis, 49: 39  
 cepeus, Nipponobius, 63: 47  
 cereolus, Polygra, 46: 26  
 ceroplastae, Coccophagus, 58: 40; 68: 51  
 cetrata, Corinna, 64: 32; 68: 60  
 charadrii, Quadriceps, 56: 27  
 charliechaplani, Campsicenmus, 45: 54  
 chinense, Coloceras, 56: 26  
 cimiciforme, Notogramma, 58: 55  
 cincta, Agathis, 63: 21  
 cinerea, Nauphoeta, 59: 19  
 cingulus, Prodidomus, 49: 45  
 circularis, Ochthera, 49: 31; 58: 54  
 circulus, Halticoptera, 58: 46; 68: 54  
 circumdata, Cassida, 59: 29  
 clavata, Ammolagena, 42: 60  
 claviger, Duplaspidotus, 68: 50  
 coarctata, Asiomorpha, 56: 47  
 coccineus, Petrolisthes, 56: 65  
 cochlear, Neopycnodonte, 42: 58; 45: 24  
 cockerelli, Pseudaulacaspis, 68: 50  
 coeruleus, Curinus, 56: 29; 68: 42  
 coleoprata, Stegana, 69: 35  
 collaris, Prodrasterius, 68: 43  
 collusor, Liohippelates, 58: 53  
 columbae, Columbicola, 56: 26  
 communis, Meromyza, 58: 53  
 concolor, Lentipes, 49: 62  
 consobrina, Ferrisia, 68: 51  
 conspersus, Modicogryllus, 68: 58  
 conspicua, Myrsidea, 56: 26  
 coralicola, Neoaviculovulsa, 45: 22  
 corallinus, Trigonulus, 56: 56  
 coriaria, Atheta, 56: 32; 56: 32  
 coronatus, Pyrgophorus, 59: 48  
 costulatus, Reductoniscus, 45: 68  
 couchii, Halophiloscia, 59: 37; 68: 65  
 cristagalli, Lophia, 45: 24  
 cristatus, Nagurus, 45: 64  
 crocata, Dysdera, 49: 43  
 crucifera, Neoscona, 64: 32  
 crucigera, Drosophila, 69: 37  
 crypta, Adipicola, 45: 20  
 culebrae, Littorophiloscia, 45: 63; 59: 37; 68: 65  
 culicinus, Hedypsilus, 49: 45; 64: 35  
 cuneatus, Spondylus, 45: 23  
 cupitus, Ichneumon, 63: 27  
 curta, Hololena, 49: 41  
 curtus, Eupetinus, 42: 49  
 danicus, Haplophthalmus, 45: 61  
 debilis, Diomus, 56: 29; 68: 42  
 deccanensis, Tetrablemma, 49: 46  
 decimfasciatus, Ciconiphilus, 56: 25  
 delicata, Lampropholis, 69: 51  
 dendrograpta, Caulibugula, 59: 46  
 dentata, Bugula, 59: 46  
 denticula sinensis, Neocaridina, 58: 58  
 dentosa, Erigone, 49: 44; 64: 33  
 derasus, Eupetinus, 42: 49  
 deshayesiana, Aega, 46: 41  
 deshayesiana, Verticordia, 42: 59  
 desjardinsi, Cryptamorpha, 59: 31  
 diaperinus, Alphitobius, 68: 44  
 dictyospermi, Chrysomphalus, 68: 50  
 didyma, Stryngomyia, 64: 26  
 dilitatus, Porcellio, 45: 65  
 dimidiatus, Eupetinus, 42: 49  
 diminutus, Vulgichneumon, 63: 28  
 dissimilis, Goniodes, 56: 26  
 dissimilis, Perlohmannia, 57: 7

- dissita, *Drosophila*, 69: 37  
 divaricans, *Sagenina*, 42: 61  
 doliolum, *Liardella*, 59: 48  
 domestica, *Tegenaria*, 49: 41  
 dryope, *Toya*, 68: 50  
 dubiosa, *Anteromorpha*, 58: 48; 68: 55  
 dubius, *Eupetinus*, 42: 49  
 elegans, *Camillina*, 49: 43; 64: 33  
 elegans, *Johnsonia*, 58: 55  
 elegantula, *Rhodesiella*, 58: 53  
 ellipticus, *Armadilloniscus*, 59: 37; 68: 65  
 emarginatus, *Lamyctes*, 63: 36  
 emeryi, *Cardiocondyla*, 68: 53  
 emporus, *Tidabius*, 63: 47  
 englundii, *Sigmatineurum*, 63: 31  
 engyochracea, *Drosophila*, 69: 37  
 equestris, *Anolis*, 46: 45  
 erigoniformis, *Steatoda*, 49: 47; 64: 38  
 erysimi, *Lipaphis*, 68: 49  
 erythrocephalus, *Creophilus*, 49: 25  
 erythroloma, *Chalcolepidus*, 59: 21  
 excisus, *Septifer*, 45: 21  
 exclamans, *Polistes*, 68: 55  
 exigua, *Nanostrea*, 45: 24  
 exotica, *Ligia*, 45: 59  
 exquisita, *Pinna*, 45: 22  
 exsul, *Dolichopus*, 59: 32  
 fakaravensis, *Pachygrapsus*, 56: 63  
 fasciculatus, *Araecerus*, 56: 28  
 feae, *Otostigmus*, 64: 46  
 ferox, *Omobranchus*, 64: 61  
 ferruginea, *Orthemis*, 59: 16  
 filicum, *Lycosa*, 42: 47  
 finschi, *Pedinopistha*, 42: 45  
 flavopictus, *Megastylus*, 63: 27  
 flavus, *Metaphycus*, 58: 43; 68: 53  
 flexibile, *Syntormon*, 55: 46; 68: 47  
 flindersi?, *Paraleucothoe*, 49: 51  
 floricola, *Drosophila*, 69: 34  
 floridanum, *Coleosoma*, 64: 38  
 fluminea, *Corbicula*, 42: 58  
 foliata, *Barbatia*, 45: 21  
 fordi, *Galumna*, 42: 51  
 formosa, *Dettopsomyia*, 58: 53  
 formosa, *Lyonsiella*, 45: 27  
 formosa, *Neochrysocharis*, 58: 44; 68: 53  
 formosensis, *Conicera*, 64: 25  
 frenatus, *Raillietella*, 49: 55  
 frequens, *Anagrus*, 58: 45; 68: 54  
 frischi, *Dermestes*, 59: 31  
 froggatti, *Pleistodontes*, 58: 39; 63: 21; 68: 51  
 frondescens, *Sagenina*, 42: 61  
 fulgens, *Ovachlamys*, 64: 51  
 fullawayi, *Megachile*, 68: 54  
 fulvicornis var. *hawaiiensis*, *Lamyctes*, 63: 36  
 fulvicornis, *Lamyctes*, 63: 47  
 fulvipes, *Carpelimus*, 56: 32; 68: 44  
 fulvipes, *Paarancistrocerus*, 68: 55  
 fungiperda, *Drosophila*, 69: 37  
 furcata, *Dero*, 59: 39  
 furcatis, *Megaselia*, 64: 25  
 fusca, *Botula*, 45: 20  
 fusca, *Protaetia*, 56: 31; 68: 44  
 fusca, *Scytodes*, 49: 46  
 fuscipes, *Coboldia*, 58: 55; 64: 25  
 fuscus, *Proteroiulus*, 56: 39  
 gallinae, *Goniocotes*, 56: 26  
 geniculatus, *Zosis*, 64: 39  
 geometra, *Piscicola*, 69: 45  
 ghesquieri, *Zapronius*, 69: 35  
 gigantea, *Anilocra*, 46: 42  
 gigantea, *Gastrochaena*, 45: 26  
 globiferum, *Chrysosoma*, 55: 45  
 globosus, *Physocyclus*, 49: 45  
 gracilis, *Mesostenus*, 63: 27  
 gracilis, *Neoloxotaenia*, 58: 53  
 gracilis, *Oxidus*, 56: 45  
 graminis, *Antonina*, 68: 51  
 granulatus, *Glyphiulus*, 56: 36  
 graphica, *Labulla*, 49: 44  
 grisescens, *Medetera*, 55: 46  
 griseus, *Brachycyrtarus*, 46: 30  
 grossa, *Steatoda*, 42: 44; 64: 38  
 guimbeui, *Phelsuma*, 46: 46  
 hagenowii, *Aprostocetus*, 58: 43; 68: 53  
 halonae, *Campsicnemus*, 45: 55  
 hardyi, *Gampsocera*, 58: 53  
 hardyi, *Thinophilis*, 48: 74  
 hawaiiensis, *Spherillo*, 45: 68  
 hawaiicola, *Bassus*, 63: 22  
 hawaiiensis, *Botula*, 45: 20  
 hawaiiensis, *Campsicnemus*, 42: 30  
 hawaiiensis, *Chersodromia*, 58: 54  
 hawaiiensis, *Galumna*, 42: 51  
 hawaiiensis, *Gymnochiromyia*, 58: 53; 64: 24  
 hawaiiensis, *Ligia*, 45: 59  
 hawaiiensis, *Littorophiloscia*, 45: 63  
 hawaiiensis, *Niho*, 49: 42  
 hawaiiensis, *Phanerotoma*, 63: 24  
 hawaiiensis, *Rocellaria*, 45: 26  
 hawaiiioa, *Mandibulophoxus*, 55: 57  
 hebroides, *Merragata*, 46: 34  
 hemidactylus, *Spauligon*, 64: 56  
 hendersoni, *Barbatia*, 45: 21



- hentzii*, *Neoscona*, 49: 42  
*herculeana*, *Clavaspis*, 68: 50  
*hesperus*, *Latrodectus*, 64: 38  
*heteroneura*, *Drosophila*, 64: 27  
*heterophthalma*, *Trichorhina*, 45: 64  
*hibisci*, *Rhizoecus*, 42: 28  
*hillifera*, *Sigaloessa*, 64: 22  
*hispanicus?*, *Aphytis*, 58: 39; 68: 51  
*hoikuahiwi*, *Plagithmysus*, 46: 37  
*holoprasinus*, *Goeldichironomus*, 58: 52  
*holstii*, *Helicorthomorpha*, 56: 48  
*honoluluensis*, *Apterocyclus*, 49: 19  
*horni*, *Nannodastia*, 58: 53  
*hortensis*, *Cryptops*, 64: 41  
*hostilis*, *Hylaeus*, 42: 35  
*humilis*, *Micracanthia*, 46: 35  
*hunus*, *Oonopinus*, 64: 35  
*hyotis*, *Hytotissa*, 45: 24  
*hystrix*, *Spondylus*, 45: 23  
*iao*, *Sigmatineurum*, 48: 66  
*immigrans*, *Acrophasmus*, 63: 21  
*immigrans*, *Incisitermes*, 68: 55  
*imperialis*, *Hippasteria*, 55: 67  
*impressus*, *Eupetinus*, 42: 49  
*inaequistriata*, *Gastrochaena*, 45: 27  
*incisa*, *Psytalia*, 63: 24  
*incisivus*, *Afronothrus*, 57: 9  
*indentatus*, *Rhytidiporus*, 59: 33; 68: 49  
*indica*, *Notonecta*, 42: 43; 46: 35; 59: 23  
*infelix*, *Encyrtus*, 58: 42; 68: 52  
*infesta*, *Casinarina*, 58: 39; 63: 26; 68: 54  
*inornata*, *Aonidiella*, 68: 50  
*insignis*, *Eupetinus*, 42: 49  
*insignita*, *Drosophila*, 49: 30  
*insularis*, *Ammophorus*, 49: 26  
*insularis*, *Blepyrus*, 58: 42; 68: 52  
*insularis*, *Notophila*, 58: 54  
*intermedius*, *Arion*, 59: 48  
*ipsilon*, *Agrotis*, 68: 56  
*irregularis*, *Laevichlamys*, 45: 22  
*istiblenni*, *Spirocammallanus*, 64: 53  
*jacobsoni*, *Prosopodesmus*, 64: 49  
*jadwigae*, *Polistes*, 68: 55  
*japonica*, *Grandidierella*, 49: 51  
*japonica*, *Tapes*, 45: 26  
*javaensis*, *Evaza*, 58: 56  
*javaensis*, *Oochoristica*, 64: 56  
*jaxartensis*, *Trachyzelotes*, 49: 43; 64: 33  
*kanakanus*, *Misumenops*, 42: 46  
*kaohinani*, *Nabis*, 46: 32  
*kilikus*, *Oonopinus*, 64: 35  
*koebelii*, *Anastatus*, 58: 44; 68: 53  
*kuroiwae*, *Anisops*, 46: 33; 59: 17  
*laceratalis*, *Hypena*, 68: 56  
*lactucae*, *Hyperomyzus*, 68: 49  
*laetatorius*, *Diplazon*, 63: 26  
*laevigatus*, *Alphitobius*, 68: 44  
*laevigatus*, *Eupetinus*, 42: 49  
*laevis*, *Porcellio*, 45: 65; 59: 38  
*lalana*, *Gamasomorpha*, 64: 35  
*lamellatus lamellatus*, *Porcellio*, 45: 65; 59: 38; 68: 65  
*laniger*, *Cylindrodesmus*, 64: 48  
*lantana*, *Crocidosema*, 46: 30  
*lataniae*, *Hemiberlesia*, 68: 50  
*laterochitinoso?*, *Lepidosaphes*, 68: 50  
*latestriatus*, *Cylindroiulus*, 56: 39  
*latiusculus*, *Neotrichus*, 59: 21  
*laysana*, *Botula*, 45: 20  
*laysanensis*, *Ostrea*, 45: 24  
*lazarus*, *Chama*, 45: 25  
*lectularius*, *Cimex*, 59: 23  
*lena*, *Opopaena*, 64: 35; 68: 61  
*lentus*, *Agabiformius*, 59: 38; 68: 65  
*lepida*, *Nesioneta*, 64: 34  
*lepidodactylus*, *Pharyngodon*, 49: 55  
*lepus*, *Triaeris*, 64: 35  
*levipennis*, *Araecerus*, 68: 41  
*licarsisalis*, *Herpetogramma*, 68: 56  
*lineata*, *Hyles*, 46: 30; 59: 24  
*lineolatus*, *Telostylinus*, 58: 55; 59: 32  
*littoralis*, *Namanereis*, 56: 69  
*lituricollis*, *Blatella*, 59: 20  
*livens*, *Aeolus*, 56: 24  
*longicollis*, *Corticaria*, 56: 31  
*longicornis*, *Condyllostylus*, 49: 29  
*longinqua*, *Badumna*, 49: 43  
*longipalpa*, *Supella*, 59: 20  
*longipes*, *Scytodes*, 49: 46  
*longirostris*, *Bdellodes*, 68: 62  
*longiscapus*, *Chlorocytus*, 58: 46; 68: 54  
*loniceriae*, *Perittia*, 46: 29  
*lophanthae*, *Rhyzobius*, 68: 42  
*louisianica*, *Niesthra*, 59: 23  
*lounsburyi*, *Aspidiotaphagus*, 68: 51  
*lounsburyi*, *Encarsia*, 58: 40  
*lucayanum*, *Epigonichthys*, 49: 69  
*lucidus*, *Scenopinus*, 49: 31  
*lugubris*, *Pelastoneurus*, 46: 27  
*luna*, *Lecane*, 46: 20  
*lunaris*, *Lecane*, 46: 20  
*lusca*, *Praestochrysis*, 59: 34  
*luzonica*, *Trichrysis*, 59: 34  
*machidai*, *Skrjabinezalia*, 49: 55

- macrophthalmus*, *Acanthoscelides*, 56: 28; 68: 42  
*maculata stretchii*, *Ceropales*, 59: 34  
*maculatus*, *Carpophilus*, 68: 44  
*maculatus*, *Diaperis*, 59: 22  
*maculatus*, *Isometricus*, 59: 25  
*maculigerum*, *Serangium*, 59: 31  
*maculosa*, *Leucophenga*, 58: 54  
*maculosus*, *Alloeorhynchus*, 49: 20; 64: 29  
*madagascariensis*, *Phelsuma*, 69: 49  
*maidis*, *Rhopalosiphium*, 68: 49  
*mammosa*, *Gasteracantha*, 46: 39  
*marginiventris*, *Cotesia*, 58: 38  
*marmorata*, *Scytodes*, 42: 44  
*martensi*, *Parmarion*, 56: 60  
*mauritiensis*, *Burmoniscus*, 45: 62  
*mauritiensis*, *Styloniscus*, 45: 60  
*maxillosus*, *Creophilus*, 49: 24  
*meaohi*, *Sigmatineurum*, 48: 69  
*meeusei*, *Burmoniscus*, 45: 63  
*melanocephalus*, *Melanoxanthus*, 59: 21  
*melanogaster*, *Drosophila*, 64: 24  
*melanoleuca*, *Heliothis*, 48: 78  
*melanostictum*, *Theridion*, 49: 47; 64: 39; 68: 61  
*melanotypus*, *Cryptops*, 64: 45  
*meliorella*, *Monopis*, 68: 57  
*mellilus*, *Aeolus*, 56: 24  
*mellitor*, *Bracon*, 63: 22  
*membranacea*, *Mezira*, 59: 23  
*metatarsata*, *Lamprolonhaea*, 58: 55  
*mexicana*, *Isodontia*, 68: 55  
*mexicanus*, *Conotelus*, 56: 31; 68: 44  
*mians*, *Ostigmus*, 64: 46  
*micans*, *Amastra*, 56: 58  
*micromorpha*, *Gronotoma*, 58: 47; 68: 53  
*micronesiana*, *Krakatauia*, 55: 45; 68: 47  
*microphthalmus*, *Zenodorus*, 49: 46; 64: 37  
*migrans*, *Bothropolys*, 63: 47  
*miniacea*, *Miniacina*, 42: 61  
*minus*, *Micropia*, 42: 51  
*minuta*, *Tropicana*, 45: 63  
*minutum*, *Nanosesarma*, 56: 64  
*miranda*, *Saissetia*, 68: 50  
*miser*, *Campsicnemus*, 49: 30  
*mittelli*, *Wyeomyia*, 59: 22  
*moananus*, *Lithobius*, 63: 44; 68: 65  
*moananus*, *Onebius*, 63: 44  
*monocellatus*, *Elumoides*, 45: 67  
*monticularis*, *Carpenteria*, 42: 61  
*montrouzieri*, *Cryptolaemus*, 56: 29; 68: 42  
*mordax*, *Cheiracanthium*, 49: 43  
*morio*, *Amarygmus*, 59: 21  
*mulsanti*, *Mesovelgia*, 46: 34  
*murina*, *Cubaris*, 45: 67  
*mustaciata*, *Habronattus*, 49: 45  
*myeloisae*, *Phanerotoma*, 63: 24  
*mylias*, *Imma*, 46: 29  
*n. sp.*, *Adamystis*, 64: 50  
*n. sp.*, *Eremaeozetes*, 57: 12  
*n. sp.*, *Josephiella*, 63: 21  
*n. sp.*, *Proconura*, 68: 52  
*n. sp.*, *Schelorbates*, 42: 51  
*nana*, *Cryptops*, 64: 41  
*nanaria*, *Cyclophora*, 68: 56  
*nanus*, *Nagurus*, 45: 65; 59: 37; 68: 65  
*nasuta*, *Lithophaga*, 45: 20  
*nautica*, *Neoscona*, 49: 42  
*navis*, *Cryptops*, 64: 45  
*navus*, *Oecobius*, 49: 44  
*neobrevipes*, *Dysmicoccus*, 68: 51  
*neoperkinsi*, *Drosophila*, 69: 37  
*nesiotes*, *Megalagrion*, 42: 43  
*nicobarius*, *Spondylus*, 45: 23  
*nigriceps*, *Perigona*, 59: 20  
*nigriventris*, *Anagrus*, 58: 45; 68: 54  
*nigronotata*, *Carposina*, 59: 26  
*nigronotatus*, *Onaceus*, 58: 54  
*nigropunctata*, *Caenis*, 64: 30  
*nigrorufus*, *Hamaxus*, 59: 22  
*nigrum*, *Sigmatineurum*, 48: 67  
*nihoae*, *Itodacnus*, 41: 75  
*nitens*, *Tetragnatha*, 64: 37; 68: 61  
*nitida*, *Telsimia*, 68: 42  
*niveivenosus*, *Nostima*, 49: 31  
*notatus*, *Tillus*, 59: 21  
*novarae*, *Akamptogonus*, 56: 47  
*nubiferum*, *Polypedilum*, 64: 23; 68: 46  
*nudus*, *Saniosulus*, 49: 40  
*numisma*, *Parahytissa*, 45: 24  
*oahuana*, *Rocellaria*, 45: 27  
*oahuensis*, *Alloniscus*, 45: 61  
*oaxacaensis*, *Neoscona*, 49: 42  
*obesa*, *Lithophaga*, 45: 20  
*obesus myonotus*, *Pteraster*, 55: 68  
*obscuriventris*, *Tetreuaresta*, 58: 56  
*obscurus*, *Eupetinus*, 42: 49  
*obscurus*, *Lithobius*, 63: 40  
*obscurus*, *Microcrypticus*, 46: 36  
*occidens*, *Cari*, 45: 26  
*ocellus*, *Euchromius*, 46: 29  
*ochropa*, *Odontomyia*, 58: 56  
*odontaspidis*, *Adelencyrtus*, 58: 41; 68: 52  
*okinawaensis*, *Burmoniscus*, 45: 63  
*oleae*, *Saissetia*, 59: 24

- olindana, Tetragnatha, 42: 46  
 omaloides, Eupetinus, 42: 49  
 omega, Sigmatineurum, 48: 66  
 omus, Ischnothreus, 64: 35; 68: 61  
 onyxalis, Usingeriessa, 42: 39  
 orbiculata, Loewimyia, 58: 51; 59: 22  
 orientalis, Syritta, 64: 26  
 ornata, Spilochroa, 58: 54  
 ornatus, Gonatocerus, 58: 46; 68: 54  
 orthogona, Helicorthomorpha, 56: 49  
 ovalis, Tellina, 45: 25  
 ovivora, Tromatobia, 63: 28  
 pacifica, Adipicola, 45: 20  
 pacifica, Chama, 45: 25  
 pacificum, Megalagrion, 59: 15; 59: 27  
 pacificus, Hoplopleura, 56: 25  
 pallens, Geocoris, 59: 33; 68: 49  
 pallens, Symploce, 68: 41  
 pallidiceps, Parallorhogas, 58: 38; 63: 23; 68: 52  
 pallidus, Chonocephalus, 64: 24  
 pallidus, Smeringopus, 49: 45; 64: 36; 68: 61  
 pallipes, Buena, 46: 34  
 palmarius, Microbathyphantes, 64: 34  
 palmarius, Principalpus, 49: 44  
 palmatus, Choneiulus, 56: 39  
 pandani, Laminococcus, 68: 51  
 pandani, Thysanococcus, 49: 21  
 parcus, Eupetinus, 42: 49  
 parenti, Sigmatineurum, 48: 69  
 paronae, Scudderia, 68: 58  
 parthenus, Diaphorus, 49: 32  
 parvula, Rhegmoclemina, 58: 56  
 parvulus, Pleurophorus, 56: 31; 68: 44  
 parvus, Venezillo, 45: 68; 59: 38; 68: 65  
 pattoni, Diadegma, 63: 26  
 paucidentata, Charybdis, 56: 63  
 paykulli, Plexippus, 64: 36; 68: 61  
 pedispinis, Parapseudes, 49: 52  
 pelaensis, Geonemertes, 46: 21  
 pennata, Gari, 45: 26  
 pentagonalis, Hymenaster, 55: 68  
 peregrinus, Idris, 68: 55  
 peregrinus?, Idris, 58: 48  
 perforans, Xyleborus, 68: 44  
 pergandiella, Encarsia, 58: 40; 68: 51  
 perissopoda, Drosophila, 69: 37  
 perkinsi, Ariadna, 49: 46  
 perkinsi, Ligia, 45: 59  
 perlucidum, Didemnum, 64: 59  
 petersi, Plexippus, 64: 37  
 petulca, Pandercetes, 49: 44  
 petulca, Pedinopistha, 42: 45  
 phaeontis, Laminalloptes, 49: 38  
 pharaonis, Monomorium, 68: 53  
 phenacocci, Gyranusoidea, 58: 42; 68: 52  
 philippinarum, Venerupis, 45: 26  
 phytophilia, Nicoletia, 59: 25  
 picae, Philopterus, 56: 26  
 picipes, Gnathaphanus, 49: 22; 59: 20  
 picturata, Acinia, 68: 48  
 pilosa, Anchiphiloscia, 45: 61  
 pipunctata, Bryania, 64: 22  
 pisoides, Pachycheles, 56: 66  
 planata, Desmoxytes, 56: 48  
 plebeius, Ceraphron, 58: 48; 68: 52  
 plicata, Tripleuchlanis, 46: 20  
 plicatula, Alectryonella, 42: 58  
 plinthopyga, Blaesoxipha, 64: 25  
 plumosa, Cryptodromiopsis, 56: 63  
 plutellae, Cotesia, 58: 38; 68: 52  
 polymorpha, Calcituba, 42: 60  
 polymorpha, Scolopendra, 64: 44  
 porosus, Nehypochthonius, 57: 7  
 poseidon, Lius, 59: 20  
 postica, Hypera, 56: 30  
 preapiculata, Drosophila, 69: 37  
 primaeva, Drosophila, 69: 37  
 prionata, Luidia, 55: 66  
 prosopidis, Heterospilus, 63: 23  
 proteiformis, Biarritzina, 42: 60  
 pruinus, Porcellionides, 45: 66; 59: 38  
 prusius, Spathius, 63: 24  
 pryeri, Protactia, 56: 31; 68: 44  
 psinus, Styloniscus, 45: 60  
 pucciniicola, Mycodiplosis, 58: 52  
 puhi, Ichthyoxenus, 46: 42  
 punctata, Diploptera, 68: 41  
 purpureus, Rhinotus, 56: 54  
 purpuriella, Opogona, 59: 25  
 purpuripennis, Ichneumon, 63: 27  
 pustulatus, Cephus, 57: 12  
 pylorus, Oabius, 63: 47  
 quadrilineata, Drosophila, 58: 54  
 quadripustulata, Brochymena, 68: 49  
 quinquepustulatus, Stenolaphus, 59: 20  
 radiata, Theotimas, 49: 44; 68: 60  
 recurvalis, Spoladea, 46: 29  
 reedi, Pellonyssus, 49: 38  
 reformans, Zelotes, 49: 44; 64: 33  
 regius, Phidippus, 49: 46  
 religens, Cryptops, 64: 45  
 reticulata, Trichocorixa, 46: 34  
 richardi, Epactophanes, 42: 53  
 ridiculus, Campsicnemus, 64: 24

- ripariensis, Dicarnosis, 58: 42; 68: 52  
 robusta, Bugula, 59: 46  
 rostellum, Chorizococcus, 68: 51  
 rotundiventris, Schizaphis, 68: 49  
 rubescens, Haematoloecha, 59: 24; 59: 33  
 rubrigeria, Rhene, 64: 37  
 rufescens, Loxosceles, 49: 46; 64: 34  
 ruficornis, Helorus, 63: 25  
 rufipes, Blaesoxipha, 64: 25  
 rufipes, Theridion, 64: 39  
 russata, Chlamys, 45: 23  
 rusticus, Urozelotes, 49: 44  
 ruthae, Odonaspis, 68: 50  
 sabroskyi, Asteia, 64: 22  
 sagrei, Anolis, 46: 45; 69: 50  
 sandwichensis, Hydrovatus, 41: 72  
 sanguinea, Laminella, 56: 58  
 sangwani, Neodusmetia, 58: 43; 68: 53  
 sapidus, Callinectes, 42: 55  
 sarcitrella, Endrosis, 59: 34  
 sativae, Liriomyza, 68: 46  
 sauteri, Rhodesiella, 64: 24  
 scaber, Porcellio, 45: 66  
 schauinslandi, Monachus, 42: 59  
 scobinata, Tellina, 45: 26  
 scolostoma, Drosophila, 69: 37  
 semialbiclavus, Hemiptarsenus, 58: 44; 68: 53  
 semipunctata, Discanomalina, 42: 61  
 sericeus, Halobates, 46: 34  
 serricorne, Lasioderma, 68: 41  
 servilia, Crocothemis, 42: 43  
 setosipennis, Thalassomyia, 58: 52  
 sexseriata, Poecilominettia, 49: 31; 58: 55  
 sharpi, Hawaiiodillo, 45: 67  
 simillimum, Tetramorium, 68: 54  
 simodensis, Botrylloides, 64: 59  
 simplex, Stephanocyphus, 42: 53  
 sinensis, Nipponobius, 63: 47  
 sinesicus, Cryptops, 64: 45  
 sinesis, Pelodiscus, 69: 51  
 sinicolens, Otostigmus, 64: 46  
 sinicus, Eriborus, 63: 26  
 sivickisi, Carybdea, 69: 44  
 societatis, Australophiloscia, 45: 61  
 solana, Empoasca, 68: 50  
 solani, Phenacoccus, 68: 51  
 solitarius, Buteo, 49: 65  
 sonorus, Deltocephalus, 68: 50  
 sordidus, Cosmopolites, 59: 21  
 sororcula, Dioxyna, 58: 56; 68: 48  
 sp. 1, Harmoletia, 58: 45  
 sp. 1, Pulaeus, 68: 62  
 sp. 2, Pulaeus, 68: 62  
 sp. bilamellatus group, Cis, 56: 29  
 sp. cf. auxiliaris, Berlesezetes, 42: 51  
 sp. cf. bullatus, Lithobius, 63: 42  
 sp. cf. capucinus, Xylobates, 42: 51  
 sp. cf. cellariorum, Oecobius, 64: 34  
 sp. cf. felix, Messua, 49: 45; 64: 36; 68: 61  
 sp. cf. hawaiiensis, Oribotritia, 42: 51  
 sp. cf. minima, Microtritia, 42: 51  
 sp. cf. mortoni, Teneriffia, 64: 50  
 sp. cf. perkinsi, Hawaiiodillo, 45: 67  
 sp. cf. samoensis, Mysmenella, 64: 34  
 sp. cf. saxatilis, Achaearanea, 64: 38  
 sp. cf. striculus, Atropacarus, 42: 51  
 sp. cf. temminckii, Ancistrus, 59: 50  
 sp., litoralis group, Gonatocerus, 68: 54  
 sp., membraciphagus group, Gonatocerus, 58: 45; 68: 54  
 sp., not aterrimus, Orchidophilus, 68: 43  
 sp. nr. blechi, Agromyza, 58: 51  
 sp. nr. glebulentus, Dactyloscirus, 68: 62  
 sp. nr. indicus, Scheloribates, 42: 51  
 sp. nr. laetus, Ichneumon, 63: 27  
 sp. nr. muiri, Scheloribates, 42: 51  
 sp. nr. oahuensis, Scheloribates, 42: 51  
 sp. nr. straminea, Bactra, 68: 57  
 sp., poss. bipunctatus, Nephus, 56: 30  
 sp., poss. nevadensis, Dialictus, 63: 25  
 sp., prob. tibialis, Lasiodactylus, 49: 19  
 sp., volucripes group, Dictyna, 49: 43  
 sp., Ablabesmyia, 69: 33  
 sp., Achipteria, 42: 51; 57: 20  
 sp., Adhaesozetes, 57: 16  
 sp., Aega, 46: 41  
 sp., Allonothrus, 57: 9  
 sp., Annectacarus, 57: 6; 68: 63  
 sp., Apanteles, 58: 38; 68: 52  
 sp., Apedilium, 69: 32  
 sp., Aphalacarus, 57: 3  
 sp., Aphanogmus, 68: 52  
 sp., Aprostocetus, 58: 43; 68: 53  
 sp., Apseudes, 49: 52  
 sp., Ascarops, 64: 57  
 sp., Austrocarabodes, 57: 13  
 sp., Azotus, 58: 40; 68: 51  
 sp., Balta, 59: 19  
 sp., Banksinoma, 57: 15  
 sp., Basilobelba, 57: 12  
 sp., Bdella, 68: 62  
 sp., Berlesezetes, 57: 12  
 sp., Camisia, 57: 7  
 sp., Campbellobates, 57: 16

- sp., Camptoptera, 58: 45; 68: 54  
sp., Cardiophorus?, 56: 30; 68: 43  
sp., Cepheus, 42: 51  
sp., Ceraphron, 58: 48; 68: 52  
sp., Ceratozetes, 57: 19  
sp., Cheiloneurus, 58: 42; 68: 52  
sp., Chrysotus, 55: 46  
sp., Chryso, 64: 38  
sp., Cis, 68: 42  
sp., Cosmochthonius, 57: 4; 68: 62  
sp., Cryptacarus, 57: 6  
sp., Cryptoplophora, 57: 4  
sp., Cultroribula, 57: 13  
sp., Cyrthermannia, 57: 10  
sp., Damaeus, 42: 51; 57: 11  
sp., Dolicheremaeus, 42: 51; 57: 14  
sp., Elaphropeza, 58: 54  
sp., Encarsia, 58: 40; 68: 51  
sp., Encyrtoscelio, 58: 48; 68: 55  
sp., Eobrachychthonius, 57: 5  
sp., Eohypochthonius, 57: 3  
sp., Epilohmannia, 57: 7; 68: 62  
sp., Eremobelba, 57: 13  
sp., Eremulus, 57: 13  
sp., Eretmocerus, 58: 40; 68: 51  
sp., Ereyntes?, 68: 62  
sp., Eukiefferiella, 69: 32  
sp., Eupelops, 57: 20  
sp., Eupodes, 68: 63  
sp., Fidiobia, 58: 48; 68: 54  
sp., Fossereumus, 57: 12  
sp., Fuscozetes, 42: 51; 57: 19  
sp., Galumna, 42: 51  
sp., Gamasiphis, 68: 63  
sp., Gonatocerus, 58: 45  
sp., Gotra, 63: 27  
sp., Haplochthonius, 57: 4  
sp., Helochares, 56: 30  
sp., Hemileius, 57: 18  
sp., Henricia, 55: 69  
sp., Hermanniella, 42: 51; 57: 11  
sp., Heteropsylla, 68: 51  
sp., Heteroschema, 58: 46; 68: 54  
sp., Humerobates, 57: 19  
sp., Hydrozetes, 57: 15  
sp., Hypochthonius, 57: 3  
sp., Hypothenemus, 68: 44  
sp., Issaniella, 57: 11  
sp., Kukulcania, 49: 43  
sp., Licneremaeus, 57: 16  
sp., Liochthonius, 57: 5  
sp., Lithobius, 63: 40  
sp., Lobopoda, 56: 28; 68: 41  
sp., Machuella, 57: 14  
sp., Mandibulophoxus, 49: 51  
sp., Masthermannia, 57: 10  
sp., Mesotritia, 57: 6  
sp., Microppia, 57: 14  
sp., Mirax, 63: 23  
sp., Multioppia, 57: 15  
sp., Murmidius, 56: 28; 68: 42  
sp., Mycobates, 57: 20  
sp., Mycodrosophila, 69: 35  
sp., Nanhermannia, 42: 51; 57: 10  
sp., Nannastacus, 49: 52  
sp., Neaspis, 56: 32  
sp., Neocunaxoides, 68: 62  
sp., New genus (Oribatulidae), 57: 18  
sp., New genus nr. Damaeobelba, 57: 12  
sp., New genus nr. Dometorina, 57: 18  
sp., Newcambia, 46: 24  
sp., Newportia, 64: 46  
sp., Nitela, 64: 13  
sp., Nothrus, 57: 9  
sp., Oligosita, 58: 47; 68: 55  
sp., Orchestina, 64: 35  
sp., Oribatula, 57: 17; 68: 63  
sp., Oribotritia, 57: 6  
sp., Oripoda, 57: 18  
sp., Parakiefferiella, 69: 32  
sp., Paralamellobates, 57: 21  
sp., Paralycus, 57: 4  
sp., Paratanytarsus, 69: 32  
sp., Parathroscinus, 56: 31  
sp., Peloribates, 57: 17  
sp., Phauloppia, 57: 17  
sp., Phthiracarus, 42: 51  
sp., Phyllhermannia, 57: 10  
sp., Phyllozetes, 57: 4; 68: 62  
sp., Physocephalus, 64: 58  
sp., Piona, 69: 41  
sp., Plagiomerus, 58: 43; 68: 53  
sp., Platynothrus, 57: 8  
sp., Platystethus?, 68: 44  
sp., Pontomyia, 64: 23  
sp., Proconura, 58: 41  
sp., Quadroppia, 57: 15  
sp., Raphignathus, 68: 63  
sp., Rhopalium, 64: 13  
sp., Rostrozetes, 42: 51; 57: 17  
sp., Scapheremaeus, 57: 16  
sp., Scatomyza, 64: 24  
sp., Scopaeus, 56: 32  
sp., Sellnickochthonius, 57: 5

- sp., *Sericoderus*, 68: 43  
 sp., *Sierola*, 58: 49; 68: 51  
 sp., *Sigaloessa*, 58: 52  
 sp., *Signiphora*, 58: 47; 68: 55  
 sp., *Stempellinella*, 69: 32  
 sp., *Stenomicroa*, 49: 20  
 sp., *Stigmaeus*, 68: 64  
 sp., *Suctobelba*, 42: 51  
 sp., *Suctobelbella*, 57: 15  
 sp., *Tachytrechus*, 46: 27  
 sp., *Tarsaster?*, 55: 69  
 sp., *Tarsonemus?*, 68: 64  
 sp., *Tectocephus*, 57: 14  
 sp., *Tegoribates*, 57: 21  
 sp., *Telenomus*, 58: 49  
 sp., *Tenuelamellarea*, 57: 17  
 sp., *Tetramema*, 64: 37  
 sp., *Tetramesa*, 58: 45; 68: 53  
 sp., *Trichogramma*, 58: 47; 68: 55  
 sp., *Trichopria*, 58: 48; 68: 52  
 sp., *Trimalaconothrus*, 57: 8  
 sp., *Trypochthoniellus*, 57: 9  
 sp., *Trypochthonius*, 57: 10  
 sp., *Trypoxylon*, 64: 13  
 sp., *Uscana*, 58: 47; 68: 55  
 sp., *Venturia*, 63: 28  
 sp., *Vepracarus*, 57: 6  
 sp., *Zygorbitula*, 57: 18  
 sp.? (*Ptilidae*), Genus?, 68: 44  
 sp.? (*Scirtidae*), Genus?, 56: 32  
*spectabilis*, *Drosophila*, 69: 37  
*spicata*, *Pseudonapomyza*, 68: 46  
*spinator*, *Pristomerus*, 63: 28  
*spinigera*, *Exaireta*, 59: 23; 59: 32  
*splendida*, *Melanagromyza*, 68: 46  
 spp., *Malaconothrus*, 57: 8  
 spp., *Ostogmus*, 64: 44  
*stagnalis*, *Scatella*, 68: 47  
*stellata*, *Disclisioprocta*, 59: 24  
*striatipes*, *Scytodes*, 64: 37  
*striatum*, *Meghimatium*, 64: 52  
*stultana*, *Platynota*, 42: 36  
*stupidus*, *Pachysomoides*, 63: 27  
*subaper*, *Eupetinus*, 42: 49  
*subopressa*, *Thiania*, 64: 37  
*subspinipes*, *Scolopendra*, 59: 25; 64: 44  
*sulfurigeraster bilimbata*, *Drosophila*, 64: 24  
*sundaicus*, *Nagurus*, 45: 65  
*superbus*, *Spilichneumon*, 63: 28  
*surinamensis*, *Oryzaephilus*, 68: 44  
*suzukii*, *Drosophila*, 58: 54; 69: 34  
*suzukii*, *Sphaerochthonius*, 57: 4; 68: 64  
*swezeyi*, *Bracon*, 63: 22  
*tamashiroi*, *Drosophila*, 49: 30  
*tarsalis*, *Habronattus*, 64: 36  
*tenebrosus*, *Spondylus*, 45: 23  
*tenellus*, *Gelis*, 63: 26  
*tenuis*, *Laphyphantes*, 64: 33  
*tepidariorum*, *Achaearanea*, 42: 44  
*texanus*, *Glyptocolastes*, 63: 22  
*theisi*, *Neoscona*, 49: 42  
*thomasetti*, *Amygdalops*, 58: 61  
*tigmatias*, *Euxesta*, 49: 31  
*timberlakei*, *Megachile*, 68: 54  
*tobias*, *Anthicus*, 68: 41  
*tokianus*, *Lepidosaphes*, 68: 50  
*toluca*, *Anoplius*, 59: 34  
*tomentosa*, *Trichorhina*, 45: 64  
*toreuma*, *Globivenus*, 45: 26  
*torquata*, *Altica*, 56: 28  
*trepidus malayanus*, *Polistes*, 56: 33  
*triacantha*, *Trichrysis*, 63: 25  
*trifasciata*, *Argiope*, 42: 44  
*trifasciatus*, *Apanteles*, 63: 22  
*tristriatus*, *Vanhoeffenia*, 56: 57  
*truncorum*, *Cylindroiulus*, 56: 39  
*tumanowiczii*, *Halyphysema*, 42: 61  
*turbinata*, *Cyclosa*, 42: 44  
*turgescens*, *Montipora*, 56: 61  
*uluhihi*, *Plagithmysus*, 46: 37  
*undatus*, *Lagocheirus*, 59: 21  
*vagrans*, *Rhaconotus*, 58: 39; 63: 24; 68: 52  
*vaporariorum*, *Trialeurodes*, 68: 49  
*variabilis*, *Favognathus?*, 68: 62  
*variegatus*, *Coridromus*, 42: 42  
*vaughani*, *Septifer*, 45: 21  
*vector*, *Tidabius*, 63: 47  
*velox*, *Pedinopistha*, 42: 45  
*venastus*, *Spehenophorus*, 68: 43  
*venatorius*, *Heteropoda*, 42: 44  
*ventralis*, *Eyesarcoris*, 59: 23  
*venusta*, *Leucauge*, 49: 47  
*versicolor*, *Phintella*, 49: 46; 64: 36; 68: 61  
*versicula*, *Lycosa*, 42: 46  
*vians*, *Australobius*, 63: 47  
*viaregis*, *Cerion*, 46: 25  
*viguieri*, *Phyllognathopus*, 42: 53  
*violacescens*, *Sponsylus*, 45: 23  
*virgata*, *Lycosa*, 42: 47  
*viridescens*, *Trichomalopsis*, 49: 21  
*viridimaculata*, *Neotrichoporoides*, 58: 44; 68: 53  
*vitellina*, *Misumenops*, 42: 46  
*vitrata*, *Maruca*, 46: 29  
*vittatae*, *Microctonus*, 63: 23

- vockerothi, *Dactylomyia*, 55: 46; 68: 47  
vulcanus, *Telenomus*, 58: 49; 68: 55  
vulgare, *Armadillidium*, 45: 67  
vulgata, *Bruellia*, 56: 26  
vulpecula, *Lycosa*, 42: 45  
waikikia, *Cosa*, 45: 22  
waldvogeli, *Haemonais*, 59: 39  
weberi, *Paracryptops*, 64: 45  
woglumi, *Aleurocanthus*, 49: 20  
xanthomelas, *Megalagrion*, 45: 30; 59: 27  
xiphidii, *Centrodora*, 58: 40; 68: 51  
zimmermani, *Coniocompsa*, 59: 25  
zwaluwenburgi vicar, *Dictyophorodelphax*, 41: 59
- PLANTS**
- abyssinica, *Digitaria*, 55: 23  
aciculatus, *Chrysopogon*, 59: 9  
acmule, *Cyrtandra*, 58: 21  
actinophylla, *Schefflera*, 68: 5  
acutifolia, *Boerhavia*, 58: 24; 59: 5  
acutigluma, *Garnotia*, 59: 5  
adscensionis, *Aristida*, 55: 19  
aegyptium, *Dactyloctenium*, 48: 60; 49: 11  
aequinoctialis, *Lemna*, 48: 58  
aestivalis, *Fimbristylis*, 69: 7  
aethiopicus, *Cynodon*, 55: 22  
africanum, *Lepidium*, 42: 17  
africanus, *Sporobolus*, 55: 36  
alata, *Senna*, 64: 5  
alaustri, *Cyrtandra*, 63: 17  
alba, *Basella*, 42: 11  
alba, *Bidens*, 42: 2  
alba, *Melilotus*, 42: 20; 46: 14  
album, *Chenopodium*, 68: 7  
amabilis, *Eragrostis*, 41: 45; 42: 8  
ambrosioides, *Chenopodium*, 68: 7  
aneura, *Acacia*, 42: 19  
angulata, *Physalis*, 63: 15  
angustifolia, *Pyracantha*, 58: 9  
anisata, *Melicope*, 56: 16  
annulatum, *Dichanthium*, 42: 8; 69: 10  
apiculata, *Diodia*, 63: 15  
apogon, *Schoenus*, 46: 4; 48: 48  
aquatica, *Ipomoea*, 63: 11  
aquatica, *Phalaris*, 55: 33  
aquifolium, *Ilex*, 42: 15  
arborescens, *Hesperomannia*, 58: 3  
arboreus, *Lupinus*, 68: 10  
arbutifolia, *Heteromeles*, 46: 12  
argutus, *Rubus*, 42: 9  
aristatum, *Dichanthium*, 55: 22  
arundinacea, *Festuca*, 48: 60  
arvensis, *Sinapis*, 56: 9  
arvensis, *Torilis*, 68: 5  
asiatica, *Buddleia*, 69: 5  
asiatica, *Torenia*, 68: 16  
asparagoides, *Asparagus*, 69: 20  
aspera subsp. *globosa*, *Gahnia*, 41: 34  
aspera, *Achyranthes*, 68: 4  
assamica, *Crotolaria*, 69: 20  
aurea, *Phyllostachys*, 68: 14  
auriculata, *Plumbago*, 58: 7  
australis, *Cotula*, 41: 23  
australis, *Hoya*, 59: 3  
australis, *Phragmites*, 55: 33  
australis, *Stachytarpheta*, 58: 32  
avenacea, *Agrostis*, 63: 14  
azedarach, *Melia*, 42: 7  
barbata, *Avena*, 68: 13  
barbata, *Chloris*, 55: 21  
beauverdii, *Bryophyllum*, 68: 9  
beecheyi, *Gahnia*, 42: 4  
bellioides, *Erigeron*, 42: 11; 64: 2  
billardierianum subsp. *cinereum*, *Epilobium*, 42: 22  
biserrata, *Cyrtandra*, 58: 22  
bladonii, *Bothriochloa*, 49: 18  
bonariensis, *Verbena*, 41: 55  
bonplandii, *Harrisia*, 41: 28  
borbonica, *Watsonia*, 41: 39; 69: 9  
bowlesioides, *Hydrocotyle*, 69: 2  
brachyantherum, *Hordeum*, 55: 28  
brasiliiana, *Alternanthera*, 42: 14  
brevifolia, *Ruellia*, 58: 13  
brittoniana, *Ruellia*, 69: 2  
brownii, *Eragrostis*, 59: 5  
bufonis, *Juncus*, 42: 21  
burmannii, *Cinnamomum*, 42: 22; 48: 57; 49: 18  
bursa-pastoris, *Capsella*, 42: 17; 46: 10  
byrone, *Ischaemum*, 41: 46; 63: 15  
caduca, *Rhynchospora*, 42: 18; 48: 56  
caerulea, *Nymphaea*, 56: 11  
caerulea, *Passiflora*, 59: 13  
cairica, *Ipomoea*, 64: 4  
callitrichoides, *Hedyotis*, 69: 12  
callosa, *Palafoxia*, 64: 2  
calvescens, *Miconia*, 46: 1; 48: 23  
calycina, *Ehrharta*, 58: 26  
campylotheca subsp. *campylotheca*, *Bidens*, 41: 22  
campylotheca subsp. *pentamera*, *Bidens*, 42: 10  
canadensis var. *pusilla*, *Conyza*, 42: 16

- canadensis var. texana, *Linaria*, 69: 25  
 canadensis, *Cryptotaenia*, 59: 7  
 candida, *Brugmansia*, 42: 9  
 candida, *Tephrosia*, 64: 5  
 candidum, *Melastoma*, 46: 2  
 capensis, *Nymphaea*, 56: 11  
 capillare, *Tetramolopium*, 46: 10  
 capillaris, *Agrostis*, 55: 18  
 capitata, *Hyptis*, 42: 21  
 capitata, *Persicaria*, 58: 29; 69: 11  
 capitata, *Spermacoce*, 48: 61  
 capitatum, *Polygonum*, 58: 29  
 capitulata, *Molineria*, 69: 14  
 capsicoides, *Solanum*, 64: 8  
 carinatum, *Chenopodium*, 49: 10  
 carolinensis, *Pluchea*, 42: 16  
 caryophyllea, *Aira*, 49: 11  
 cassine, *Ilex*, 63: 9  
 castanifolia, *Tecoma*, 56: 9  
 cathagenensis, *Cuphea*, 69: 9  
 catharticus, *Bromus*, 55: 20  
 caudatum, *Citharexylum*, 42: 13; 59: 14  
 celosioides, *Gomphrena*, 42: 15  
 cerifera, *Myrica*, 49: 17  
 charantia, *Momordica*, 64: 10  
 cherimola, *Annona*, 68: 4  
 chinense, *Clerodendrum*, 42: 26  
 chinense, *Polygonum*, 58: 29  
 chinensis subsp. verrucosus, *Gonocarpus*, 41: 38  
 chinensis, *Albizia*, 56: 3  
 chinensis, *Dicliptera*, 68: 3  
 chinensis, *Persicaria*, 58: 29  
 ciliaris, *Cenchrus*, 64: 11  
 ciliaris, *Eragrostis*, 58: 26  
 ciliaris, *Sida*, 48: 59; 64: 6  
 cinereum, *Cyanthillium*, 48: 52  
 citrina, *Zephyranthes*, 41: 40; 68: 12  
 clandestinum, *Pennisetum*, 42: 9; 42: 24  
 coccinea, *Ammannia*, 58: 23  
 coccinea, *Boerhavia*, 69: 10  
 coccinea, *Emilia*, 63: 10  
 coccinea, *Salvia*, 41: 40  
 coloratum, *Panicum*, 55: 30  
 complanatum, *Pennisetum*, 55: 32  
 compressus, *Cyperus*, 42: 18  
 condensatum, *Schizachyrium*, 41: 47  
 confertus, *Cyperus*, 46: 3; 48: 39  
 conglomeratus, *Rumex*, 48: 60; 55: 39  
 convolvulus, *Fallopia*, 58: 29  
 convolvulus, *Polygonum*, 58: 29  
 cordifolia, *Anredera*, 42: 11  
 cordifolia, *Sida*, 41: 41  
 corymbosa, *Hedyotis*, 41: 50; 69: 12; 69: 24  
 costaricensis, *Hylocereus*, 41: 28  
 crenatoserrata, *Pyracantha*, 58: 9  
 crepidioides, *Crassocephalum*, 42: 11  
 crispus subsp. fauriei, *Rumex*, 55: 40  
 cristata, *Barleria*, 69: 1  
 crus-galli, *Echinochloa*, 69: 22  
 cucullata, *Begonia*, 41: 25  
 cunninghamia xglaucua, *Casuarina*, 69: 5  
 cunninghamiana, *Casuarina*, 41: 31  
 curvula, *Eragrostis*, 55: 26  
 cuspidatum, *Odontonema*, 41: 20; 68: 4; 69: 2  
 cyaneoides, *Cyrtandra*, 41: 37  
 cyanus, *Centauria*, 42: 15  
 cynapiifolia, *Bidens*, 41: 23  
 cyperoides, *Cyperus*, 46: 4; 48: 40  
 dactylon, *Cynodon*, 55: 22  
 daigremontiana, *Kalanchoe*, 41: 33  
 daigremontianum, *Bryophyllum*, 68: 9; 69: 6  
 xdamascena, *Rosa*, 68: 14; 69: 11  
 daphnoides, *Lysimachia*, 58: 30  
 davidiana, *Photinia*, 46: 6  
 davidii, *Buddleia*, 46: 13  
 decipiens, *Filicium*, 68: 15  
 deflexa, *Eragrostis*, 55: 26  
 demersum, *Ceratophyllum*, 68: 7; 69: 5  
 densiflorus, *Asparagus*, 59: 4; 64: 6  
 devosiana, *Ruellia*, 41: 20  
 diander, *Sporobolus*, 49: 11  
 dichotoma, *Cordia*, 46: 3  
 difformis, *Cyperus*, 69: 19  
 dioica, *Pimenta*, 41: 42  
 discolor, *Rubus*, 46: 2  
 distans, *Paspalidium*, 55: 31  
 disticha, *Breynia*, 41: 35  
 distichum, *Paspalum*, 58: 28  
 divaricata, *Chloris*, 64: 11  
 divaricatum, *Galium*, 42: 25  
 divaricatum, *Nototrichium*, 58: 13  
 dregeana, *Hyparrhenia*, 46: 11  
 xdrummondii, *Sorghum*, 55: 35  
 dubium, *Trifolium*, 41: 37  
 dulce, *Pithecellobium*, 69: 8  
 dunbariae, *Cyanea*, 58: 16  
 dunbarii, *Cyanea*, 42: 3  
 echinatus, *Cenchrus*, 69: 22  
 edulis, *Passiflora*, 42: 7  
 elaeagnifolium, *Solanum*, 59: 10  
 elliptica, *Ardisia*, 56: 7  
 elliptica, *Melicope*, 46: 7  
 elliptica, *Pelea*, 56: 16  
 elongata, *Eragrostis*, 41: 45



- elongatus, *Sporobolus*, 55: 36  
 emarginata, *Dalea*, 46: 4  
 emarginata, *Noronhia*, 69: 14  
 encelioides, *Verbesina*, 69: 18  
 erecta, *Duranta*, 41: 55  
 erecta, *Ehrharta*, 55: 25  
 erectus, *Conocarpus*, 49: 10  
 eriantha, *Digitaria*, 55: 23  
 erubescens, *Convolvulus*, 56: 2  
 erubescens, *Lophospermum*, 59: 14  
 erubescens, *Philodendron*, 69: 14  
 esculentus, *Cyperus*, 48: 41  
 europaea subsp. africana, *Olea*, 41: 42  
 europaea subsp. cuspidata, *Olea*, 59: 13  
 europaea subsp. europaea, *Olea*, 59: 13  
 europaeus, *Ulex*, 46: 1  
 exigua, *Acaena*, 56: 6  
 exile, *Sisyrinchium*, 58: 4  
 exilis, *Spermacoce*, 41: 51  
 expansa, *Calamagrostis*, 55: 21  
 farnesiana, *Acacia*, 69: 7  
 fasciculatum, *Pseuderanthemum*, 56: 8  
 fauriei var. carteri, *Panicum*, 55: 30  
 fauriei var. fauriei, *Panicum*, 55: 30  
 faya, *Morella*, 68: 13  
 faya, *Myrica*, 59: 9  
 fedtschenkoi, *Bryophyllum*, 68: 9  
 fedtschenkoi, *Kalanchoe*, 41: 34  
 ferruginea, *Fimbristylis*, 48: 44  
 ficus-indica, *Opuntia*, 42: 2; 69: 5  
 filifera, *Washingtonia*, 69: 3  
 fimbriatum, *Paspalum*, 69: 23  
 fissifolius, *Axonopus*, 42: 8  
 flavescens, *Trisetum*, 55: 36  
 flexuosa, *Cardamine*, 42: 2  
 fluitans, *Glyceria*, 58: 27  
 fluminense, *Jasminum*, 46: 5; 69: 22  
 foetida, *Paederia*, 42: 25; 59: 14  
 foetida, *Passiflora*, 46: 6; 69: 10  
 fosbergii, *Myrsine*, 41: 41  
 fruticosum, *Talinum*, 42: 25  
 fugax, *Polypogon*, 55: 34  
 fusca subsp. uninervia, *Leptochloa*, 63: 14  
 gahniaeformis, *Morelotia*, 41: 34  
 gallica, *Logfia*, 48: 54  
 gangetica, *Asystasia*, 64: 1  
 gaudichaudii, *Senna*, 48: 57  
 gayana, *Chloris*, 42: 8  
 gigantea subsp. gigantea, *Mucuna*, 42: 21  
 gigantea, *Stapelia*, 59: 7  
 glabra var. glabra, *Phyllostegia*, 59: 8  
 glabra, *Hypochoeris*, 46: 10  
 glabra, *Persicaria*, 58: 30  
 glabra, *Torenia*, 68: 16  
 glabrum, *Polygonum*, 58: 30  
 glauca var. glauca, *Argemone*, 41: 43  
 glauca, *Casuarina*, 64: 3; 69: 19  
 glauca, *Nicotiana*, 42: 26  
 globosa, *Gomphrena*, 41: 21  
 globosa, *Schiedea*, 58: 18  
 globosa, *Wolffia*, 48: 59  
 glomerata, *Pterolepis*, 42: 7  
 glomeratus, *Andropogon*, 55: 18  
 gracilis, *Cyperus*, 42: 3; 69: 7  
 graminifolia, *Arundina*, 64: 7  
 granadensis, *Coprosma*, 64: 8  
 grandiflora, *Thunbergia*, 69: 15  
 grandiflorus, *Selenicereus*, 41: 28  
 grandis, *Coccinia*, 59: 11; 64: 4  
 grandis, *Eragrostis*, 55: 27  
 granularis, *Hackelochloa*, 58: 27  
 gratissimum, *Ocimum*, 41: 39  
 graveolens, *Anethum*, 69: 17  
 greenwelliae, *Psychotria*, 46: 6  
 guadalupensis, *Najas*, 46: 11  
 haspan, *Cyperus*, 42: 4  
 hawaiiiana, *Halophila*, 59: 3  
 hawaiiense, *Zanthoxylum*, 41: 54  
 hawaiiensis, *Schiedea*, 58: 18  
 hawaiiensis, *Spermolepis*, 41: 22; 42: 15  
 hebecarpa, *Dovyalis*, 56: 3  
 helleri, *Schiedea*, 41: 30  
 hemisphaerica, *Cyrtandra*, 58: 22  
 henanthe, *Cyrtandra*, 63: 18  
 hendecaphylla, *Indigofera*, 69: 20  
 herbacea, *Tibouchina*, 58: 5  
 hermaphrodita, *Anthephora*, 55: 19  
 heterophylla, *Clitoria*, 68: 9  
 heterophyllum, *Desmodium*, 42: 20; 58: 20  
 hexapetalus, *Artabotrys*, 42: 11  
 higashinoi, *Cyrtandra*, 58: 22  
 hillebrandii, *Lobelia*, 41: 30  
 hillebrandii, *Lysimachia*, 58: 30  
 hirsutum, *Gossypium*, 69: 21  
 hirta, *Hyparrhenia*, 42: 24  
 hirtella, *Begonia*, 41: 25  
 hirtipetiola, *Peperomia*, 41: 43  
 hispanica, *Vaccaria*, 42: 3  
 hispidus, *Sicyos*, 69: 6  
 honoluluensis, *Melicope*, 56: 16  
 hordeaceus, *Bromus*, 55: 20  
 horizontalis, *Digitaria*, 58: 26  
 hosakae, *Melicope*, 56: 16  
 houstonianum, *Ageratum*, 64: 2

- humilis*, Rivina, 49: 17  
*hyssopifolia*, Bassia, 68: 7; 69: 19  
*hyssopifolia*, Chamaesyce, 58: 3; 59: 2  
*hysterophorus*, Parthenium, 42: 16  
*imparis*, Cyrtandra, 58: 21  
*inaequale*, Trisetum, 55: 37  
*incana*, Crotolaria, 42: 5  
*incana*, Hirschfeldia, 41: 26  
*indica* subsp. *indica*, Kalimeris, 58: 14  
*indica*, Kalimeris, 42: 11  
*indica*, Pluchea, 69: 4  
*indica*, Sacciolepis, 58: 8  
*indicum*, Ischaemum, 55: 29  
*interruptus*, Polypogon, 42: 24  
*intortum*, Desmodium, 56: 9; 63: 12  
*involutus*, Cyperus, 48: 41; 63: 11  
*ixocarpa*, Physalis, 42: 13  
*jamesonii*, Streptosolen, 49: 12  
*japonica*, Eriobotrya, 41: 49  
*japonica*, Lonicera, 69: 19  
*japonica*, Serissa, 48: 61  
*japonicum*, Gnaphalium, 48: 54  
*japonicus*, Euchiton, 48: 54; 58: 14; 68: 5  
*jubata*, Cortaderia, 56: 8  
*juliflora*, Prosopis, 63: 12  
*juncea*, Crotolaria, 48: 56  
*karvinskianus*, Erigeron, 42: 2  
*karvinskyanus*, Philadelphus, 69: 20  
*karvinskianus*, Philadelphus, 41: 38  
*kavaensis* var. *glabra*, Pelea, 56: 16  
*kavaensis*, Melicope, 56: 16  
*kealia* subsp. *kealia*, Cyrtandra, 63: 17  
*kealia* subsp. *urceolata*, Cyrtandra, 63: 19  
*kealia*, Cyrtandra, 63: 17  
*kenwoodii*, Dubautia, 58: 14  
*knudsenii*, Phyllostegia, 41: 39  
*koidzumii*, Pyracantha, 58: 9  
*konaense*, Panicum, 41: 46  
*koolauense*, Panicum, 55: 30  
*laciniata*, Oenothera, 42: 22  
*laevigata*, Rosa, 42: 12  
*laevigatum*, Leptospermum, 58: 5; 68; 13  
*laguroides*, Bothriochloa, 55: 19  
*lanaiensis*, Pritchardia, 58: 13  
*lanatus*, Holcus, 59: 10  
*lanceifolia*, Physalis, 42: 26  
*lanceolata*, Pentas, 42: 12; 69: 24  
*lanceolata*, Silene, 42: 1  
*lanceolatus*, Coreopsis, 49: 17  
*lasiocephalus*, Sicyos, 56: 2  
*lathyroides*, Macroptilium, 46: 4, 46: 13  
*latifolia*, Sagittaria, 63: 9  
*latifolia*, Spermacece, 41: 51  
*latifolia*, Zizania, 59: 6  
*latifolius*, Lathyrus, 69: 20  
*latispatha*, Heliconia, 49: 10  
*laurifolia*, Passiflora, 56: 7; 59: 13  
*laurifolia*, Thunbergia, 59: 11  
*lebbeck*, Albizia, 69: 7  
*leporinum*, Hordeum, 55: 28  
*leptophylla*, Eragrostis, 55: 27  
*leptopus*, Antigonon, 69: 23  
*leptostachya*, Eragrostis, 55: 27; 68: 14  
*liberica*, Coffea, 68: 14  
*ligularis*, Passiflora, 56: 7  
*limahuliensis*, Cyrtandra, 63: 17  
*limahuliensis*, Pritchardia, 58: 13  
*linearis*, Collomia, 42: 23  
*linnaeanum*, Solanum, 56: 13  
*littoralis*, Aristolochia, 63: 10  
*lividus* subsp. *polygonoides*, Amaranthus, 59: 1  
*longii*, Carex, 48: 37  
*longivagatum*, Panicum, 55: 31  
*lophantha* subsp. *montana*, Paraserianthes, 69: 8  
*lumahaiensis*, Cyrtandra, 63: 18  
*lupulina*, Medicago, 41: 37  
*lycopersicum* var. *cerasiforme*, Solanum, 48: 62  
*macdonaldiae*, Selenicereus, 58: 16  
*macrantha*, Koeleria, 55: 29  
*macrocarpa*, Ficus, 69: 21  
*macrophylla*, Alstonia, 48: 51  
*macrophylla*, Ficus, 64: 6; 69: 21  
*macrophylla*, Swietenia, 56: 6  
*macrophyllum*, Paspalum, 55: 32  
*macrorrhizos*, Alocasia, 49: 15; 63: 10  
*macrostegium*, Clerodendrum, 49: 12  
*madagascariensis*, Buddleia, 59: 4; 64: 3  
*madagascariensis*, Senecio, 41: 24; 59: 11; 69: 4  
*madritensis*, Bromus, 58: 25  
*major*, Caesalpinia, 46: 11  
*major*, Vinca, 69: 17  
*maliformis*, Passiflora, 41: 43  
*mangle*, Rhizophora, 58: 8  
*mannii*, Poa, 41: 46  
*marginata*, Entolasia, 56: 5  
*maritima*, Lobularia, 41: 27; 42: 17  
*maritima*, Najas, 46: 14  
*maritima*, Zinnia, 68: 6  
*maritimum*, Lythrum, 58: 23  
*maritimus* subsp. *paludosus*, Bolboschoenus, 68: 9  
*matrella* var. *pacifica*, Zoysia, 56: 6  
*maximowicziana*, Atriplex, 48: 55  
*maximum*, Panicum, 69: 22

- mearnsii, *Acacia*, 42: 5  
 melanoxydon, *Acacia*, 41: 36  
 menziesii, *Abutilon*, 58: 4  
 mexicana, *Muhlenbergia*, 55: 30  
 mexicana, *Sambucus*, 69: 5  
 meyenianus, *Mariscus*, 42: 4  
 meyenii, *Gouania*, 41: 48  
 mezii, *Myrsine*, 41: 42  
 micrantha, *Dichelachne*, 55: 22  
 micrantha, *Dichondra*, 69: 6  
 microcarpa, *Ficus*, 41: 41; 42: 7  
 microphylla, *Pilea*, 42: 26; 46: 14; 69: 12  
 microphylla, *Rorippa*, 42: 18  
 microphyllum, *Nasturtium*, 58: 15  
 miliacea, *Fimbristylis*, 48: 45; 63: 12  
 miliaceum, *Panicum*, 49: 11  
 minima, *Medicago*, 42: 20  
 minor, *Briza*, 63: 14  
 minor, *Phalaris*, 58: 28  
 mollis, *Brachiaria*, 68: 13  
 mollis, *Elephantopus*, 69: 4  
 mollissima, *Passiflora*, 64: 7  
 molokaiensis, *Eragrostis*, 55: 27  
 moluccana var. *katoi*, *Aleurites*, 58: 20  
 moluccana, *Falcataria*, 56: 10; 69: 8  
 monacantha, *Opuntia*, 68: 6  
 monandra, *Bauhinia*, 59: 4  
 montana var. *chinensis*, *Pueraria*, 68: 11  
 montana, *Aleurites*, 56: 2  
 montevidensis, *Lantana*, 41: 55  
 morrisonii, *Leptospermum*, 58: 5  
 mucronatus, *Schoenoplectus*, 48: 47  
 multicava, *Crassula*, 41: 33  
 multiflorum, *Lolium*, 55: 29  
 multijuga var. *multijuga*, *Senna*, 56: 10  
 munroi, *Cyrtandra*, 58: 21  
 munroi, *Melicope*, 58: 32  
 mutica, *Achyranthes*, 42: 1  
 mutilum subsp. *mutilum*, *Hypericum*, 41: 32; 42: 18  
 myriocarpa, *Terminalia*, 56: 9  
 neglecta, *Malva*, 56: 10  
 nervosa, *Argyrea*, 41: 32  
 nictitans var. *glabrata*, *Chamaecrista*, 42: 5  
 niihauense, *Panicum*, 41: 46  
 niveus, *Rubus*, 42: 12  
 nlemfuensis, *Chloris*, 58: 25  
 nocturnum, *Cestrum*, 64: 8  
 nodiflora, *Phyla*, 69: 26  
 nota, *Ficus*, 56: 10  
 notatum, *Paspalum*, 59: 6  
 oblongum, *Lepidium*, 41: 26  
 obovatilimba, *Peperomia*, 42: 23; 69: 10  
 obscura, *Lemna*, 48: 58  
 occidentalis, *Senna*, 59: 8  
 odorata, *Delairea*, 58: 14  
 odorata, *Viola*, 46: 14  
 odoratum, *Anthoxanthum*, 41: 44  
 officinale, *Taraxacum*, 68: 6  
 oleraceus, *Sonchus*, 46: 3  
 olivacea, *Eleocharis*, 48: 43  
 oliviforme, *Chrysophyllum*, 41: 54; 48: 62  
 oppositifolia, *Colubrina*, 42: 10  
 orbiculatus, *Cocculus*, 42: 22  
 orontium, *Antirrhinum*, 68: 15; 69: 25  
 oryzoides, *Echinochloa*, 55: 24  
 ovalifolia, *Spermacoce*, 41: 52; 48: 61  
 ovata, *Crassula*, 41: 32  
 ovata, *Melicope*, 56: 17  
 palaestrina, *Scabiosa*, 46: 10  
 pallida, *Melicope*, 41: 52  
 pallida, *Prosopis*, 42: 6  
 palmensis, *Cytisus*, 68: 10  
 paniculata, *Aeschynomene*, 42: 5  
 paniculata, *Melicope*, 41: 53  
 paniculata, *Oxyspora*, 42: 12  
 paniculata, *Polygala*, 41: 48; 59: 10  
 paniculatum, *Paspalum*, 58: 28  
 paniculatum, *Talinum*, 64: 8  
 pannosus, *Cotoneaster*, 41: 49  
 papaya, *Carica*, 64: 3  
 parthenium, *Tanacetum*, 58: 15  
 parviflora, *Eragrostis*, 56: 5  
 parviflora, *Setaria*, 55: 35; 63: 15  
 pavonina, *Adenantha*, 42: 19  
 pectinacea, *Eragrostis*, 41: 45; 55: 27  
 pectinata, *Stuckenia*, 58: 30  
 pectinatus, *Coleogeton*, 56: 4  
 pectinatus, *Potamogeton*, 42: 25  
 pellitum, *Panicum*, 55: 31  
 pentandrum, *Pittosporum*, 58: 6  
 peplus, *Euphorbia*, 41: 35  
 peregrina, *Veronica*, 41: 54; 69: 25  
 perlmanni, *Pritchardia*, 58: 13  
 pernambucanus, *Desmanthus*, 42: 20  
 persimile, *Sideroxylon*, 69: 24  
 pertusa, *Bothriochloa*, 64: 11  
 peruviana, *Thevetia*, 69: 17  
 peruviana, *Zinnia*, 68: 6  
 petersonii, *Leptospermum*, 58: 5  
 petraea, *Eustachys*, 42: 24  
 phleoides var. *phleoides*, *Cyperus*, 42: 18  
 phyllostachya, *Hypoestes*, 58: 12  
 picroides, *Reichardia*, 46: 13

- picta*, *Echinochloa*, 55: 24  
*piliferus*, *Sporobolus*, 55: 36  
*pilosa*, *Eragrostis*, 41: 45; 55: 27  
*pilosum*, *Rytidosperma*, 55: 34; 58: 29  
*pinnatifidum*, *Philodendron*, 69: 14  
*pinnatum*, *Bryophyllum*, 68: 9  
*planifolius*, *Juncus*, 69: 9  
*plantaginea*, *Brachiaria*, 42: 23; 69: 10  
*platyphyllum* var. *platyphyllum*, *Antidesma*, 46: 4  
*plumosus*, *Asparagus*, 63: 13; 64: 6; 69: 9; 69: 21  
*polygalifolium*, *Leptospermum*, 58: 6  
*polymorpha* var. *macrophylla*, *Metrosideros*, 69: 10  
*polymorpha*, *Medicago*, 46: 14; 59: 2  
*polyrhiza*, *Spirodela*, 48: 59; 63: 12  
*polystachion*, *Pennisetum*, 69: 23  
*portulacastrum*, *Trianthema*, 46: 9  
*pratense*, *Phleum*, 58: 29  
*procera*, *Cyanea*, 42: 3  
*procumbens* var. *depressum*, *Heliotropium*, 58: 15  
*procumbens*, *Lindernia*, 41: 54  
*prolifer*, *Cyperus*, 48: 41  
*prostrata*, *Chamaesyce*, 42: 4  
*prostrata*, *Eclipta*, 42: 16  
*prostratus*, *Plectranthus*, 68: 11  
*pubescens*, *Centrosema*, 56: 5  
*pubinerve*, *Tetragymma*, 64: 9  
*pulchella*, *Gaillardia*, 41: 24  
*pumila*, *Crotalaria*, 64: 5  
*punctata*, *Landoltia*, 68: 11  
*punctata*, *Persicaria*, 58: 30  
*punctata*, *Spirodela*, 48: 59  
*punctatum* subsp. *punctatum*, *Centratherum*, 41: 23  
*punctatum*, *Polygonum*, 58: 30  
*pungens*, *Alternanthera*, 59: 3; 64: 1; 69: 2; 69: 17  
*purpurea*, *Gamochaeta*, 48: 54  
*pusillus*, *Daucus*, 41: 22  
*pyramidatum*, *Blechnum*, 42: 14  
*pyramidatus*, *Sporobolus*, 42: 24; 55: 36  
*pyrifolium*, *Isodendron*, 46: 7  
*quadrangularis*, *Melicope*, 41: 53  
*racemosum*, *Munroidendron*, 46: 9  
*radicans* subsp. *microcephala*, *Rhynchospora*, 48: 46  
*radicans*, *Eleocharis*, 63: 12  
*radicata*, *Hypochoeris*, 68: 6  
*radicosa*, *Digitaria*, 55: 23  
*rapa*, *Brassica*, 42: 17; 69: 4  
*recta*, *Cyanea*, 41: 29  
*refractus*, *Cymbopogon*, 55: 21  
*remyi*, *Lysimachia*, 58: 31  
*reniformis*, *Begonia*, 46: 10  
*repens*, *Barleria*, 68: 3  
*repens*, *Melinis*, 55: 29  
*repens*, *Panicum*, 69: 23  
*reptans*, *Brachiaria*, 55: 20  
*reptans*, *Hemigraphis*, 59: 7; 68: 3; 69: 1  
*retroflexus*, *Amaranthus*, 48: 51  
*retusa*, *Carmona*, 41: 25  
*rhombifolia*, *Sida*, 64: 10  
*rhynhocarpa*, *Coprosma*, 46: 6  
*rigidus*, *Bromus*, 55: 20; 58: 7  
*riparia*, *Ageratina*, 46: 9; 69: 3  
*rivularis*, *Delissea*, 41: 30  
*robusta*, *Grevillea*, 58: 8  
*robusta*, *Washingtonia*, 69: 3  
*rodeiensis*, *Habenaria*, 58: 24  
*rosea*, *Clusia*, 64: 3  
*roseum*, *Xanthosoma*, 49: 15; 63: 10; 64: 2  
*roseus*, *Catharanthus*, 41: 22  
*rotundifolia*, *Cissus*, 49: 12; 69: 26  
*rotundifolia*, *Dissotis*, 46: 5  
*rotundus*, *Cyperus*, 42: 4; 48: 42  
*rubens*, *Bromus*, 58: 25  
*rubiginosa*, *Ficus*, 42: 12  
*rubra*, *Festuca*, 48: 60  
*rugosa*, *Medicago*, 49: 10; 69: 8  
*rugosum*, *Rapistrum*, 41: 27  
*runae*, *Cyrtandra*, 63: 18  
*saman*, *Samanea*, 41: 37; 69: 8  
*sandwicense*, *Peucedanum*, 56: 9  
*sandwicensis*, *Agrostis*, 55: 18  
*sandwicensium* var. *hawaiiense*, *Pseudognaphalium*, 48: 54  
*sandwicensium*, *Pseudognaphalium*, 48: 54  
*sandwichiana*, *Cuscuta*, 49: 18  
*sanguinolentus*, *Cyperus*, 58: 20  
*saponaria*, *Albizia*, 41: 36  
*sarmentosa*, *Rorippa*, 42: 18  
*sativa*, *Medicago*, 42: 20; 48: 57; 59: 8  
*sativum*, *Coriandrum*, 68: 5  
*scabra*, *Richardia*, 41: 50  
*scandens*, *Paederia*, 42: 25  
*scariosum*, *Eriocaulon*, 58: 20  
*schaffneri*, *Eleocharis*, 48: 43  
*scoparium*, *Schizachyrium*, 41: 47; 55: 35  
*sebaeoides*, *Centaurium*, 42: 21  
*secundatum*, *Stenotaphrum*, 64: 7; 69: 11  
*semiannulare*, *Rytidosperma*, 55: 34  
*semiverticillata*, *Agrostis*, 55: 18  
*septentrionalis*, *Senna*, 42: 21; 46: 5  
*septentrionalis*, *Cyrtandra*, 63: 18  
*sericea*, *Canavalia*, 42: 19; 69: 7

- serpens, Chamaesyce, 48: 56  
 serpyllifolia, Veronica, 42: 13  
 serriola, Lactuca, 42: 16  
 serrulata, Ochna, 56: 12  
 sessilis, Alternanthera, 41: 21  
 sessilis, Melicope, 58: 32  
 sessilis, Soliva, 42: 16  
 setaceum, Paspalum, 64: 11  
 setaceus, Asparagus, 41: 40; 63: 13  
 sexangula, Bruguiera, 58: 31  
 sinense, Ligustrum, 58: 6; 59: 5  
 sloanei, Mucuna, 42: 20  
 sodeni, Impatiens, 58: 15  
 sonchifolia var. javanica, Emilia, 48: 52  
 sonchifolia var. sonchifolia, Emilia, 69: 4  
 sp. cf. compressa, Aristeia, 58: 4  
 sp. cf. platypoda, Ficus, 64: 7  
 sp., Erodium, 42: 6  
 speciosa, Hebe, 46: 14  
 speciosa, Sanchezia, 41: 20; 58: 13  
 speciosa, Vigna, 56: 3  
 speciosus, Costus, 42: 18; 64: 4  
 spergulina var. leiopoda, Schiedea, 41: 31  
 sphacelata, Setaria, 69: 23  
 sphaericus, Euchariton, 48: 54  
 spicata, Distichlis, 58: 7  
 spicatus, Pseudelephantopus, 58: 15  
 spicigera, Justicia, 68: 4  
 spinosa, Sida, 49: 10; 59: 8; 68: 12  
 spinosum, Citharexylum, 56: 13; 69: 26  
 spinosus, Amaranthus, 69: 17  
 spissa, Cyrtandra, 63: 18  
 stellarioides, Schiedea, 41: 31  
 stipoides, Ehrharta, 41: 45; 55: 25  
 striata, Kummerowia, 68: 10  
 striatum, Hippeastrum, 58: 23; 69: 9  
 strobilifera, Flemingia, 41: 37  
 suaveolens, Hyptis, 42: 22  
 suber, Quercus, 46: 11  
 suberecta, Atriplex, 41: 31  
 suberosa, Passiflora, 41: 43; 48: 60  
 subquadripara, Brachiaria, 41: 44  
 suffruticosa, Dillenia, 56: 15  
 suffruticosa, Indigofera, 42: 6  
 superba, Eragrostis, 55: 28  
 surattensis, Senna, 68: 11  
 syndetica, Dubautia, 58: 14  
 tanarius, Macaranga, 59: 7  
 tankarvilleae, Phaius, 59: 9  
 temulentum, Lolium, 58: 28  
 tenellus, Phyllanthus, 59: 8; 64: 5; 69: 7  
 tenue, Dichanthium, 55: 22  
 tenuifolia, Eragrostis, 55: 28  
 tenuifolium, Panicum, 55: 31  
 tenuiloba, Dyssodia, 69: 18  
 ternata, Coprosma, 42: 25  
 ternatea, Clitoria, 64: 5  
 tetragonioides, Tetragonia, 59: 7; 64: 10  
 tetragonus, Acanthocereus, 41: 27  
 thomasiana, Ochna, 56: 12; 63: 13  
 thymifolia, Chamaesyce, 41: 35; 64: 5  
 timonioides, Bohea, 41: 49  
 timorensis, Ischaemum, 46: 11  
 tirucalli, Euphorbia, 41: 35  
 tomentosa var. tomentosa, Enchylaena, 63: 11  
 tomentosa, Rhodomyrtus, 68: 13  
 tomentosum, Gossypium, 56: 17  
 tortuosum, Desmodium, 42: 5  
 torvum, Solanum, 59: 10  
 tragus, Salsola, 48: 55; 58: 19; 69: 5  
 tribuloides, Cenchrus, 41: 44  
 trifasciata, Sansevieria, 63: 9; 69: 14  
 triloba, Ipomoea, 69: 6  
 trilobata, Sphagneticola, 48: 55; 63: 10; 69: 4  
 trimera, Morinda, 41: 50  
 trinervia, Flaveria, 41: 24; 46: 9  
 tripteris, Florestina, 64: 2  
 triticoides, Leymus, 55: 29  
 truncata, Chloris, 58: 25  
 tuberosa var. stenoptera, Phalaris, 55: 33  
 tubiflorum, Bryophyllum, 68: 9  
 uliginosus, Lotus, 41: 37  
 umbellata, Merremia, 63: 11  
 undulata, Cyanea, 41: 29  
 unguis-cati, Macfadyena, 63: 10; 64: 2; 69: 18  
 uninervia, Leptochloa, 55: 29; 63: 14; 64: 11  
 unioloides, Eragrostis, 58: 26  
 urens, Sida, 69: 21  
 urens, Urtica, 46: 7  
 ustulata, Cyrtandra, 58: 22  
 utilis, Echinochloa, 55: 24  
 uvifera, Coccoloba, 56: 3; 69: 11; 69: 24  
 vaginalis, Monochoria, 42: 23  
 vaginatum, Paspalum, 58: 7  
 variabile, Pseuderanthemum, 58: 12  
 vera, Aloe, 41: 21  
 vermiculare, Blutaparon, 42: 14  
 verrucosa, Croton, 42: 19  
 verum, Cinnamomum, 63: 12  
 vesicaria subsp. taraxacifolia, Crepis, 68: 5  
 vialis, Calyptocarpus, 59: 1  
 villosa, Fatoua, 42: 22  
 villosum, Pennisetum, 55: 33  
 ×violacea, Passiflora, 59: 13

- virgata, Chloris, 55: 21; 63: 14; 64: 11  
virginicum, Lepidium, 41: 27  
virginicus, Andropogon, 42: 8; 59: 9; 63: 14; 69:  
22  
viridiflorum, Pittosporum, 59: 14  
viridis, Amaranthus, 42: 1  
viridis, Polypogon, 55: 34  
viscosa, Bastardia, 68: 12  
viscosum, Adenostemma, 58: 14  
viscosum, Alsinidendron, 41: 30  
vitifolia, Begonia, 68: 6  
vitifolia, Gouania, 46: 6  
vulgare, Hordeum, 58: 27  
vulgare, Leucanthemum, 58: 15  
vulgaris, Artemisia, 42: 15  
waialealae, Metrosideros, 59: 9  
walteri, Echinochloa, 55: 24  
wawraeana, Pelea, 56: 16  
wawrana, Phyllostegia, 41: 39  
wightii, Glycine, 42: 6  
wightii, Neonotonia, 46: 4  
willdenowii, Bromus, 49: 11  
zebrina, Tradescantia, 49: 10; 64: 4  
zerumbet, Alpinia, 69: 15

